

2012-2013

**Thermo Scientific**  
Chromatography Columns  
and Consumables



**Trusted solutions**  
uncompromised analysis

**Thermo**  
SCIENTIFIC

# innovation



## Vials and Closures

Our portfolio includes over 800 Thermo Scientific vials and closures products designed for any instrument and any application. Our pages have been arranged by product line and vial size, allowing you to quickly find the most appropriate products for your lab.

## Section Contents

MS Certified Vials . . . . .	<b>2-002</b>	Chromacol Solvent Compatibility. . . . .	<b>2-088</b>
Premium Vials and Closures . . . . .	<b>2-006</b>	Chromacol Vial Charts . . . . .	<b>2-090</b>
National Vials and Closures. . . . .	<b>2-013</b>	Chromacol Cap Comparison. . . . .	<b>2-092</b>
National Septum Selection Guide . . . . .	<b>2-053</b>	Electronic Crimpers . . . . .	<b>2-094</b>
National Deactivated Glass . . . . .	<b>2-055</b>	Chemical Resistance Charts . . . . .	<b>2-095</b>
National Vial Charts. . . . .	<b>2-056</b>	Properties of Glass. . . . .	<b>2-099</b>
Chromacol Vials and Closures . . . . .	<b>2-060</b>	Autosampler Compatibility . . . . .	<b>2-100</b>
Chromacol Seal Hardness . . . . .	<b>2-086</b>		

## Featured Products



### MS Certified Vials

Unmatched consistency for the most sensitive applications

**>> PAGE 2-002**



### Micro Sampling Vials

World's broadest portfolio of reduced volume sampling options



### Tools and Accessories

A comprehensive range of accessories

## MS Certified Vials

Pre-cleaned, low particle, low background chromatography vial for every high sensitivity application

- Testing process ensures integrity of 15 critical physical characteristics
- Unique pre-cleaned vials packaging and airtight, re-sealable closure containers
- Background scans by LC/MS, GC/MS and particle counts provided
- Unmatched consistency for sample protection, testing efficiency and reliable results
- Certificate of Conformance included in every pack
- Bonded caps to prevent septa push-through
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Fixed insert or conical base vials for limited volume sampling



### Low Particle Background


Thermo Scientific MS Certified Vials undergo a proprietary cleaning process that greatly reduces the background particulates and their potential affect on high sensitivity chromatography.

A typical vial that has not been processed can exhibit particle counts exceeding 5000 particles per mL with the highest counts occurring in the range below 0.5µm.

GC techniques employing on-column injection create the need for a sample vial with minimal background particulates to prevent an accumulation of foreign material at the head of the column than might adversely affect a separation. Similarly newer techniques employing finely packed HPLC columns, capillary columns and direct connection of the analytical column to the sample valve also

require the elimination of as much particulate matter as possible from the sample stream. The scheme below gives a comparison of the particle distribution obtained from an analysis of standard vials versus the Thermo Scientific MS Certified Vials. All vials are processed and tested for background particulates. The processed vial shows a significant reduction in total particle counts.

Typical Cumulative Particle Counts



Search thousands of applications at our chromatography resource center.


[www.thermoscientific.com/chromatography](http://www.thermoscientific.com/chromatography)



### Low GC/MS Background

A portion of the vial extracts prepared for LC/MS analysis were taken for analysis by GC/MS. A typical GC/MS scan is shown in figure 1 below with bank solvent in the upper scan and the vial extract shown in the lower scan.

**Figure 1 GC/MS chromatograms and spectra**




### GC conditions

- Instrument: Thermo Scientific DSQII GC/MS with Triplus AS autosampler
- Software: Xcalibur 2.0.7
- Column: TRACEGOLD TG-5MS, 30m x 0.25mm x 0.25µm
- Carrier gas: Helium
- Flow rate: 1.2mL/min
- Oven program: 40°C, hold for 0.5min; 15°C to 150°C, hold for 1min; 10°C to 290°C, hold for 5 min
- Inlet temperature: 250°C; Split flow: 50mL/min
- Injection vol.: 1µL splitless
- MS transfer line: 290°C
- MS ion source: 230°C
- MS detection: Positive EI; Full scan 50 to 650m/z

### Low LC/MS Background

Figures 2 show the LC/MS analysis of a control, a competitor vial + closure and a MS Certified vial + closure. The LC/MS chromatograms for the control and the MS Certified Vials are very similar, suggesting that there is minimal interference from the vial + closure. However, the Total Ion Chromatogram (TIC) obtained for the competitor vial shows a substantial amount of contamination.

**Figure 2**



### Methods:

Vials and closures were exposed to acetonitrile for 2 hours and subsequently analysed by LC/UV, LC/MS and GC/MS to characterise the interferences. Comparisons were made between pre-cleaned MS Certified vials and closures, a control and a competitor vial and closure set.

## MS Certified Vials Kits

### Unassembled and Assembled Vial Kits

Kit Type	Glass	Patched	Cap Color	Septum	Cat. No.	Pack of
Convenience Kit, 9mm 200µL Fused Insert Screw Vial	Clear	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-30LVW</b>	100
Convenience Kit, 9mm 350µL Fused Insert Screw Vial	Clear	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-31LVW</b>	100
Convenience Kit, 9mm Wide Opening 1.7mL High Recovery Screw Vial with 30µL Reservoir	Clear	No	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-32</b>	100
Convenience Kit, 9mm Wide Opening 1.5mL Total Recovery Screw Vial with 10µL Reservoir	Clear	No	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-33TR</b>	100
Convenience Kit, 9mm Wide Opening Screw Vial, 2mL	Clear	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-34W</b>	100
	Amber	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-35W</b>	100
Convenience Kit, 9mm 200µL Fused Insert Screw Vial	Clear	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-36LVW</b>	100
Convenience Kit, 9mm 350µL Fused Insert Screw Vial	Clear	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-37LVW</b>	100
Convenience Kit, 9mm Wide Opening 1.7mL High Recovery Screw Vial with 30µL Reservoir	Clear	No	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-38</b>	100
Convenience Kit, 9mm Wide Opening 1.5mL Total Recovery Screw Vial with 10µL Reservoir	Clear	No	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-39TR</b>	100
Convenience Kit, 9mm Wide Opening Screw Vial, 2mL	Clear	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-40W</b>	100
	Amber	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-41W</b>	100
Convenience Kit, 9mm Wide Opening Screw Vial, 2mL, silanized	Clear	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-S34W</b>	100
	Amber	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-S35W</b>	100
	Clear	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-S40W</b>	100
	Amber	Yes	Gray	Bonded Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4000-S41W</b>	100
Convenience Kit, 11mm Snap Top Vial, 2mL	Clear	Yes	Black	Clear PTFE/Clear Silicone	<b>MSCERT4011-73W</b>	100
	Clear	Yes	Red	Clear PTFE/Clear Silicone, Pre-slit	<b>MSCERT4011-74W</b>	100
Assembled Kit, 9mm Wide Opening Screw Vial, 2mL	Clear	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-134W</b>	100
	Amber	Yes	Blue	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4000-135W</b>	100
Assembled Kit, 13-425 Screw Vial, 4mL	Clear	Yes	Black	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4015-135W</b>	100
	Amber	Yes	Black	Bonded Clear PTFE/Clear Silicone	<b>MSCERT4015-136W</b>	100



# Thermo Scientific Premium Vials and Closures

Our comprehensive range of vials and closures offers you the assurance of uninterrupted productivity, separation after separation

- The first choice for Thermo Scientific Chromatography and Mass Spectrometry Instruments
- Assured quality
- Guaranteed fit
- Extensively tested on Thermo Scientific instruments

## 8mm Crimp Top Vials and Closures

- Conical Thermo Scientific 8mm Crimp Vials sometimes need an adapter for certain autosampler and cannot stand alone
- Superior quality borosilicate clear (Type 1, Class A), meets all requirements of Pharm. US, EU, JPN
- Aluminum Crimp Seals with Prefitted Septa for 8mm Crimp Top Vials
- Pre-assembled caps and septa are convenient and minimize contamination from handling



### 8mm Crimp Top Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (µL)	Usable Volume (µL)	Residual (µL)	Cat. No.	Pack of
1mL Crimp Top Tapered Vial	Clear	No	8x40	Conical Base	1180	1000	<5	<b>60180-500</b>	100

### 8mm Crimp Top Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Crimp Cap, 4mm centre hole	Blue	Aluminum	Blue Silicone/Red PTFE	20	1.4	<b>60180-525</b>	100

For autosampler compatibility look on pages **2-100 to 2-104**

## 8mm Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure
- Easy and convenient handling
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance
- Textured handle surface provides an assured grip



Items not shown to scale

### 8mm Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 8mm aluminum crimp seals	<b>C4008-100</b>	1
Decapping Pliers	Removes 8mm aluminum crimp seals, Protective gloves recommended	<b>C4008-101</b>	1
Manual Decrimper	Removes 8mm aluminum crimp seals without vial damage	<b>C4008-102</b>	1

For electronic crimpers look on page **2-094**



## 8mm Screw Vials and Closures

8-425 thread finish, Standard Opening, 2mL, 12x32mm

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass, meets all requirements of Pharm. US, EU, JPN
- Open top caps are designed to be used with any of our 8mm septa
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Flanged caps are particularly suitable for many Japanese autosamplers
- Pre-assembled caps and septa are convenient and minimize contamination from handling

### Recommended for the following instruments:

- Thermo Scientific Accella
- Thermo Scientific Surveyor LC autosampler
- Beckman
- CTC
- Gilson
- Knauer
- Shimadzu
- Spark
- Varian
- VWR (Merck)/Hitachi

For autosampler compatibility look on pages **2-100 to 2-104**



### 8mm, 2mL, 12x32mm Standard Opening Screw Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
8-425 Screw Thread Vial	Clear	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-508</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-560</b>	100

### 8-425 Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Open Top Screw Cap, 8-425 thread, 5.5mm hole	Black	Polypropylene	–	–	–	<b>60180-514</b>	100
8mm Open Top Screw Cap, flanged, 8-425 thread, 5.5mm hole	Pink	Polypropylene	–	–	–	<b>60180-660</b>	100
8mm Open Top Screw Cap, 8-425 thread, 5.5mm hole	Pink	Polypropylene	–	–	–	<b>60180-664</b>	100
8mm Seal Silicone/PTFE	–	–	Blue Silicone/PTFE	30	1.1	<b>60180-515</b>	500
	–	–	White Silicone/Red PTFE	50	1.5	<b>60180-562</b>	100
8mm Open Top Screw Cap with flange, 8-425 thread, 5.5mm hole	Pink	Polypropylene	Red PTFE/White Silicone	45	1.3	<b>60180-661</b>	100
	Pink	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	0.9	<b>60180-662</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone, Pre-slit	55	1.0	<b>60180-663</b>	100
8mm Open Top Screw Cap, 8-425 thread, 5.5mm hole	Pink	Polypropylene	Ivory PTFE/Red Rubber	45	1.0	<b>60180-665</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>60180-666</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone	45	1.3	<b>60180-667</b>	100

For 8mm screw vial convenience kits look on page **2-008**

## 8mm Standard Opening Screw Thread Vial Convenience Kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Caps feature pre-inserted septa for added convenience during sample preparation

### 8mm Standard Opening Screw Thread Vial Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Convenience Kit, Standard	Clear	Yes	Black	Blue Silicone/PTFE	60180-508	60180-514/60180-515	<b>60180-596</b>	1000
Opening Screw Vial	Clear	Yes	Black	Red PTFE/White Silicone	60180-508	60180-514/60180-562	<b>60180-600</b>	100

## 9mm Wide Opening Screw Thread Vials and Closures

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass, meets all requirements of Pharm. US, EU, JPN
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Easy-on, easy-off convenience with just one turn
- Caps with bonded septa resist dislodging during injection when using large diameter blunt needles
- Closures have the profile of a crimp or snap closure for compatibility with robotic autosamplers

### Compatible with:

- Thermo Scientific Trace GC
- Thermo Scientific Triplus
- Most other HPLC and GC autosamplers

For autosampler compatibility look on pages **2-100 to 2-104**



\* This vial fits Thermo Scientific AS 3000 and Triplus only

### 9mm Wide Opening Screw Thread Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
9mm Screw Thread Micro+™ Vial 300µL, Fused Insert	Clear	Yes	12x32	Insert Vial	0.3	250µL	<3	<b>60180-507</b>	100
9mm Screw Thread Vial	Clear	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-509</b>	100
	Clear	No	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-723</b>	1000
	Amber	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-561</b>	100
	Amber	No	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-724</b>	1000
	Clear	No	15x46	Flat Bottom	4.0	3.5	<500	<b>60180-510</b>	125



### 9mm Short Screw Thread Vial Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
9mm Open Top Short Screw Cap, 6mm hole	Blue	Polypropylene	Clear PTFE/Blue Silicone	30	1.0	<b>60180-516</b>	100
	Blue	Polypropylene	Red PTFE/White Silicone	55	1.0	<b>60180-729</b>	1000
	Blue	Polypropylene	Ivory PTFE/Red Rubber	45	1.0	<b>60180-728</b>	1000
	Pink	Polypropylene	Red PTFE/White Silicone	55	1.0	<b>60180-671</b>	100
	Pink	Polypropylene	Ivory PTFE/Red Rubber	45	1.0	<b>60180-669</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>60180-670</b>	100
	Pink	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>60180-672</b>	100
	Pink	Polypropylene	Bonded Natural PTFE/Clear Silicone	45	1.2	<b>60180-673</b>	100
	Pink	Polypropylene	Bonded Natural PTFE/Clear Silicone, Pre-slit	45	1.2	<b>60180-674</b>	100

### 9mm Convenience Kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Caps feature pre-inserted septa for added convenience during sample preparation



Items not shown to scale

### 9mm Wide Opening Screw Thread Vials Convenience Kits


Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Open Short Screw Vial	Clear	Yes	Blue	Blue Silicone/PTFE	60180-509	60180-516	<b>60180-599</b>	100
	Clear	Yes	Pink	Ivory PTFE/Red Rubber	60180-723	60180-669	<b>60180-693</b>	100
	Clear	Yes	Pink	Red PTFE/White Silicone	60180-723	60180-671	<b>60180-694</b>	100
	Clear	Yes	Pink	Bonded Natural PTFE/White silicone	60180-723	60180-673	<b>60180-695</b>	100
	Clear	Yes	Pink	Bonded Natural PTFE/White silicone, Pre-slit	60180-723	60180-674	<b>60180-696</b>	100
	Amber	No	Pink	Ivory PTFE/Red Rubber	60180-724	60180-669	<b>60180-697</b>	100
	Amber	No	Pink	Red PTFE/White Silicone	60180-724	60180-671	<b>60180-698</b>	100
	Amber	No	Pink	Bonded Natural PTFE/White silicone	60180-724	60180-673	<b>60180-699</b>	100
	Amber	No	Pink	Bonded Natural PTFE/White silicone, Pre-slit	60180-724	60180-674	<b>60180-700</b>	100

## 11mm Crimp Top Vials, Wide Neck, 2mL, 12x32mm and Closures

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) meets all requirements of Pharm. US, EU, JPN
- Aluminum Crimp Seals with Prefitted Septa for all 11mm Crimp Top and Snap Cap Vials
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Aluminum seals must be applied with a crimping tool

### Compatible with:

Most HPLC and GC autosamplers  
For autosampler compatibility look on pages **2-100 to 2-104**



### 11mm Wide Opening Crimp Top Vials, 2mL, 12x32mm

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
11mm Crimp Top Vial, Wide Opening	Clear	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>60180-502</b>	100

### 11mm Crimp Top Vial Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Crimp Cap, 6mm centre hole	Blue	Aluminum	Blue Silicone/Red PTFE	20	1.4	<b>60180-526</b>	100
11mm Crimp Cap, 5.5mm centre hole	Silver	Aluminum	Clear PTFE/Rubber	60	1.0	<b>60180-705</b>	1000
	Silver	Aluminum	Red PTFE/White Silicone	45	1.3	<b>60180-706</b>	1000

## 11mm Crimp Top Convenience Kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Caps feature pre-inserted septa for added convenience during sample preparation

### 11mm Crimp Top Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Opening Crimp Top Vial	Clear	Yes	Blue	Blue Silicone/Red PTFE	60180-502	60180-526	<b>60180-597</b>	100
	Clear	Yes	Silver	White Silicone/Red PTFE	60180-502	60180-706	<b>60180-598</b>	100

### 11mm Crimping and Decrimping tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 11mm aluminum crimp seals	<b>60180-543</b>	1
11mm Manual Crimper Crimpmate System	Attaches 11mm aluminum crimp seals	<b>60180-549</b>	1

We offer electronic crimping options

➤ Visit **PAGE 2-094**



## 11mm Snap Cap Vials, Wide Opening, 2mL, 12x32mm and Closures

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass, meets all requirements of Pharm. US, EU, JPN
- Crimp/Snap vials can be used with snap caps or aluminum crimp seal closures
- Snap Caps eliminate the need for crimping or de-capping tools
- Polyethylene caps are chemically inert and suitable for most chromatography applications

### Compatible with:

Most HPLC and GC autosamplers  
For autosampler compatibility look on pages **2-100 to 2-104**



### 11mm Snap Cap Vials, Wide Opening, 2mL, 12x32mm

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
11mm Crimp/Snap Vial	Clear	No	12x32	Flat Bottom	2	1.5	<170	<b>60180-710</b>	1000
	Amber	No	12x32	Flat Bottom	2	1.5	<170	<b>60180-711</b>	1000

### 11mm Snap Cap Vial Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Snap Cap, 6mm hole	Blue	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>60180-712</b>	1000
	Pink	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>60180-676</b>	100
	Blue	Polyethylene	Red PTFE/White Silicone	45	1.3	<b>60180-713</b>	1000
	Pink	Polyethylene	Red PTFE/White Silicone	45	1.3	<b>60180-677</b>	100
	Pink	Polyethylene	Red PTFE/White Silicone, Star-slit	45	1.3	<b>60180-678</b>	100

## 11mm Wide Opening Snap Cap Convenience Kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Caps feature pre-inserted septa for added convenience during sample preparation

### 11mm Snap Cap Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Opening Snap Cap Vial	Clear	No	Pink	Clear PTFE/Red Rubber	60180-710	60180-676	<b>60180-679</b>	100
	Clear	No	Pink	Red PTFE/White Silicone	60180-710	60180-677	<b>60180-680</b>	100
	Clear	No	Pink	Red PTFE/White Silicone, Star-slit	60180-710	60180-678	<b>60180-681</b>	100

## 20mm Headspace Crimp Top Vials and Closures

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass, meets all requirements of Pharm. US, EU, JPN



### Applications:

Recommended for operation of Thermo Scientific Triplus HS Autosampler.

Clear glass vials with 20mm crimp seal finish are designed to fit most headspace autosamplers.

For autosampler compatibility look on pages **2-100 to 2-104**

Images shown are 70% to scale

### 20mm Crimp Top Headspace Vials

Description	Glass	Patched	Dimension (mm)	Finish	Profile	Total Volume (mL)	Usable Volume (mL)	Cat. No.	Pack of
20mm Headspace Crimp Vial	Clear	Yes	22.5x45	Beveled Edge	Round Bottom	12	10	<b>60180-504</b>	125
	Clear	No	22.5x45	Beveled Edge	Round Bottom	12	10	<b>60180-740</b>	1000
	Amber	No	22.5x45	Beveled Edge	Round Bottom	12	10	<b>60180-505</b>	125
	Clear	Yes	22.5x75	Beveled Edge	Round Bottom	21	20	<b>60180-506</b>	125
	Clear	No	22.5x75	Beveled Edge	Round Bottom	21	20	<b>60180-741</b>	1000



Images shown are 70% to scale

### 20mm Crimp Top Vial Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	–	–	–	<b>60180-512</b>	100
20mm Composite Magnetic Crimp Cap, 8mm hole	Blue	Alu/Tinplate	–	–	–	<b>60180-519</b>	100
Stopper for 20mm Crimp Caps	–	–	20mm Gray Butyl Stopper	37	3.0	<b>60180-744</b>	1000
Septum for 20mm Crimp Caps	–	–	PTFE/Rubber Seal 20mm	50	3.0	<b>60180-745</b>	1000
	–	–	Natural PTFE/Blue Silicone	45	3.2	<b>60180-521</b>	100
20mm Crimp Cap, 8mm hole	Silver	Aluminum	20mm Gray Chlorobutyl/Gray PTFE	52	3.0	<b>60180-513</b>	100
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	Natural PTFE/Blue Silicone	45	3.2	<b>60180-511</b>	100
20mm Composite Magnetic Crimp Cap, 8mm hole	Blue	Alu/Tinplate	Natural PTFE/Blue Silicone	45	3.2	<b>60180-520</b>	100

### 20mm Crimping and Decrimping tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 20mm crimp seals	<b>60180-544</b>	1
Manual Crimper Crimpmate	Attaches 20mm crimp seals	<b>60180-550</b>	1
Manual Decrimper	Removes 20mm crimp seals without vial damage	<b>60180-557</b>	1

For electronic crimpers and decappers look on page **2-094**

# Thermo Scientific National Vials and Closures

More laboratory professionals look to Thermo Scientific National products to meet their critical sampling needs than any other company

- Comprehensive instrument compatibility, "correct fit"
- The industry's widest selection of vials and closures for every application, from economical to high end products
- Innovative products for challenging applications
- Quality products in glass (type 33 glass for clear vials), closures and septa
- Certified and Mass Spec Certified Vial Kits
- The leading manufacturer of vials and closures in North America since 1986
- In-house product development team
- Leading company in convenience and assembled kits

## National Certified Vials and Closures Convenience Kits

- National Certified Vial Kits are fully lot-tested including HPLC and GC analysis for 15 critical parameters
- Certificate of Conformance included in every pack
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Fixed insert or conical base vials for limited volume sampling

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closures while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers



### National Certified Vial and Closure Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Certified 9mm Wide Opening Screw Vial, 2mL	Clear	No	Blue	Ivory PTFE/Red Rubber	C4000-1	C4000-51B	<b>CERT4000-80</b>	100
	Clear	Yes	Blue	Ivory PTFE/Red Rubber	C4000-1W	C4000-51B	<b>CERT4000-80W</b>	100
	Amber	Yes	Blue	Ivory PTFE/Red Rubber	C4000-2W	C4000-51B	<b>CERT4000-82W</b>	100
	Clear	Yes	Blue	Red PTFE/White Silicone	C4000-1W	C4000-54B	<b>CERT4000-92W</b>	100
Convenience Kit, Certified 9mm Wide Opening High Recovery Screw Vial, 1.7mL	Clear	No	Black	Bonded Red PTFE/White Silicone	C4000-9	C4000-64B	<b>CERT4000-992</b>	100
Convenience Kit, Certified 9mm Wide Opening Screw Vial, 2mL	Clear	Yes	Black	Bonded Red PTFE/White Silicone	C4000-1W	C4000-64B	<b>CERT4000-78W</b>	100
	Amber	Yes	Black	Bonded Red PTFE/White Silicone	C4000-2W	C4000-64B	<b>CERT4000-75W</b>	100
Convenience Kit, Certified 9mm Wide Opening Precision Taper Screw Vial, 1mL	Clear	No	Black	Bonded Red PTFE/White Silicone	C4000-1PT	C4000-64B	<b>CERT4000-98PT</b>	100
Convenience Kit, Certified 9mm Screw Vial, 350µL Fused Insert	Clear	Yes	Black	Bonded Red PTFE/White Silicone	C4000-LV1W	C4000-64B	<b>CERT4000-69LV</b>	100
	Amber	Yes	Black	Bonded Red PTFE/White Silicone	C4000-LV2W	C4000-64B	<b>CERT4000-72LV</b>	100
Convenience Kit, Certified 10-425 Screw Vial, 2mL	Clear	No	Black	Bonded Red PTFE/White Silicone	C4010-1	C4010-68A	<b>CERT4010-91</b>	100
Convenience Kit, Certified 13-425 Screw Vial, 4mL	Clear	No	Black	Bonded Red PTFE/White Silicone	C4015-1	C4015-67A	<b>CERT4015-83</b>	100
Convenience Kit, Certified 9mm Wide Opening High Recovery Screw Vial, 1.7mL	Clear	No	Gray	Bonded Red PTFE/White Silicone, Pre-slit	C4000-9	C4000-75C	<b>CERT4000-79</b>	100
Convenience Kit, Certified 9mm Wide Opening Screw Vial, 2mL	Clear	Yes	Gray	Bonded Red PTFE/White Silicone, Pre-slit	C4000-1W	C4000-75C	<b>CERT4000-93W</b>	100
	Amber	Yes	Gray	Bonded Red PTFE/White Silicone, Pre-slit	C4000-2W	C4000-75C	<b>CERT4000-76W</b>	100
Convenience Kit, Certified 9mm Wide Opening Total Recovery Screw Vial, w/10µL Reservoir	Clear	No	Gray	Bonded Red PTFE/White Silicone, Pre-slit	C4000-9TR	C4000-75C	<b>CERT4000-993</b>	100
Convenience Kit, Certified Shell Vial 1mL with SepCap	Clear	No	Natural	Integral Molded Polyethylene	–	–	<b>CERT4015-96</b>	200
Assembled Kit, Certified Crimp Top Vial, 2mL	Clear	Yes	Silver	PTFE/Synthetic Red Rubber	C4011-1W	–	<b>CERT4011-89W</b>	100
Assembled Kit, Certified 9mm Wide Opening Screw Vial, 2mL	Amber	Yes	Black	Bonded Red PTFE/White Silicone	C4000-2W	C4000-64B	<b>CERT4000-175W</b>	100
	Clear	Yes	Gray	Bonded Red PTFE/White Silicone	C4000-1W	C4000-75C	<b>CERT4000-193W</b>	100
	Amber	Yes	Gray	White Silicone, Pre-slit	C4000-2W	C4000-75C	<b>CERT4000-176W</b>	100

### National 8mm Crimp Top Vials

- Superior quality type 1 borosilicate and amber glass. Conical and Round Bottom 8mm Crimp Vials sometimes need an adapter for certain autosampler and cannot stand alone.

#### Recommended for the following instruments:

- Thermo Scientific
- Agilent
- Beckman
- Carlo Erba
- CTC
- Fisons
- PerkinElmer
- Shimadzu
- VWR (Merck)/Hitachi

For autosampler compatibility look on pages **2-100 to 2-104**



#### National 8mm Crimp Top Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (µL)	Usable Volume (µL)	Residual (µL)	Cat. No.	Pack of
8mm Crimp Top Vial	Clear	No	6x32	Round Base	325	250	<6	<b>C4008-632R</b>	100
	Clear	No	6x32	Conical Base	250	200	<2	<b>C4008-632C</b>	100
	Amber	No	7x30	Conical Base	550	400	<3	<b>C4008-730</b>	100
	Clear	No	7x40	Conical Base	575	450	<2	<b>C4008-739</b>	100
	Amber	No	7x40	Conical Base	575	450	<2	<b>C4008-740</b>	100
	Clear	No	7x40	Flat Base	775	650	<70	<b>C4008-741</b>	100
	Amber	No	7x40	Flat Base	775	650	<70	<b>C4008-742</b>	100
	Clear	No	8x30	Flat Base	800	800	<80	<b>C4008-1</b>	200



## National 8mm Top Crimp Closures

- Aluminum crimp seals with prefitted septa
- Provide a secure leak-resistant seal
- Pre-assembled caps and septa are convenient and minimize contamination from handling



### National 8mm Crimp Top Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Crimp Cap, 4mm centre hole	Silver	Aluminum	Clear PTFE/Red Rubber	45	1.0	<b>C4008-1A</b>	200
	Silver	Aluminum	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4008-2A</b>	200
	Silver	Aluminum	Red PTFE/White Silicone	45	1.3	<b>C4008-4A</b>	200

## National 8mm Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure
- Easy and convenient handling
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance
- Textured handle surface provides an assured grip



Items not shown to scale

### National 8mm Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 8mm aluminum crimp seals	<b>C4008-100</b>	1
Decapping Pliers	Removes 8mm aluminum crimp seals, Protective gloves recommended	<b>C4008-101</b>	1
Manual Decrimper	Removes 8mm aluminum crimp seals without vial damage	<b>C4008-102</b>	1

We offer electronic crimping options

Visit **PAGE 2-094**



## National Standard Opening Screw Thread Vials

2mL, 12x32mm, 8mm Standard Opening Screw Thread Vials and Inserts

- 8-425 thread finish
- I-D vials feature a write-on patch with graduation for convenient sample identification
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Available silanized (deactivated) for optimal recovery of critical polar, labile or OH-interacting compounds\*
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Precision point insert minimizes residual sample loss
- Pulled point inserts are an economical choice for noncritical applications

### Recommended for the following instruments:

- Beckman
  - CTC
  - Gilson
  - Knauer
  - Shimadzu
  - Spark Holland
  - Varian
  - VWR (Merck)/Hitachi
- For autosampler compatibility look on pages **2-100 to 2-104**



### National Standard Opening Screw Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
8-425 Screw Thread Vial	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-1</b>	100
	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-1500</b>	1000
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-1W</b>	100
	Amber	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-2</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-2W</b>	100
8-425 Screw Thread 150µL MicroVial, Clear Solid Glass	Clear	No	12x32	Conical	400µL	200µL	<2	<b>C4013-12</b>	12
8-425 Screw Thread Vial, silanized*	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4013-S1</b>	100
8-425 Screw Thread 250µL Conical MicroVial	Polypropylene	No	12x32	Conical	475µL	250µL	<4	<b>C4013-11</b>	100
8-425 Screw Thread 600µL Tapered MicroVial	Polypropylene	No	12x32	High Recovery	850µL	675µL	<8	<b>C4013-13</b>	1000
200µL MicroSert Insert	Clear	–	5x31	Flat Bottom	250µL	200µL	<12	<b>C4012-465</b>	500
150µL Polyspring Insert	Clear	–	5x29	Pulled point	200µL	175µL	<1	<b>C4012-530</b>	100
150µL Insert	Clear	–	5x29	Pulled point	200µL	175µL	<3	<b>C4012-529</b>	100
125µL Polyspring Insert	Polypropylene	–	5x29	Precision point	175µL	125µL	<2	<b>C4012-530P</b>	100
150µL Polyspring Insert, silanized*	Clear	–	5x29	Pulled point	200µL	175µL	<1	<b>C4012-S530</b>	100

\* For information about silanized products see page **2-055**

## National Screw Thread Caps and Septa

- Open top caps are designed to be used with any of our 8mm septa
- Phenolic caps are suitable for autoclaving and low temperature applications
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Flanged caps are preferred for Shimadzu and Tosoh autosamplers
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Caps with bonded septa resist dislodging during injection when using large diameter blunt needles
- Closures are shipped in sealed polybags to prevent contamination during transport



### National 8-425 Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Open Top Cap 5.5mm hole	Black	Polypropylene	–	–	–	<b>C4013-1A</b>	100
8mm Open Top Cap with flange, 5.5mm hole	Black	Polypropylene	–	–	–	<b>C4013-3A</b>	100
	White	Polypropylene	–	–	–	<b>C4013-98W*</b>	100
8mm Open Top Cap, 5.5mm hole	Pink	Polypropylene	–	–	–	<b>C4013-1P</b>	100
Septum for 8-425 Screw Caps	–	–	White Virgin PTFE, 0.01" Septum	53	0.25	<b>C4013-10</b>	1000
	–	–	Ivory PTFE/Red Rubber Septum	45	1.00	<b>C4013-30</b>	100
	–	–	Blue PTFE/White Silicone, Pre-slit Septum	55	0.90	<b>C4013-32</b>	100
	–	–	Red PTFE/White Silicone/ Red PTFE Septum	45	1.00	<b>C4013-40</b>	100
	–	–	Red PTFE/White Silicone Septum	45	1.30	<b>C4013-60</b>	100
	–	–	Tan PTFE/White Silicone Septum	45	1.50	<b>C4013-61</b>	1000
	8mm Open Top Cap, 5.5mm hole	Black	Polypropylene	Ivory PTFE/Red Rubber	45	1.00	<b>C4013-30A</b>
Pink		Polypropylene	Ivory PTFE/Red Rubber	45	1.00	<b>C4013-30P</b>	100
Black		Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.00	<b>C4013-40A</b>	100
Pink		Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.00	<b>C4013-40P</b>	100
Black		Polypropylene	Red PTFE/White Silicone	45	1.30	<b>C4013-60A</b>	100
Pink		Polypropylene	Red PTFE/White Silicone	45	1.30	<b>C4013-60P</b>	100
8mm Open Top Cap with flange, 5.5mm hole	Black	Polypropylene	Red PTFE/White Silicone	45	1.30	<b>C4013-63A</b>	100
	White	Polypropylene	Red PTFE/White Silicone	45	1.30	<b>C4013-63W</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone	45	1.30	<b>C4013-63P</b>	100
	Black	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	0.90	<b>C4013-64A</b>	100
	White	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	0.90	<b>C4013-64W</b>	100
	Pink	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	0.90	<b>C4013-64P</b>	100
8mm Open Top Cap, 5.5mm hole	Black	Phenolic Resin	Red PTFE/White Silicone	45	1.30	<b>C4013-74A</b>	100
8mm Open Top Cap with flange, 5.5mm hole	Black	Polypropylene	Red PTFE/White Silicone, Pre-slit	55	1.00	<b>C4013-77A</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone, Pre-slit	55	1.00	<b>C4013-77P</b>	100
8mm Solid Top Cap, 8-425 thread	White	Polypropylene	PTFE/Foam Urethane Liner	–	1.30	<b>B7815-8</b>	100
8mm Open Top Cap, 5.5mm hole	Black	Polypropylene	Bonded Red PTFE/White Silicone, Pre-slit	45	1.30	<b>C4013-69A</b>	100

\* Additional colors on request

## National Standard Opening Screw Thread Vial Convenience Kits


- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers or in economical polybags



Items not shown to scale

## National Standard Opening Screw Thread Vial Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Convenience Kit	Clear	No	Black, flanged	Red PTFE/White Silicone	C4013-1	C4013-63A	<b>C4013-14</b>	100
	Clear	No	Black	Red PTFE/White Silicone	C4013-1	C4013-60A	<b>C4013-15</b>	100
	Clear	No	Pink	Red PTFE/White Silicone	C4013-1	C4013-60P	<b>C4013-15P</b>	100
	Amber	No	Black	Red PTFE/White Silicone	C4013-2	C4013-60A	<b>C4013-17</b>	100
	Amber	No	Pink	Red PTFE/White Silicone	C4013-2	C4013-60P	<b>C4013-17P</b>	100
	Clear	Yes	Black, flanged	Red PTFE/White Silicone, Pre-slit	C4013-1W	C4013-77A	<b>C4013-95W</b>	100
	Clear	No	Black, phenolic	Red PTFE/White Silicone	C4013-1	C4013-74A	<b>C4013-492</b>	100
Assembled Kit	Clear	No	Black	White Virgin PTFE, 0.01"	C4013-1	C4013-1A/ C4013-10	<b>C4013-10A</b>	100
	Clear	No	Black	Red PTFE/White Silicone	C4013-1	C4013-60A	<b>C4013-15A</b>	100
	Amber	No	Black	Red PTFE/White Silicone	C4013-2	C4013-60A	<b>C4013-17A</b>	100
	Clear	No	Black, flanged	Blue PTFE/White Silicone, Pre-slit	C4013-1	C4013-3A/ C4013-32	<b>C4013-32A</b>	100
	Clear	Yes	Yellow, flanged	Red PTFE/White Silicone, Pre-slit	C4013-1W	C4013-98Y/ C4013-60TW	<b>C4013-36A</b>	100
	Clear	No	Black, flanged	Red PTFE/White Silicone	C4013-1	C4013-63A	<b>C4013-57</b>	100
	Clear	No	White, flanged	Red PTFE/White Silicone	C4013-1	C4013-63V	<b>C4013-58</b>	100
	Clear	No	Black, phenolic	Red PTFE/White Silicone	C4013-1	C4013-74A	<b>C4013-492A</b>	100
Assembled Kit, in Polybag	Clear	No	Black, phenolic	Red PTFE/White Silicone	C4013-2	C4013-74A	<b>C4013-494A</b>	100
				White Virgin PTFE, 0.01"	C4013-1	C4013-1A/ C4013-10	<b>C4013-010A</b>	100

## National Standard Opening Screw Thread Vial Storerooms

- Storerooms organize supplies and save valuable bench space
- Storerooms are shipped fully stocked
- 6 drawer mini-storeroom holds 500 vials and closures.
- 9 drawer full size storeroom holds 2000 vials and closures



C4075-380



C4000-MS



C4075-500

Items not shown to scale

### National Standard Opening Screw Thread Vial Storerooms

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Nine Drawer Storeroom, 2000 pieces Caps and Vials	Clear	No	Black, phenolic	Red PTFE/White Silicone	C4013-1	C4013-74A	<b>C4075-380</b>	1
Six Drawer Mini Storeroom – Cabinet Only	–	–	–	–	–	–	<b>C4000-MS</b>	1
Nine Drawer Storeroom, Full Size – Cabinet Only	–	–	–	–	–	–	<b>C4075-500</b>	1



## National Target DP 9mm Wide Opening Screw Thread Vials

2mL, 12x32mm, 9mm Wide Opening Short Screw Thread Vials and Inserts

**Recommended for most brands of autosamplers:**

For autosampler compatibility look on pages **2-100 to 2-104**

- Some vials feature an I-D write-on patch with graduation for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Available silanized (deactivated) for optimal recovery of critical polar, labile or OH-interacting compounds
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Precision point insert minimizes residual sample loss



**National Target DP 9mm Wide Opening Screw Thread Vials and Inserts**

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
9mm Target DP Vial	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1</b>	100
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1W</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-2W</b>	100
	Amber PP	Graduated	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-12</b>	100
9mm Target DP ColorBand Vial	Clear	Blue**	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1B</b>	100
	Clear	Green**	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1G</b>	100
	Clear	Red**	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1R</b>	100
	Clear	Yellow**	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-1Y</b>	100
9mm Target DP Vial, High Recovery with 30µL Reservoir	Clear	No	12x32	Tapered Base	1.7mL	1.3mL	<4	<b>C4000-9</b>	100
	Amber	No	12x32	Tapered Base	1.7mL	1.3mL	<4	<b>C4000-9A</b>	100
9mm Target DP Vial, Total Recovery with 10µL Reservoir	Clear	No	12x32	Deep Well Base	1.5mL	1.2mL	<1	<b>C4000-9TR</b>	100
9mm Target DP MacroVial 350µL, Fused Insert	Clear	No	12x32	Insert Vial	475µL	350µL	<2	<b>C4000-LV1</b>	100
	Clear	Yes	12x32	Insert Vial	475µL	350µL	<2	<b>C4000-LV1W</b>	100
	Amber	No	12x32	Insert Vial	475µL	350µL	<2	<b>C4000-LV2</b>	100
	Amber	Yes	12x32	Insert Vial	475µL	350µL	<2	<b>C4000-LV2W</b>	100
9mm Target DP MacroVial 200µL, Fused Insert	Clear	Yes	12x32	Insert Vial	375µL	240µL	<1	<b>C4000-LV3W</b>	100
9mm Target DP Micro-V Tapered MicroVial with 150µL reservoir	Clear	No	12x32	Tapered Base	1.4mL	1.0mL	<4	<b>C4000-V1</b>	100
	Amber	No	12x32	Tapered Base	1.4mL	1.0mL	<4	<b>C4000-V2</b>	100
9mm Target DP Vial, silanized*	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-S1</b>	100
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-S1W</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4000-S2W</b>	100
9mm Target DP High Recovery Vial, silanized*, with 30µL Reservoir	Clear	No	12x32	Tapered Base	1.7mL	1.3mL	<4	<b>C4000-S9</b>	100
9mm Target DP 300µL Target DP Vial	Polypropylene	No	12x32	Conical	400µL	300µL	<2	<b>C4000-11</b>	100
350µL Insert	Clear	–	6x31	Pulled Point	400µL	350µL	<4	<b>C4010-627L</b>	100
300µL Insert	Clear	–	6x30	Pulled Point	375µL	300µL	<4	<b>C4010-629</b>	100
350µL Insert	Clear	–	6x31	Precision Point	400µL	350µL	<2	<b>C4010-629L</b>	100
300µL Insert, Graduation Marks	Polypropylene	–	6x30	Conical	325µL	250µL	<2	<b>C4010-629P</b>	100
300µL Polyspring Insert	Clear	–	6x31	Conical	375µL	300µL	<1	<b>C4010-630</b>	100
	Polypropylene	–	6x30	Conical	325µL	250µL	<2	<b>C4010-630P</b>	100
400µL MicroSert Insert	Clear	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631</b>	500
	Polypropylene	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631P</b>	500
300µL Insert, silanized*	Clear	–	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-S629</b>	100
300µL Polyspring Insert, silanized*	Clear	–	6x29	Conical	375µL	300µL	<1	<b>C4010-S630</b>	100
400µL MicroSert Insert, silanized*	Clear	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-S631</b>	500
300µL Polyspring Insert, Kimshield*	Clear	–	6X29	Conical	375µL	300µL	<1	<b>C4010-K630</b>	100

\* For information about silanized products see page **2-055**

\*\*Target DP ColorBand vials are designed to provide full sample color coding for autosamplers with optical vial detection. Use the optimum cap for your instrument without sacrificing your color coding scheme.

## National 9mm Screw Caps and Septa

- Fully compatible with all National Target DP vials
- Easy-on, easy-off convenience with just one turn
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Closures have the profile of a crimp or snap closure for compatibility with robotic autosamplers
- Closures are shipped in sealed polybags to prevent contamination during transport



### National 9mm Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
9mm Open Top Cap, 6 mm hole	Blue	Polypropylene	–	N/A	N/A	<b>C4000-98B</b>	100
	Pink	Polypropylene	–	N/A	N/A	<b>C4000-98P</b>	100
Septum for 9mm Cap	–	–	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-30</b>	100
	–	–	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-40</b>	100
	–	–	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55</b>	100
	–	–	Red PTFE/White Silicone	50	1.0	<b>C4000-60</b>	100





**National 9mm Screw Thread Caps and Septa (Continued)**

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
9mm Open Top Cap, 6mm hole	Black	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51A</b>	100
	Blue	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51B</b>	100
	Green	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51G</b>	100
	Red	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51R</b>	100
	Yellow	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51Y</b>	100
	Pink	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-51P</b>	100
	Black	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53A</b>	100
	Blue	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53B</b>	100
	Green	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53G</b>	100
	Red	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53R</b>	100
	Yellow	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53Y</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4000-53P</b>	100
	Black	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54A</b>	100
	Blue	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54B</b>	100
	Green	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54G</b>	100
	Red	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54R</b>	100
	Yellow	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54Y</b>	100
	Pink	Polypropylene	Red PTFE/White Silicone	50	1.0	<b>C4000-54P</b>	100
	Black	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55A</b>	100
	Blue	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55B</b>	100
	Green	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55G</b>	100
	Red	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55R</b>	100
	Yellow	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55Y</b>	100
	Pink	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4000-55P</b>	100
	Blue	Polypropylene	Ivory PTFE/Red Rubber, Pre-slit	45	1.0	<b>C4000-57B</b>	100
	Green	Polypropylene	Ivory PTFE/Red Rubber, Pre-slit	45	1.0	<b>C4000-57G</b>	100
	Black	Polypropylene	Bonded Red PTFE/White Silicone	45	1.2	<b>C4000-64B</b>	100
	Gray	Polypropylene	Bonded Red PTFE/White Silicone, Pre-slit	45	1.2	<b>C4000-75C</b>	100
	Blue	Polypropylene	Bonded Natural PTFE/Clear Silicone	45	1.2	<b>C4000-62B</b>	100
	Pink	Polypropylene	Bonded Natural PTFE/Clear Silicone	45	1.2	<b>C4000-62P</b>	100
Pink	Polypropylene	Bonded Natural PTFE/Clear Silicone, Pre-slit	45	1.2	<b>C4000-72P</b>	100	
9mm Solid Top Cap	Blue	Polypropylene	Ivory PTFE/Red Rubber	35	1.0	<b>C4000-99</b>	100

Trying to decide what closure is right for you?

Use our selection guide on **PAGE 2-053**



## National 9mm Screw Vials Convenience Kits

- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers or in economical polybags



Items not shown to scale

## National 9mm Wide Opening Screw Thread Vials Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit	Clear	No	Blue	Ivory PTFE/Red Rubber	C4000-1	C4000-51B	<b>C4000-80</b>	100
	Clear	No	Pink	Ivory PTFE/Red Rubber	C4000-1	C4000-51P	<b>C4000-80P</b>	100
	Clear	Yes	Blue	Ivory PTFE/Red Rubber	C4000-1W	C4000-51B	<b>C4000-80W</b>	100
	Amber	Yes	Blue	Ivory PTFE/Red Rubber	C4000-2W	C4000-51B	<b>C4000-82W</b>	100
	Amber	Yes	Blue	Ivory PTFE/Red Rubber	C4000-2W	C4000-51P	<b>C4000-82P</b>	100
	Clear	Yes	Blue	Ivory PTFE/Red Rubber, Pre-slit	C4000-1W	C4000-57B	<b>C4000-83W</b>	100
	Clear	No	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1	C4000-53B	<b>C4000-86</b>	100
	Clear	Yes	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1W	C4000-53B	<b>C4000-86W</b>	100
	Amber	Yes	Blue	Red PTFE/White Silicone/Red PTFE	C4000-2W	C4000-53B	<b>C4000-88W</b>	100
	Clear	Yes	Black	Red PTFE/White Silicone	C4000-1W	C4000-54A	<b>C4000-91W</b>	100
	Clear	No	Blue	Red PTFE/White Silicone	C4000-1	C4000-54B	<b>C4000-92</b>	100
	Clear	No	Pink	Red PTFE/White Silicone	C4000-1	C4000-54P	<b>C4000-92P</b>	100
	Clear	Yes	Blue	Red PTFE/White Silicone	C4000-1W	C4000-54B	<b>C4000-92W</b>	100
	Amber	Yes	Blue	Red PTFE/White Silicone	C4000-2W	C4000-54B	<b>C4000-94W</b>	100
	Amber	Yes	Pink	Red PTFE/White Silicone	C4000-2W	C4000-54P	<b>C4000-94P</b>	100
	Polypropylene	No	Blue	Red PTFE/White Silicone	C4000-11	C4000-54B	<b>C4000-87</b>	100
	Clear	No	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-1	C4000-55B	<b>C4000-95</b>	100
	Clear	Yes	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-1W	C4000-55B	<b>C4000-95W</b>	100
	Clear	No	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-LV1	C4000-55B	<b>C4000-LV95</b>	100
	Polypropylene	No	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-11	C4000-55B	<b>C4000-97</b>	100
Clear	Yes	Black	Bonded Red PTFE/White Silicone	C4000-1W	C4000-64B	<b>C4000-78W</b>	100	
Clear	Yes	Gray	Bonded Red PTFE/White Silicone, Pre-slit	C4000-1W	C4000-75C	<b>C4000-93W</b>	100	
Clear	No	Pink	Bonded Natural PTFE/Clear silicone, Pre-slit	C4000-1	C4000-72P	<b>C4000-93P</b>	100	

**National 9mm Wide Opening Screw Thread Vials Convenience Kits (Continued)**

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Assembled Kit	Clear	No	Blue	Ivory PTFE/Red Rubber	C4000-1	C4000-51B	<b>C4000-180</b>	100
	Clear	Yes	Blue	Ivory PTFE/Red Rubber	C4000-1W	C4000-51B	<b>C4000-180W</b>	100
	Amber	Yes	Blue	Ivory PTFE/Red Rubber	C4000-2W	C4000-51B	<b>C4000-182W</b>	100
	Clear	Yes	Blue	Ivory PTFE/Red Rubber, Pre-slit	C4000-1W	C4000-57B	<b>C4000-183W</b>	100
	Amber	Yes	Blue	Ivory PTFE/Red Rubber, Pre-slit	C4000-2W	C4000-57B	<b>C4000-184W</b>	100
	Clear	No	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1	C4000-53B	<b>C4000-186</b>	100
	Clear	Yes	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1W	C4000-53B	<b>C4000-186W</b>	100
	Clear	Yes	Red	Red PTFE/White Silicone/Red PTFE	C4000-1W	C4000-53R	<b>C4000-186WR</b>	100
	Amber	Yes	Blue	Red PTFE/White Silicone/Red PTFE	C4000-2W	C4000-53B	<b>C4000-188W</b>	100
	Clear	No	Blue	Red PTFE/White Silicone	C4000-1	C4000-54B	<b>C4000-192</b>	100
	Clear	Yes	Blue	Red PTFE/White Silicone	C4000-1W	C4000-54B	<b>C4000-192W</b>	100
	Amber	Yes	Blue	Red PTFE/White Silicone	C4000-2W	C4000-54B	<b>C4000-194W</b>	100
	Clear	Yes	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-1W	C4000-55B	<b>C4000-195W</b>	100
	Amber	Yes	Blue	Blue PTFE/White Silicone, Pre-slit	C4000-2W	C4000-55B	<b>C4000-196W</b>	100

**National 9mm Wide Opening Screw Thread Vial Storerooms**

- Storerooms organize supplies and save valuable bench space
- Some storerooms are shipped fully stocked.
- 6 Drawer Mini-Storeroom holds 500 vials and closures
- 9 Drawer Storeroom holds 2000 vials and closures



Items not shown to scale

**National 9mm Storeroom**

Description	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
9 Drawer Storeroom , 2000 pieces Caps and Vials	Clear	No	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1	C4000-53B	<b>C4075-211</b>	1
	Clear	Yes	Blue	Red PTFE/White Silicone/Red PTFE	C4000-1W	C4000-53B	<b>C4075-213</b>	1
	Clear	No	Blue	Red PTFE/White Silicone	C4000-1	C4000-54B	<b>C4075-219</b>	1
6 Drawer Mini-Storeroom – Cabinet Only	–	–	–	–	–	–	<b>C4000-MS</b>	1
9 Drawer Storeroom, Full Size - Cabinet Only	–	–	–	–	–	–	<b>C4075-500</b>	1

## National 10mm Wide Opening Screw Thread Vials

2mL, 12x32mm 10mm Wide Opening Screw Thread Vials and Inserts

- 10-425 thread finish
- I-D vials feature a write-on patch with graduation for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Optional silanized (deactivated) glass provides optimal recovery of critical polar, labile or OH-interacting compounds\*
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Precision point insert minimizes residual sample loss

**Recommended for the following instruments:**

- Jasco
- PerkinElmer
- Shimadzu
- Varian
- Waters

For autosampler compatibility look on pages **2-100 to 2-104**



### National 10mm Wide Opening Screw Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
10-425 Screw Thread Vial	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-1</b>	100
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-1W</b>	100
	Amber	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-2</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-2W</b>	100
10-425 Screw Thread MacroVial 350µL, Fused Insert	Clear	No	12x32	Insert Vial	450µL	350µL	<2	<b>C4010-LV1</b>	100
	Amber	No	12x32	Insert Vial	450µL	350µL	<2	<b>C4010-LV2</b>	100
10-425 Screw Thread Micro-V 1.5mL Tapered MicroVial with 150µL reservoir	Clear	No	12x32	Tapered Base	1.5mL	1.1mL	<4	<b>C4010-V1</b>	100
10-425 Screw Thread Vial, silanized*	Clear	No	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-S1</b>	100
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-S1W</b>	100
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>C4010-S2W</b>	100
10-425 Screw Thread	Polypropylene	No	12x32	Conical	600µL	400µL	<6	<b>C4010-11</b>	100
	Polypropylene	No	12x32	Reservoir Base	750µL	550µL	<70	<b>C4010-14</b>	100

\* For information about silanized products see page **2-055**



### National 10mm Wide Opening Screw Thread Vials and Inserts (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
350µL Insert	Clear	–	6x31	Pulled Point	400µL	350µL	<4	<b>C4010-627L</b>	100
300µL Insert	Clear	–	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-629</b>	100
350µL Insert	Clear	–	6x31	Precision Point	400µL	350µL	<2	<b>C4010-629L</b>	100
300µL Insert, Graduation Marks	Polypropylene	–	6x30	Conical	325µL	250µL	<2	<b>C4010-629P</b>	100
300µL Polyspring Insert	Clear	–	6x30	Conical	375µL	300µL	<1	<b>C4010-630</b>	100
	Polypropylene	–	6x30	Conical	325µL	250µL	<2	<b>C4010-630P</b>	100
400µL MicroSert Insert	Clear	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631</b>	500
	Polypropylene	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631P</b>	500
300µL Insert, silanized*	Clear	–	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-S629</b>	100
300µL Polyspring Insert, silanized*	Clear	–	6x30	Conical	375µL	300µL	<1	<b>C4010-S630</b>	100
400µL MicroSert Insert, silanized*	Clear	–	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-S631</b>	500
300µL Polyspring Insert, Kimshield*	Clear	–	6x29	Conical	375µL	300µL	<1	<b>C4010-K630</b>	100

\* For information about silanized products see page **2-055**

Search thousands of applications at our chromatography resource center.

[www.thermoscientific.com/chromatography](http://www.thermoscientific.com/chromatography)

## National 10-425 Wide Opening Screw Caps and Septa

- Open top caps are designed to be used with any of our 10mm septa
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Closures are shipped in sealed polybags to prevent contamination during transport



### National 10-425 Wide Opening Screw Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
10mm Open Top Cap, 8.5mm hole	Light Blue	Polypropylene	—	—	—	<b>C4010-1A</b>	100
	White	Polypropylene	—	—	—	<b>C4010-98W</b>	100
	Black	Polypropylene	—	—	—	<b>C4010-98BLK</b>	100
Septum for 10-425 Screw Caps	—	—	White Virgin PTFE, 0.01" Septum	53	0.25	<b>C4010-10</b>	1000
	—	—	Red PTFE/White Silicone, Soft Septum	50	1.3	<b>C4010-35</b>	100
	—	—	Red PTFE/White Silicone/Red PTFE Septum	45	1.3	<b>C4010-40</b>	100
	—	—	Blue PTFE/White Silicone, Pre-slit Septum	55	1.5	<b>C4010-55</b>	100
	—	—	Red PTFE/White Silicone Septum	45	1.3	<b>C4010-60</b>	100
10mm Open Top Cap, 8.5mm hole	Light Blue	Polypropylene	Ivory PTFE/Red Rubber	45	1.0	<b>C4010-30A</b>	100
	Black	Polypropylene	Red PTFE/White Silicone, Soft	45	1.3	<b>C4010-35BLK</b>	100
	White	Polypropylene	Red PTFE/White Silicone, Soft	45	1.3	<b>C4010-35W</b>	100
	Light Blue	Polypropylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4010-40A</b>	100
	Light Blue	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.5	<b>C4010-55A</b>	100
	Black	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.5	<b>C4010-55BLK</b>	100
	Light Blue	Polypropylene	Red PTFE/White Silicone	50	1.3	<b>C4010-60A</b>	100
	Red	Polypropylene	Red PTFE/White Silicone	50	1.3	<b>C4010-60AR</b>	1000
	White	Polypropylene	Red PTFE/White Silicone	50	1.3	<b>C4010-60AW</b>	1000
	Black	Polypropylene	Red PTFE/White Silicone	50	1.3	<b>C4010-60BLK</b>	100
Light Blue	Polypropylene	Red PTFE/White Silicone, Star-slit	50	1.5	<b>C4010-65A</b>	100	
10mm Solid Top Cap, 8.5mm hole	White	Polyurethane	PTFE/PE Foam Liner	—	1.3	<b>C4010-99</b>	100

Trying to decide what closure is right for you?

➤ Use our selection guide on **PAGE 2-053**



## National 10mm Wide Opening Screw Thread Vials Convenience Kits


- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers or in economical polybags



Items not shown to scale

### National 10mm Wide Opening Screw Thread Vials Convenience Kits

Description	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit	Clear	No	Light Blue	Red PTFE/White Silicone	C4010-1	C4010-60A	<b>C4010-88</b>	100
	Amber	Yes	Light Blue	Red PTFE/White Silicone	C4010-2W	C4010-60A	<b>C4010-88AW</b>	100
	Clear	Yes	Light Blue	Red PTFE/White Silicone	C4010-1W	C4010-60A	<b>C4010-88W</b>	100
	Clear	Yes	Light Blue	Red PTFE/White Silicone, Star-slit	C4010-1W	C4010-65A	<b>C4010-93W</b>	100
	Clear	No	White	Red PTFE/White Silicone, Soft	C4010-1	C4010-35W	<b>C4010-95</b>	100
	Clear	Yes	White	Red PTFE/White Silicone, Soft	C4010-1W	C4010-35W	<b>C4010-95W</b>	100
	Clear	Yes	Black	Blue PTFE/White Silicone, Pre-slit	C4010-1W	C4010-55BLK	<b>C4010-97W</b>	100
Assembled Kit	Clear	No	Light Blue	Red PTFE/White Silicone	C4010-1	C4010-60A	<b>C4010-17</b>	100
	Clear	Yes	Light Blue	Red PTFE/White Silicone	C4010-1W	C4010-60A	<b>C4010-17W</b>	100
	Clear	No	Light Blue	White Virgin PTFE, 0.01"	C4010-1	C4010-1A/C4010-10	<b>C4010-21</b>	100
	Clear	No	White	Red PTFE/White Silicone, Soft	C4010-1	C4010-35W	<b>C4010-57</b>	100
	Amber	No	White	Red PTFE/White Silicone, Soft	C4010-2	C4010-35W	<b>C4010-57A</b>	100
	Amber	Yes	White	Red PTFE/White Silicone, Soft	C4010-2W	C4010-35W	<b>C4010-57AW</b>	100
	Clear	Yes	White	Red PTFE/White Silicone, Soft	C4010-1W	C4010-35W	<b>C4010-57W</b>	100
	Clear	No	Black	Red PTFE/White Silicone, Soft	C4010-1	C4010-35BLK	<b>C4010-67</b>	100
	Amber	No	Black	Red PTFE/White Silicone, Soft	C4010-2	C4010-35BLK	<b>C4010-67A</b>	100
	Amber	Yes	Black	Red PTFE/White Silicone, Soft	C4010-2W	C4010-35BLK	<b>C4010-67AW</b>	100
	Clear	Yes	Black	Red PTFE/White Silicone, Soft	C4010-1W	C4010-35BLK	<b>C4010-67W</b>	100
	Assembled Kit, in Polybag	Amber	Yes	Light Blue	Red PTFE/White Silicone	C4010-2W	C4010-60A	<b>C4010-017AW</b>
Clear		Yes	Light Blue	Red PTFE/White Silicone	C4010-1W	C4010-60A	<b>C4010-017W</b>	100
Clear		No	Light Blue	Red PTFE/White Silicone/Red PTFE	C4010-1	C4010-40A	<b>C4010-019</b>	100
Clear		No	White	Red PTFE/White Silicone, Soft	C4010-1	C4010-35W	<b>C4010-057</b>	100
Amber		Yes	White	Red PTFE/White Silicone, Soft	C4010-2W	C4010-35W	<b>C4010-057AW</b>	100

## National 11mm Crimp Top Vials

2mL, 12x32, Crimp Top Vials and Inserts

**Recommended  
for most brands...**

For autosampler compatibility look  
on pages **2-100 to 2-104**

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- I-D vials feature a write-on patch with graduation for convenient sample identification
- Standard opening requires Micro-Inserts with a diameter of 5mm
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Optional silanized (deactivated) glass provides optimal recovery of critical polar, labile or OH-interacting compounds\*
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Precision point insert minimizes residual sample loss
- Pulled point inserts are an economical choice for noncritical applications
- Glastic vial features a glass insert pre-inserted inside of a clear TPX vial




### National 11mm Standard Opening Crimp Top Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Standard Opening Crimp Top Vial	Clear	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4012-1</b>	100
	Clear	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4012-1W</b>	100
	Amber	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4012-2</b>	100
	Amber	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4012-2W</b>	100
11mm Standard Opening Crimp /Snap Top Vial 150µL Clear Solid Glass Microvial	Clear	No	12x32	Narrow Conical	425µL	200µL	<2	<b>C4012-10</b>	12
11mm - Crimp/Snap Glastic Glass Insert/TPX Vial	Clear	No	12x32	Insert Vial	475µL	350µL	<4	<b>C4012-15</b>	100
200µL MicroSert Insert	Clear	–	5x31	Flat Bottom	250µL	200µL	<12	<b>C4012-465</b>	500
150µL Polyspring Insert	Clear	–	5x29	Pulled point	200µL	175µL	<1	<b>C4012-530</b>	100
150µL Insert	Clear	–	5x29	Pulled point	200µL	175µL	<3	<b>C4012-529</b>	100
200µL Insert	Clear	–	5x31	Pulled point	200µL	170µL	<2	<b>C4012-529L</b>	100
125µL Polyspring Insert	Polypropylene	–	5x29	Precision point	175µL	125µL	<2	<b>C4012-530P</b>	100
150µL Polyspring Insert, silanized*	Clear	–	5x29	Pulled point	200µL	175µL	<1	<b>C4012-S530</b>	100

\* For information about silanized products see page **2-055**





### National 11mm Wide Opening Crimp Top Vials and Inserts (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Crimp Top Vial, Wide Opening	Clear	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1</b>	100
	Clear	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1W</b>	100
	Amber	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-2</b>	100
	Amber	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-2W</b>	100
11mm Crimp Top ColorBand Vial, Wide Opening	Clear	Blue*	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1B</b>	100
	Clear	Green*	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1G</b>	100
	Clear	Red*	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1R</b>	100
	Clear	Yellow*	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-1Y</b>	100
11mm Crimp/Snap MacroVial 250µL, Fused Insert	Clear	No	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV1</b>	100

\* ColorBand vials are designed to provide full sample color coding for autosamplers with optical vial detection. Use the optimum cap for your instrument without sacrificing your color coding scheme.



### National 11mm Crimp Top Vials and Inserts (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Crimp Top MacroVial 250µL, Fused Insert	Clear	Yes	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV1W</b>	100
11mm Crimp/Snap MacroVial 250µL, Fused Insert	Amber	No	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV2</b>	100
11mm Crimp Top MacroVial 250µL, Fused Insert	Amber	Yes	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV2W</b>	100
11mm Crimp Top Solid Glass MicroVials	Clear	No	12x32	Conical Base	650µL	500µL	<5	<b>C4011-10</b>	12
11mm Crimp Top Micro-V Microsampling Vial, 15µL Reservoir	Clear	No	12x32	High Recovery	1.5mL	1.1mL	<4	<b>C4011-V1</b>	100
11mm Crimp Top 1.5mL High Recovery MicroVial	Clear	No	12x32	High Recovery	1.7mL	1.3mL	<4	<b>C4011-9</b>	100
11mm Crimp Top, Wide Opening, silanized*	Clear	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S1</b>	100
	Clear	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S1W</b>	100
	Amber	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S2W</b>	100
11mm Crimp/Snap 250µL MicroVial	Polypropylene	No	12x32	Conical Base	475µL	300µL	<2	<b>C4011-13</b>	100
11mm Crimp/Snap 600µL MicroVial	Polypropylene	No	12x32	Conical Base	600µL	400µL	<4	<b>C4011-16</b>	100
11mm Crimp/Snap 800µL MicroVial	Polypropylene	No	12x32	Conical Base	800µL	600µL	<6	<b>C4011-11</b>	100

\* For information about silanized products see page 2-055



**National 11mm Crimp Top Vials and Inserts (Continued)**

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Crimp/Snap 850µL AP-2000 MaxVial	Polypropylene	No	12x32	High Recovery	825µL	650µL	<8	<b>C4011-15</b>	1000
11mm Crimp/Snap 1mL Vial	Polypropylene	No	12x32	Flat Bottom	1000µL	800µL	<80	<b>C4011-14</b>	100
11mm Crimp/Snap 1mL TPX High Recovery Vial	TPX	No	12x32	High Recovery	1000µL	750µL	<8	<b>C4011-24</b>	100
350µL Insert	Clear	-	6x31	Pulled Point	400µL	350µL	<4	<b>C4010-627L</b>	100
300µL Insert	Clear	-	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-629</b>	100
350µL Insert	Clear	-	6x31	Precision Point	400µL	350µL	<2	<b>C4010-629L</b>	100
300µL Insert, Graduation Marks	Polypropylene	-	6x30	Conical	325µL	250µL	<2	<b>C4010-629P</b>	100
300µL Polyspring Insert	Clear	-	6x30	Conical	375µL	300µL	<1	<b>C4010-630</b>	100
	Polypropylene	-	6x30	Conical	325µL	250µL	<2	<b>C4010-630P</b>	100
400µL MicroSert Insert	Clear	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631</b>	500
	Polypropylene	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631P</b>	500
300µL Insert, silanized*	Clear	-	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-S629</b>	100
300µL Polyspring Insert, silanized*	Clear	-	6x29	Conical	375µL	300µL	<1	<b>C4010-S630</b>	100
400µL MicroSert Insert, silanized*	Clear	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-S631</b>	500
300µL Polyspring Insert, Kimshield*	Clear	-	6x29	Conical	375µL	300µL	<1	<b>C4010-K630</b>	100

\* For information about silanized products see page **2-055**

*Perform Better. Live Longer.*  
 Discover our new **Accucore Solid Core LC Columns**

» Visit **PAGE 4-032**

## National 11mm Crimp Top Closures

- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Aluminum crimp closures provide a secure leak-resistant seal
- Aluminum seals must be applied with a crimping tool
- Closures are shipped in sealed polybags to prevent contamination during transport
- Synthetic PTFE/Red Rubber seal is specially formulated for improved background performance



### National 11mm Crimp Top Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Crimp Cap, 5.5mm hole	Silver	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-1AP</b>	100
	Silver	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-1A</b>	1000
	Blue	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-98B</b>	100
	Green	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-98G</b>	100
	Red	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-98R</b>	100
	Yellow	Aluminum	Clear PTFE/Red Rubber	60	1.0	<b>C4011-98Y</b>	100
	Silver	Aluminum	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4011-2A</b>	100
	Silver	Aluminum	Red PTFE/White Silicone	45	1.3	<b>C4011-4A</b>	100
	Blue	Aluminum	Red PTFE/White Silicone	45	1.3	<b>C4011-4B</b>	100
	Green	Aluminum	Red PTFE/White Silicone	45	1.3	<b>C4011-4G</b>	100
	Red	Aluminum	Red PTFE/White Silicone	45	1.3	<b>C4011-4R</b>	100
	Silver	Aluminum	Solid PTFE Disk	53	0.25	<b>C4011-6A</b>	1000
	Silver	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7A</b>	100
Blue	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7B</b>	1000	
Green	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7G</b>	1000	
Red	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7R</b>	1000	
Yellow	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7Y</b>	1000	
11mm Crimp Cap, 5.5mm hole, Mixed Color, 200 each	Silver, Blue, Green, Red, Yellow	Aluminum	PTFE/Synthetic Red Rubber	65	1.0	<b>C4011-7K</b>	1000

Trying to decide what closure is right for you?

Use our selection guide on **PAGE 2-053**



## National 11mm Crimp Top Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure
- Manual de-crimping tools allow easy removal of aluminum seals without breakage
- Decapping pliers are an economical choice for small quantities of vials
- Clean room crimpers and decrimpers can be autoclaved



Items not shown to scale

### National 11mm Crimp Top Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 11mm aluminum crimp seals	<b>C4012-100</b>	1
Decapping Pliers	Removes 11mm aluminum crimp seals, Protective gloves recommended	<b>C4012-101</b>	1
Manual Decrimper	Removes 11mm aluminum crimp seals	<b>C4012-102</b>	1
Manual stainless steel Cleanroom Crimper	Attaches 11mm crimp seals	<b>C4012-100SS</b>	1
Manual stainless steel Cleanroom Decrimper	Removes 11mm crimp seals without vial damage	<b>C4012-102SS</b>	1

For electronic crimpers and decappers look on page **2-094**

## National 11mm Crimp Top Convenience Kits


- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers or in economical polybags



Items not shown to scale

### National 11mm Crimp Top Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Standard Opening Crimp Top Vial	Clear	No	Silver	Clear PTFE/Red Rubber	C4012-1	C4011-1AHP	<b>C4012-88</b>	500
	Amber	No	Silver	Clear PTFE/Red Rubber	C4012-2	C4011-1AHP	<b>C4012-88A</b>	500
Convenience Kit, Wide Opening Crimp Top Vial	Clear	No	Silver	Clear PTFE/Red Rubber	C4011-1	C4011-1AP	<b>C4011-87</b>	100
	Clear	Yes	Silver	Clear PTFE/Red Rubber	C4011-1W	C4011-1AP	<b>C4011-87W</b>	100
	Amber	Yes	Silver	Clear PTFE/Red Rubber	C4011-2W	C4011-1AP	<b>C4011-87AW</b>	100
	Clear	No	Silver	Clear PTFE/Red Rubber	C4011-1	C4011-1AP	<b>C4011-88</b>	500
	Clear	Yes	Silver	Clear PTFE/Red Rubber	C4011-1W	C4011-1AP	<b>C4011-88W</b>	500
	Clear	No	Silver	PTFE/Synthetic Red Rubber	C4011-1	C4011-7A	<b>C4011-89W</b>	100
Kit includes PolySpring Tapered Insert for small sample volumes	Clear	No	Silver	Clear PTFE/Red Rubber	C4011-1/ C4010-630	C4011-1AP	<b>C4011-95</b>	100
Assembled Kit, Wide Opening Crimp Top Vial, Nitrogen purged	Clear	No	Silver	Clear PTFE/Red Rubber	C4011-1	C4011-1AP	<b>C4011-1CV</b>	100
	Amber	Yes	Silver	Clear PTFE/Red Rubber	C4011-2W	C4011-1AP	<b>C4011-2WCV</b>	100

## National 11mm Crimp Top Vial Storerooms

- Storerooms organize supplies and save valuable bench space
- 6 Drawer Mini-Storeroom holds 500 vials and closures
- 9 Drawer Storeroom holds 2000 vials and closures.




Items not shown to scale

### National 11mm Crimp Top Vial Storerooms

Description	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
6 Drawer Mini-Storeroom, 500 pieces Caps and Vials	Clear	Yes	Silver	Clear PTFE/Red Rubber	C4011-1W	C4011-1AP	<b>C4011-688W</b>	1
6 Drawer Mini-Storeroom – Cabinet Only	–	–	–	–	–	–	<b>C4000-MS</b>	1
9 Drawer Storeroom – Cabinet Only	–	–	–	–	–	–	<b>C4075-500</b>	1

## National 11mm Crimp Top Vial Racks

- Polypropylene vial racks are resistant to most solvents
- Racks feature alphanumeric indexing for easier vial identification
- Racks can be stacked for efficient storage



Items not shown to scale

### National 11mm Crimp Top Vial Racks

Description	Capacity	Cat. No.	Pack of
Polystyrene storage rack for 12x32mm vials with clear lid	100 vials, 10x10	<b>C4011-25</b>	1
Polypropylene storage rack for 12 x 32mm vials, no lid	50 vials, 5x10	<b>C4012-25</b>	1

## National 11mm Wide Opening Snap-It Vials

2mL, 12x32mm Wide Opening Snap-It Vials and Inserts

**Recommended for most brands of instruments:**

For autosampler compatibility look on pages **2-100 to 2-104**

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- I-D vials feature a write-on patch with graduation for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Optional silanized (deactivated) glass provides optimal recovery of critical polar, labile or OH-interacting compounds\*
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Precision point insert minimizes residual sample loss
- Pulled point inserts are an economical choice for noncritical applications
- Glastic vial features a glass insert pre-inserted inside of a clear TPX vial
- Snap-It vials can be used with snap caps or aluminum crimp seal closures



### National 11mm Wide Opening Snap-It Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Snap-It Vial	Clear	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-5</b>	100
	Clear	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-5W</b>	100
	Amber	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-6</b>	100
	Amber	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-6W</b>	100
11mm Snap-It MacroVial 250µL, Fused Insert	Clear	No	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV1</b>	100
	Amber	No	12x32	Fused Conical	500µL	350µL	<2	<b>C4011-LV2</b>	100
11mm Snap-It High Recovery MicroVial, 1.5mL	Clear	No	12x32	High Recovery	1.7mL	1.3mL	<4	<b>C4011-4</b>	100
11mm Snap-It Vial, silanized*	Clear	No	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S5</b>	100
	Clear	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S5W</b>	100
	Amber	Yes	12x32	Flat Bottom	2mL	1.5mL	<170	<b>C4011-S6W</b>	100
	Clear	No	12x32	High Recovery	1.5mL	1.1mL	<4	<b>C4011-S4</b>	100
11mm Snap-It Vial, Total Recovery with 10µL Reservoir	Clear	No	12x32	Deep Well Base	1.5mL	1.2mL	<1	<b>C4011-9TR</b>	100
11mm Snap-It 250µL MicroVial	Polypropylene	No	12x32	Conical Base	475µL	300µL	<2	<b>C4011-13</b>	100

\* For information about silanized products see page **2-055**



### National 11mm Wide Opening Snap-It Viols and Inserts (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Snap-It 600µL MicroVial	Polypropylene	No	12x32	Conical Base	600µL	400µL	<4	<b>C4011-16</b>	100
11mm Snap-It 800µL MicroVial	Polypropylene	No	12x32	Conical Base	800µL	600µL	<6	<b>C4011-11</b>	100
11mm Snap-It 850µL AP-2000 MaxVial	Polypropylene	No	12x32	High Recovery	825µL	650µL	<8	<b>C4011-15</b>	1000
11mm Snap-It 1mL Vial	Polypropylene	No	12x32	Flat Bottom	1000µL	800µL	<80	<b>C4011-14</b>	100
11mm Snap-It 1mL TPX High Recovery Vial	TPX	No	12x32	High Recovery	1000µL	750µL	<8	<b>C4011-24</b>	100
11mm Snap-It Glastic Glass Insert/TPX Vial	Clear	No	12x32	Insert Vial	475µL	350µL	<4	<b>C4012-15</b>	100



### National 11mm Wide Opening Snap-It Viols and Inserts (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
350µL Insert	Clear	-	6x31	Pulled Point	400µL	350µL	<4	<b>C4010-627L</b>	100
300µL Insert	Clear	-	6x31	Pullet Point	375µL	300µL	<4	<b>C4010-629</b>	100
350µL Insert	Clear	-	6x31	Precision Point	400µL	350µL	<2	<b>C4010-629L</b>	100
300µL Insert, Graduation Marks	Polypropylene	-	6x30	Conical	325µL	250µL	<2	<b>C4010-629P</b>	100
300µL Polyspring Insert	Clear	-	6x30	Conical	375µL	300µL	<1	<b>C4010-630</b>	100
	Polypropylene	-	6x30	Conical	325µL	250µL	<2	<b>C4010-630P</b>	100
400µL MicroSert Insert	Clear	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631</b>	500
	Polypropylene	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-631P</b>	500
300µL Insert, silanized*	Clear	-	6x31	Pulled Point	375µL	300µL	<4	<b>C4010-S629</b>	100
300µL Polyspring Insert, silanized*	Clear	-	6x29	Conical	375µL	300µL	<1	<b>C4010-S630</b>	100
400µL MicroSert Insert, silanized*	Clear	-	6x31	Flat Bottom	500µL	450µL	<25	<b>C4011-S631</b>	500
300µL Polyspring Insert, Kimshield*	Clear	-	6x29	Conical	375µL	300µL	<1	<b>C4010-K630</b>	100

\* For information about silanized products see page **2-055**

## National 11mm Wide Opening Snap-It Caps and Septa

- Fully compatible with all Snap-It vials
- Snap-It caps are easy to apply and easy to remove
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Snap-It caps eliminate the need for crimping or de-capping tools
- Polyethylene caps are chemically inert and suitable for most chromatography applications
- Closures are shipped in sealed polybags to prevent contamination during transport
- Integral Molded Polyethylene cap is an economical choice for routine HPLC applications, but with low sealing property and zero resealing capacity



### National 11mm Snap-It Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Snap-It Cap, thinned penetration area	Clear	Polyethylene	Integral Molded In Polyethylene	–	–	<b>C4011-50</b>	100
	Blue	Polyethylene	Integral Molded In Polyethylene	–	–	<b>C4011-50B</b>	100
	Green	Polyethylene	Integral Molded In Polyethylene	–	–	<b>C4011-50G</b>	100
	Red	Polyethylene	Integral Molded In Polyethylene	–	–	<b>C4011-50R</b>	100
11mm Snap-It Cap, 6mm hole	Clear	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51</b>	100
	Blue	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51B</b>	100
	Black	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51BLK</b>	100
	Green	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51G</b>	100
	Pink	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51P</b>	100
	Red	Polyethylene	Clear PTFE/Synthetic Red Rubber	60	1.0	<b>C4011-51R</b>	100
	Clear	Polyethylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4011-52</b>	100
	Blue	Polyethylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4011-52B</b>	100
	Green	Polyethylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4011-52G</b>	100
	Red	Polyethylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4011-52R</b>	100
	Yellow	Polyethylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4011-52Y</b>	100
	Clear	Polyethylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4011-53</b>	100
	Blue	Polyethylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4011-53B</b>	100
	Red	Polyethylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4011-53R</b>	100
	Yellow	Polyethylene	Red PTFE/White Silicone/Red PTFE	45	1.0	<b>C4011-53Y</b>	100
	Clear	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54</b>	100
	Blue	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54B</b>	100
	Black	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54BLK</b>	100
	Green	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54G</b>	100
	Pink	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54P</b>	100
	Red	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54R</b>	100
	Yellow	Polyethylene	Red PTFE/White Silicone	50	1.3	<b>C4011-54Y</b>	100
	Clear	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55</b>	100
	Blue	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55B</b>	100
	Black	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55BLK</b>	100
	Green	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55G</b>	100
	Red	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55R</b>	100
	Yellow	Polyethylene	Blue PTFE/White Silicone, Pre-slit	55	1.0	<b>C4011-55Y</b>	100
	Clear	Polyethylene	Red PTFE/White Silicone, Star-slit	45	1.3	<b>C4011-59</b>	100
	Pink	Polyethylene	Red PTFE/White Silicone, Y-cut	45	1.3	<b>C4011-67P</b>	100



## National 11mm Wide Opening Snap-It Cap Convenience Kits

- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits

- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Clear trays make it easy to keep track of available supplies without opening containers



Items not shown to scale

### National 11mm Wide Opening Snap-It Cap Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Opening Snap Cap Vial	Clear	No	Clear	Clear PTFE/Red Rubber	C4011-5	C4011-51	<b>C4011-72</b>	100
	Clear	No	Pink	Clear PTFE/Red Rubber	C4011-5	C4011-51P/60180-676	<b>C4011-72P</b>	100
	Amber	Yes	Clear	Clear PTFE/Red Rubber	C4011-6W	C4011-51	<b>C4011-72AW</b>	100
	Clear	No	Clear	Red PTFE/White Silicone	C4011-5	C4011-54	<b>C4011-73</b>	100
	Clear	Yes	Clear	Red PTFE/White Silicone	C4011-5W	C4011-54	<b>C4011-73W</b>	100
	Clear	No	Pink	Red PTFE/White Silicone	C4011-5	C4011-54P	<b>C4011-73P</b>	100
	Clear	No	Pink	Red PTFE/White Silicone/ Red PTFE, Y-cut	C4011-5	C4011-67P	<b>C4011-78P</b>	100



## National 13mm Snap/Crimp Vials

4mL, 15x45mm Snap/Crimp Cap Vials and Inserts

- Superior quality 33 expansion borosilicate clear (Type 1, Class A) Vials feature a 13mm crimp/snap-ring finish – use with 13mm Aluminum Seals or Kim-Snap Closures
- Polyspring inserts are self-aligning and provide a cushion against needle contact



### Recommended for the following instruments:

- Dionex
- Shimadzu
- Spark Holland
- Varian
- VWR (Merck)/Hitachi
- Waters (Wisp 48 Position Carousel)

For autosampler compatibility look on pages **2-100** to **2-104**

### National 13mm Snap/Crimp Cap Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
13mm Crimp/Snap Vial	Clear	No	15x45	Flat Bottom	4.8mL	4.25mL	<800µL	<b>C4015-4</b>	100
800µL Polyspring Conical Insert	Clear	–	8x38	Pulled Point	950µL	800µL	<9µL	<b>C4015-638</b>	100
350µL Conical Insert	Clear	–	6x40	Pulled Point	375µL	300µL	<8µL	<b>C4015-643</b>	100
Metal spring for glass inserts in 4mL vials	–	–	–	–	–	–	–	<b>C4015-640</b>	100

*Thermo Scientific centrifuges, rotors and accessories deliver outstanding performance and reliability in the lab.*

[www.thermoscientific.com/centrifuge](http://www.thermoscientific.com/centrifuge)



## National 13mm Snap/Crimp Caps and Septa

- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Aluminum crimp closures provide a secure leak-resistant seal
- Aluminum seals must be applied with a crimping tool
- Synthetic PTFE/Red Rubber seal is specially formulated for improved background performance
- Kim-Snap closures provide a tight seal without the need of a crimper



### National 13mm Snap/Crimp Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
13mm Kim-Snap Closure	Clear	Polypropylene	White Virgin PTFE, 0.01"	53	0.25	<b>C4015-52</b>	100
	Clear	Polypropylene	Red PTFE/White Silicone	45	1.3	<b>C4015-54</b>	100
13mm Crimp Cap, 6mm hole	Silver	Aluminum	Clear PTFE/Synthetic Red Rubber	65	1.3	<b>C4015-1AP</b>	144

## National 13mm Snap/Crimp Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure
- Manual de-crimping tools allow easy removal of aluminum seals without breakage
- Decapping pliers are an economical choice for small quantities of vials
- Clean room crimpers and decrimpers can be autoclaved



Items not shown to scale

### National 13mm Snap/Crimp Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 13mm aluminum crimp seals	<b>C4013-100</b>	1
Decapping Pliers	Removes 13mm aluminum crimp seals, Protective gloves recommended	<b>C4013-101</b>	1
Manual Decrimper	Removes 13mm aluminum crimp seals	<b>C4013-102</b>	1
Manual stainless steel Cleanroom Crimper	Attaches 13mm crimp seals	<b>C4013-100SS</b>	1
Manual stainless steel Cleanroom Decrimper	Removes 13mm crimp seals without vial damage	<b>C4013-102SS</b>	1

For electronic crimpers and decappers look on page **2-094**

## National 4mL Screw Thread Vials

4mL, 15x45mm Screw Thread Vials and Inserts

- 13-425 thread finish
- I-D vials feature a write-on patch with graduation for convenient sample identification
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1, Class B) glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Optional silanized (deactivated) glass provides optimal recovery of critical polar, labile or OH-interacting compounds\*
- Polyspring inserts are self-aligning and provide a cushion against needle contact

### Recommended for the following instruments:

- Dionex
- Shimadzu
- Spark Holland
- Varian
- VWR (Merck)/Hitachi
- Waters (Wisp 48 Position Carousel)

For autosampler compatibility look on pages **2-100 to 2-104**



### National 4mL Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
13-425 Screw Thread Vial	Clear	No	15x45	Flat Bottom	4mL	4mL	<800	<b>C4015-1</b>	100
	Clear	Yes	15x45	Flat Bottom	4mL	4mL	<800	<b>C4015-11W</b>	100
	Amber	No	15x45	Flat Bottom	4mL	4mL	<800	<b>C4015-2</b>	100
	Amber	Yes	15x45	Flat Bottom	4mL	4mL	<800	<b>C4015-2W</b>	100
13-425 Screw Thread AP2000 High Recovery Vial	Clear	No	15x45	Tapered Base	3.5mL	3.5mL	<15	<b>C4015-9</b>	100
	Polypropylene	No	15x45	Tapered Base	2.5mL	2mL	<15	<b>C4015-14</b>	100
13-425 Screw Thread Vial, silanized*	Clear	No	15x45	Flat Bottom	4mL	4mL	<800	<b>C4015-S1</b>	100
800µL Polyspring Conical Insert	Clear	–	8x38	Pulled Point	950µL	800µL	<9	<b>C4015-638</b>	100
350µL Conical Insert	Clear	–	6x40	Pulled Point	375µL	300µL	<8	<b>C4015-643</b>	100
Metal spring for glass inserts in 4mL vials	–	–	–	–	–	–	–	<b>C4015-640</b>	100

\* For information about silanized products see page **2-055**

## National 13-425 Screw Thread Caps and Septa

- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Phenolic resin caps perform well at high temperatures and are compatible with exposure to corrosives
- Open top caps are designed to be used with any of our 13mm septa
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Caps with bonded septa resist dislodging during injection when using large diameter blunt needles
- Integral Molded Polypropylene cap is an economical choice when septum resealing is not required



Images shown are 70% to scale

### National 13-425 Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
13mm Open Top Screw Cap, 13-425 thread, 8.5mm hole	Black	Polypropylene	–	–	–	<b>C4015-1A</b>	100
	White	Polypropylene	–	–	–	<b>C4015-1W</b>	100
	Black	Phenolic	–	–	–	<b>C4015-66</b>	1000
Septum for 13-425 Screw Caps	–	–	White Virgin PTFE, 0.01"	53	0.25	<b>C4015-10</b>	1000
	–	–	Ivory PTFE/Red Rubber	35	1.5	<b>C4015-30</b>	100
	–	–	Red PTFE/White Silicone/Red PTFE	55	1.25	<b>C4015-40</b>	100
	–	–	Red PTFE/White Silicone, Soft	45	1.5	<b>C4015-45</b>	100
	–	–	Red PTFE/White Silicone	50	1.5	<b>C4015-60</b>	100
	–	–	Ivory PTFE/White Silicone	45	1.5	<b>C4015-61</b>	1000
13mm Open Top Screw Cap, 13-425 thread, 8.5mm hole	Black	Polypropylene	Ivory PTFE/Red Rubber	35	1.5	<b>C4015-30A</b>	100
	Black	Polypropylene	Red PTFE/White Silicone/Red PTFE	55	1.25	<b>C4015-40A</b>	100
	White	Polypropylene	Red PTFE/White Silicone, Soft	65	1.5	<b>C4015-45W</b>	100
	Black	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.5	<b>C4015-55BLK</b>	100
	White	Polypropylene	Blue PTFE/White Silicone, Pre-slit	55	1.5	<b>C4015-55W</b>	100
	Black	Polypropylene	Red PTFE/White Silicone	60	1.5	<b>C4015-75A</b>	100
	White	Polypropylene	Red PTFE/White Silicone	60	1.5	<b>C4015-75W</b>	100
13mm Single Piece Screw Cap, 13-425 thread	Natural	Polypropylene	Integral Molded Polypropylene	–	0.25	<b>C4015-5A</b>	100
13mm Open Top Screw Cap, 13-425 thread, 8.5mm hole	Black	Phenolic	Red PTFE/White Silicone	60	1.5	<b>C4015-66A</b>	100
13mm Urea Solid Top Storage Cap, 13-425 thread	White	Polypropylene	PTFE/Foam Urethane Liner	–	1.25	<b>B7815-13</b>	100
13mm Open Top Screw Cap, 13-425 thread, 8.5mm hole	Black	Polypropylene	Bonded Red PTFE/White Silicone	45	1.5	<b>C4015-67A</b>	100

## National 4mL Screw Thread Convenience Kits

- Save time during sample preparation
- Reduce the risk of contamination

### Unassembled kits


- Includes 100 vials and 100 caps with pre-assembled septa



C4015-88

### Assembled kits

- Include 100 vials with pre-attached caps and septa
- Packaged in convenient vial trays with clear covers or in economical polybags



C4015-21



C4015-017


Items not shown to scale

### National 4mL Screw Thread Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Convenience Kit	Clear	No	Black	Red PTFE/White Silicone	C4015-1	C4015-75A	<b>C4015-88</b>	100
	Amber	Yes	Black	Red PTFE/White Silicone	C4015-2W	C4015-75A	<b>C4015-88AW</b>	100
Assembled Kit	Clear	No	Black	White Virgin PTFE, 0.01"	C4015-1	C4015-1A/C4015-10	<b>C4015-21</b>	100
	Clear	No	Black	Red PTFE/White Silicone	C4015-1	C4015-75A	<b>C4015-17</b>	100
	Amber	No	Black	Red PTFE/White Silicone	C4015-2	C4015-75A	<b>C4015-17A</b>	100
	Amber	Yes	Black	Red PTFE/White Silicone	C4015-2W	C4015-75A	<b>C4015-17AW</b>	100
	Clear	Yes	Black	Red PTFE/White Silicone	C4015-11W	C4015-75A	<b>C4015-17W</b>	100
	Clear	No	Black	PTFE/Red Rubber	C4015-1	C4015-66/73816T-13P	<b>C4015-482A</b>	100
Assembled Kit, in Polybag	Clear	No	Black	Red PTFE/White Silicone	C4015-1	C4015-75A	<b>C4015-017</b>	100
	Amber	No	Black	Red PTFE/White Silicone	C4015-2	C4015-75A	<b>C4015-017A</b>	100
	Clear	Yes	Black	Red PTFE/White Silicone	C4015-11W	C4015-75A	<b>C4015-017W</b>	100

## National 4mL Screw Top Vial Racks

- Polypropylene vial racks are resistant to most solvents
- Racks feature alphanumeric indexing for easier vial identification
- Racks can be stacked for efficient storage



C4015-27



C4015-25

Items not shown to scale

### National 4mL Screw Thread Vial Racks

Description	Capacity	Cat. No.	Pack of
Polystyrene storage rack for 15x45mm vials with clear lid	100 vials, 10x10	<b>C4015-27</b>	1
Polypropylene storage rack for 15x45mm vials, no lid	50 vials, 5x10	<b>C4015-25</b>	1

## National Shell Vials and Inserts

- Superior quality type 1 borosilicate and amber glass
- Polyethylene SepCap with starburst center design eases syringe needle penetration
- Convenient vial kits include equal quantities of vials and caps
- Polyspring inserts are self-aligning and provide a cushion against needle contact
- Microsampling vials allow maximum sample extraction without need for separate inserts

### Recommended for the following instruments:

- Alcott
- Gilson
- Shimadzu
- Waters (Wisp 96 respectively 48 Position Carousel)

For autosampler compatibility look on pages **2-100 to 2-104**



### National Shell Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
1mL Shell Vial with SepCap	Clear	No	8x40	Flat Bottom	1.25mL	1mL	<80	<b>C4015-96</b>	200
	Amber	No	8x40	Flat Bottom	1.25mL	1mL	<80	<b>C4015-99</b>	200
	Polypropylene	No	8x40	Flat Bottom	1.25mL	1mL	<80	<b>C4015-95P</b>	250
250µL Polyspring Conical Insert	Clear	–	5x34	Pulled Point	250µL	210µL	<3	<b>C4015-96A</b>	100
300µL Polyspring Conical Insert	Polypropylene	–	5x29	Precision Point	275µL	250µL	<3	<b>C4015-96PA</b>	100
0.7mL Accuform Shell Vial with SepCap	Polypropylene	No	8x40	Tapered Base	0.90mL	0.7mL	<8	<b>C4015-94</b>	1000
2mL Shell Vial with SepCap	Clear	No	12x32	Flat Bottom	2.4mL	1.8mL	<200	<b>C4011-80</b>	200
	Polypropylene	No	12x32	Flat Bottom	2.4mL	1.8mL	<200	<b>C4011-77P</b>	1000
4mL Shell Vial with SepCap	Clear	No	15x45	Flat Bottom	5.5mL	4mL	<800	<b>C4015-48</b>	100
	Polypropylene	No	15x45	Flat Bottom	5.5mL	4mL	<800	<b>C4015-47P</b>	100
800µL Polyspring Conical Insert	Clear	–	6x38	Pulled Point	950µL	800µL	<9	<b>C4015-638</b>	100
3mL Accuform Shell Vial with SepCap	Polypropylene	No	15x45	Tapered Base	3.75mL	2.9mL	<8	<b>C4015-46P</b>	1000
Positive Displacement Vial for Alcott with PE Plug Cap	Clear	No	8x35	Flat Bottom	1mL	900µL	–	<b>C4008-50</b>	1000

## National Headspace Vials

- Superior quality (Type 1, Class A) glass
- Headspace vials are available with either a round or flat base.
- Round bottom vials are compatible with most autosamplers and more easily handled by robotic arms that lift the vial from the tray
- Flat bottom vials maximize heating efficiency in manual headspace sampling and are required for use in some instrument models
- Vials feature beveled or square edge finish
- The bevel edge on the lip of the vial provides additional sealing power for greater leak resistance under high pressure.

**Recommended for most brands of instruments.**

For autosampler compatibility look on pages **2-100 to 2-104**



Images shown are 90% to scale

### National 20mm Crimp Top Headspace Vials

Description	Glass	Dimension (mm)	Finish	Profile	Total Volume (mL)	Usable Volume (mL)	Cat. No.	Pack of
20mm Headspace Crimp Vial	Clear	22x38	Beveled Edge	Flat Bottom	9	6	<b>C4020-60</b>	1000
	Clear	22x38	Square Rim	Flat Bottom	9	6	<b>C4020-6</b>	1000
	Clear	23x46	Beveled Edge	Flat Bottom	12.5	10	<b>C4020-10</b>	100
	Clear	23x46	Beveled Edge	Round Bottom	12.5	10	<b>C4020-210</b>	100
	Clear	23x46	Square Rim	Flat Bottom	12.5	10	<b>C4020-410</b>	1000
	Clear	23x75	Beveled Edge	Flat Bottom	21.5	20	<b>C4020-20</b>	100
	Clear	23x75	Beveled Edge	Round Bottom	21	20	<b>C4020-2</b>	100
	Clear	23x75	Square Rim	Flat Bottom	21.5	20	<b>C4020-25</b>	1000
	Clear	30x60	Beveled Edge	Flat Bottom	27	25	<b>C4020-27</b>	1000
18mm Screw Top Headspace Vial	Clear	22.5x46	Screw Thread	Round Bottom	12	10	<b>C4020-180</b>	125
	Clear	22.5x76	Screw Thread	Round Bottom	21	20	<b>C4020-18</b>	125



## National Headspace Caps and Septa

- Aluminum seals are available in standard center hole, pressure release and tear-off
- Pressure release seals are designed to open when internal pressure exceeds 3.0±0.5bar
- Use magnetic tinplate seals with CTC/Leap Technologies, Gerstel and other magnetic transport autosamplers
- Pre-assembled caps and septa are convenient and minimize contamination from handling



Images shown are 50% to scale

### National 20mm Crimp Top Headspace Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	–	–	–	<b>C4020-3A</b>	1000
20mm Tear-off Crimp Cap	Silver	Aluminum	–	–	–	<b>C4020-5A</b>	1000
20mm Pressure Release Crimp Cap, 7.5mm hole	Silver	Aluminum	–	–	–	<b>C4020-6A</b>	1000
Septum for 20mm Crimp Caps	–	–	20mm Gray Butyl Stopper	37	–	<b>C4020-30</b>	1000
	–	–	20mm Tan PTFE/White Silicone	45	3.2	<b>C4020-32</b>	100
	–	–	20mm Gray PTFE/Red Rubber	50	3.0	<b>C4020-34</b>	100
	–	–	20mm Gray PTFE/Black Butyl Molded	50	3.0	<b>C4020-36</b>	100
	–	–	Unfaced Black Rubber	55	3.0	<b>C4020-40</b>	100
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	Gray PTFE/Red Rubber	50	3.0	<b>C4020-34A</b>	100
20mm Pressure Release Crimp Cap, 8mm hole	Silver	Aluminum-PR	Gray PTFE/Red Rubber	50	3.0	<b>C4020-34AP</b>	100
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	Clear PTFE/Gray Butyl Rubber	50	3.0	<b>C4020-39A</b>	100
20mm Pressure Release Crimp Cap, 8mm hole	Silver	Aluminum-PR	Clear PTFE/Gray Butyl Rubber	50	3.0	<b>C4020-43AP</b>	100
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	Gray PTFE/Gray Butyl Rubber, Pharmafix	50	3.0	<b>C4020-36A</b>	100
20mm Pressure Release Crimp Cap, 8mm hole	Silver	Aluminum-PR	Gray PTFE/Gray Butyl Rubber, Pharmafix	50	3.0	<b>C4020-36AP</b>	100
20mm Crimp Cap, 9.5mm hole	Silver	Aluminum	Tan PTFE/White Silicone	45	3.2	<b>C4020-32A</b>	100
20mm Pressure Release Crimp Cap, 8mm hole	Silver	Aluminum-PR	Tan PTFE/White Silicone	45	3.2	<b>C4020-32AP</b>	100
20mm Magnetic Crimp Cap, 5mm hole	Gold	Tin-plated	Clear PTFE/Translucent Blue Silicone	45	3.0	<b>C4020-38A</b>	100
20mm Magnetic Crimp Cap, 8mm hole	Gold	Tin-plated	Clear PTFE/Translucent Blue Silicone	45	3.0	<b>C4020-42A</b>	100
20mm Pressure Release Crimp Cap, 7.5mm hole	Silver	Aluminum-PR	Clear PTFE/Translucent Blue Silicone	45	3.0	<b>C4020-42AP</b>	100
18mm Magnetic Screw Cap, 8mm hole	Silver	Steel	18mm Blue Silicone/Natural PTFE	45	3.0	<b>C4020-46</b>	125
18mm Magnetic Screw Cap, 8mm hole, SPME	Silver	Steel	18mm Blue Silicone/PTFE, not prefitted	30	1.0	<b>C4020-48</b>	125

Trying to decide what septum is right for you?

Use our selection guide on **PAGE 2-053**



## National 20mm Crimp Top Headspace Unassembled Convenience Kits

- Include matched quantities of vials and silver aluminum seals with prefitted septa
- Caps feature pre-inserted septa for added convenience during sample preparation
- Convenience kits save time during sample preparation



Item not shown to scale

### National 20mm Crimp Top Headspace Unassembled Convenience Kits

Kit Type	Glass	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, 20mm Headspace Crimp Vial, Beveled Edge, Round Bottom, Pressure Release Crimp Cap, 7.5mm hole	Clear	Silver	Gray PTFE/Black Butyl Rubber, Pharmafix	C4020-2	C4020-36AP	<b>C4020-139</b>	100
	Clear	Silver	Tan PTFE/White Silicone	C4020-2	C4020-32AP	<b>C4020-320</b>	1000

## National 20mm Crimp Top Headspace Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure
- Manual decrimping tools allow easy removal of aluminum seals without breakage
- Decapping pliers are an economical choice for small quantities of vials
- Clean room crimpers and decrimpers can be autoclaved



Items not shown to scale

### National 20mm Crimp Top Headspace Crimping and Decrimping Tools:

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 20mm crimp seals	<b>C4020-100</b>	1
Decapping Pliers	Removes 20mm crimp seals, Protective gloves recommended	<b>C4020-101</b>	1
Manual Decrimper	Removes 20mm crimp seals	<b>C4020-102</b>	1
Manual stainless steel Cleanroom Crimper	Attaches 20mm crimp seals	<b>C4020-100SS</b>	1
Manual stainless steel Cleanroom Decrimper	Removes 20mm crimp seals without vial damage	<b>C4020-102SS</b>	1

For electronic crimpers and decappers look on page **2-094**

## National Sample Storage Screw Thread Vials

Sample Storage Screw Thread Vials, Caps and Septa

- Capacity ranges from 2-40mL
- Superior quality 33 expansion borosilicate clear (Type 1, Class A) or 51A amber (Type 1, Class B) glass
- Eliminate leaching of ions
- Provide consistent pH for duration of sample storage life
- PTFE-Lined Solid-top storage caps
- PTFE on film/foam backing offers broad chemical resistance
- Not autoclavable



Images shown are 70% to scale

### National Sample Storage Screw Thread Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Capacity (DRAMS)	Cat. No.	Pack of
8-425 Screw Vial	Clear	No	12x32	Flat Bottom	2	0.5	<b>B7999-1</b>	100
13-425 Screw Vial	Clear	No	12x45	Flat Bottom	4	1	<b>B7999-2</b>	100
15-425 Screw Vial	Clear	No	17x60	Flat Bottom	8	2	<b>B7999-3</b>	200
15-425 Screw Vial	Clear	No	19x65	Flat Bottom	12	3	<b>B7999-12</b>	200
18-400 Screw Vial	Clear	No	21x70	Flat Bottom	16	4	<b>B7999-4</b>	200
20-400 Screw Vial	Clear	No	23x85	Flat Bottom	22	6	<b>B7999-5</b>	200
24-400 Screw Vial	Clear	No	28x95	Flat Bottom	40	8	<b>B7999-6</b>	100
13-425 Screw Vial	Amber	No	12x45	Flat Bottom	4	1	<b>B7999-2A</b>	100
15-425 Screw Vial	Amber	No	17x60	Flat Bottom	8	2	<b>B7999-3A</b>	200
15-425 Screw Vial	Amber	No	19x65	Flat Bottom	12	3	<b>B7999-12A</b>	200
18-400 Screw Vial	Amber	No	21x70	Flat Bottom	16	4	<b>B7999-4A</b>	200
24-400 Screw Vial	Amber	No	28x95	Flat Bottom	40	8	<b>B7999-6A</b>	100



Images shown are 70% to scale

### National Sample Storage Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8-425 Screw Cap	White	Urethane	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-8</b>	100
13-425 Screw Cap	White	Urethane	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-13</b>	100
15-425 Screw Cap	White	Polypropylene	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-15</b>	100
18-400 Screw Cap	White	Polypropylene	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-18</b>	100
20-400 Screw Cap	White	Polypropylene	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-20</b>	100
24-400 Screw Cap	White	Polypropylene	PTFE/Foam Urethane Liner	75	1.3	<b>B7815-24</b>	100
Septa for 8-425 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-8</b>	100
Septa for 13-425 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-13</b>	100
Septa for 15-425 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-15</b>	100
Septa for 18-400 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-18</b>	100
Septa for 20-400 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-20</b>	100
Septa for 24-400 Screw Cap	–	–	0.01" White PTFE/0.09" Clear Silicone	50	1.5	<b>B7995-24</b>	100
Septa for 24-400 Screw Cap	–	–	0.005" White PTFE/0.120" Clear Silicone	50	3.3	<b>B7995-26</b>	100
Open top 8-425 Screw Cap	Black	Polypropylene	–	–	–	<b>B7807-8</b>	100
Open top 13-425 Screw Cap	Black	Polypropylene	–	–	–	<b>B7807-13</b>	100
Open top 15-425 Screw Cap	Black	Polypropylene	–	–	–	<b>B7807-15</b>	100
Open top 18-400 Screw Cap	Black	Polypropylene	–	–	–	<b>B7807-18</b>	100
Open top 20-400 Screw Cap	Black	Polypropylene	–	–	–	<b>B7807-20</b>	100
Open top 24-400 Screw Cap	White	Polypropylene	–	–	–	<b>B7807-24</b>	100

## National Sample Storage Unassembled Convenience Kits

- Convenience kits save time during sample preparation
- Solid top convenience kits include matched quantities of vials and screw caps with pre-assembled septa
- Open top convenience kits contain shrink-wrapped vials and separately packaged caps and septa in polybags



B7990-2



B7800-20

Items not shown to scale

### National Sample Storage Unassembled Convenience Kits

Kit Type	Glass	Total Volume (mL)	Cap Color	Cap Material	Septum	Vial Cat.No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Screw Vial Convenience Kit, Solid-top Cap	Clear	2	White	Urethane	PTFE/Polyethylene Foam Liner	B7999-1	B7815-8	<b>B7800-1</b>	100
	Clear	4	White	Urethane		B7999-2	B7815-13	<b>B7800-2</b>	100
	Clear	8	White	Polypropylene	B7999-3	B7815-15	<b>B7800-3</b>	200	
	Clear	12	White	Polypropylene	B7999-12	B7815-15	<b>B7800-12</b>	200	
	Clear	16	White	Polypropylene	B7999-4	B7815-18	<b>B7800-4</b>	200	
	Clear	22	White	Polypropylene	B7999-5	B7815-20	<b>B7800-5</b>	200	
	Clear	40	White	Polypropylene	B7999-6	B7815-24	<b>B7800-6</b>	100	
	Amber	2	White	Urethane	B7999-1A	B7815-8	<b>B7800-1A</b>	100	
	Amber	4	White	Urethane	B7999-2A	B7815-13	<b>B7800-2A</b>	100	
	Amber	8	White	Polypropylene	B7999-3A	B7815-15	<b>B7800-3A</b>	200	
	Amber	12	White	Polypropylene	B7999-12A	B7815-15	<b>B7800-12A</b>	200	
	Amber	16	White	Polypropylene	B7999-4A	B7815-18	<b>B7800-4A</b>	200	
	Amber	40	White	Polypropylene	B7999-6A	B7815-24	<b>B7800-6A</b>	100	
	Screw Vial Assembled Kit, Solid-top Cap	Clear	20	White	Polypropylene	0.01" White PTFE/0.05" Clear Silicone	B7920-VO	B7815-24	<b>B7800-20</b>
Amber		20	White	Polypropylene	B7921-VO	B7815-24	<b>B7800-20A</b>	100	
Screw Vial Convenience Kit, Open top Cap	Clear	2	Black	Polypropylene	0.01" White PTFE/0.05" Clear Silicone	B7999-1	B7807-8/B7995-8	<b>B7990-1</b>	100
	Clear	4	Black	Polypropylene		B7999-2	B7807-13/B7995-13	<b>B7990-2</b>	100
	Clear	8	Black	Polypropylene		B7999-3	B7807-15/B7995-15	<b>B7990-3</b>	200
	Clear	12	Black	Polypropylene		B7999-12	B7807-15/B7995-15	<b>B7990-12</b>	200
	Clear	16	Black	Polypropylene		B7999-4	B7807-18/B7995-18	<b>B7990-4</b>	200
	Clear	22	Black	Polypropylene		B7999-5	B7807-20/B7995-20	<b>B7990-5</b>	200
	Clear	40	White	Polypropylene	B7999-6	B7807-24/B7995-24	<b>B7990-6</b>	100	
	Amber	2	Black	Polypropylene	B7999-1A	B7807-8/B7995-8	<b>B7990-1A</b>	100	
	Amber	4	Black	Polypropylene	B7999-2A	B7807-13/B7995-13	<b>B7990-2A</b>	100	
	Amber	12	Black	Polypropylene	B7999-12A	B7807-15/B7995-15	<b>B7990-12A</b>	200	
	Amber	40	White	Polypropylene	B7999-6A	B7807-24/B7995-24	<b>B7990-6A</b>	100	

## National EPA Screw Vials

### EPA Screw Vial Convenience Kits

- Convenience kits save time during sample preparation
- Unassembled convenience kits include shrink-wrapped vials and separately packaged caps and septa in polybags
- Assembled kits include vials with pre-attached caps and septa
- Recommended for discrete water sampling under EPA 40 CFR 136 "Guidelines for Establishing Test Procedures for the Analysis of Pollutants" and EPA 40 CFR 141 "National Interim Primary Drinking Water Regulations: Control of Trihalomethanes in Drinking Water"



B7920

Items not shown to scale

### National EPA Screw Vial Convenience Kits

Kit Type	Glass	Total Volume (mL)	Class	Septum	Cat. No.	Pack of
EPA Screw Vial Convenience Kit	Clear	40	100	0.01" White PTFE/0.09" Clear Silicone	<b>B7950-B</b>	100
EPA Screw Vial Assembled Kit	Clear	40	100	0.01" White PTFE/0.09" Clear Silicone	<b>B7950</b>	100
	Amber	40	100	0.01" White PTFE/0.09" Clear Silicone	<b>B7951</b>	100
	Clear	20	100	0.01" White PTFE/0.09" Clear Silicone	<b>B7920</b>	100
	Amber	20	100	0.01" White PTFE/0.09" Clear Silicone	<b>B7921</b>	100
EPA Screw Vial Assembled Kit	Clear	40	200	0.01" White PTFE/0.09" Clear Silicone	<b>B7950-C</b>	72



B7950-VO

B7951-VO



B7950-1A

B7995-24

\* 60% to scale

### National EPA Screw Vials, Caps and Septa

Description	Glass	Cap Color	Dimension (mm)	Total Volume (mL)	Material	Cat. No.	Pack of
24-400 EPA Screw Vial	Clear	—	28x95	40	—	<b>B7950-VO</b>	100
	Amber	—	28x95	40	—	<b>B7951-VO</b>	100
24-400 EPA Screw Cap	—	White	—	—	Polypropylene	<b>B7950-1A</b>	100
Septa for 24-400 Screw Cap	—	—	—	—	0.01" White PTFE/0.09" Clear Silicone	<b>B7995-24</b>	100

## Septum Selection Guide

Septa for use with general chromatography vials

### PTFE/Natural Red Rubber

PTFE Natural Red Rubber are moderately priced seals for GC and HPLC with good chemical properties. They are ideal for multiple injections due to high resealability, but not as easy to penetrate as PTFE/RR.

### PTFE/Synthetic Red Rubber Septa: (PTFE/RR)

PTFE/Red Rubber septa are the most popular and economical choice for general GC and HPLC applications. Used primarily for routine analysis in gas chromatography with FID, TCD and FPD detectors, PTFE/Red Rubber septa offer moderate resealability and excellent chemical inertness before puncture. The low durometer of red rubber allows for easy needle penetration even with thin bore GC needles. PTFE/Red Rubber septa are not recommended for multiple injections or retention of samples for further analysis.

**Note:** C4000-30 and C4000-51 Series feature high-quality red rubber with a thin 0.003" layer of PTFE. C4011-1A, C4011-98 Series, C4011-51 Series, C4008-1A Series, and C4008-98 Series feature high-quality medium durometer red rubber with a thin (0.015") layer of PTFE.

### PTFE/High Performance Red Rubber

PTFE Red Rubber is a highly pure synthetic red rubber septum that provides a reduced background level for specific GC applications, employing sensitive detectors such as ECD or NPD. PTFE Red Rubber has resealing characteristics similar to PTFE/Red Rubber and is pre-inserted into an aluminum seal.

### PTFE/Silicone Septa: (T/S)

High-quality, lowest background/blank value, 100% synthetic pure silicone septa, for all types of chromatographic applications. Laminated to 0.005" thick PTFE for a pure, highly inert septum with excellent resealing characteristics even after repeated punctures. PTFE/Silicone septa are ideal for use in most HPLC and GC applications where resealability and purity are critical. Cleaner than Natural Rubber or Red Rubber. Available with different hardnesses (durometers) meeting requirements of various needle types.

### Pre-slit PTFE/Silicone Septa

A PTFE/Silicone septum is provided with a thin 0.005" PTFE layer laminated to highly pure silicone, and slit through the center for easier needle penetration and to release the vacuum that forms when a large volume of sample is withdrawn from a vial. This septum provides chromatographic characteristics similar to that of a septum without a slit, except that the ability to withstand exposure to aggressive solvents is slightly lessened. Pre-slit septa are highly recommended for Shimadzu, Hitachi, and other autosamplers with thin gauge needles. Bonded caps: feature a PTFE/Silicone septum electrolytically bonded into the cap.

### PTFE/Silicone/PTFE Septa: (T/S/T)

A layer of 0.003" thick PTFE is laminated to each side of high-purity, medium durometer silicone to form a septum that is resistant to coring, but still maintains good resealing characteristics. T/S/T septa are recommended

for the most critical applications such as ultratrace analysis, where there is a longer time between injections, or for internal standard methods. T/S/T septa provide superior performance with Agilent 1050, 1090, 1100, or any autosampler employing a large diameter, blunt-tip needle.

### PTFE Septa

A solid disk of 0.010" thick PTFE offers superior chemical inertness against the most aggressive solvents. The thin membrane allows for easy penetration by most needles. PTFE septa are not resealable and should be used with relatively short cycle times or single injection methods.

### Polyethylene (PE) Septa/Integral Molded Closures/Caps/Stoppers:

Chemically resistant polyethylene septa are usually molded into single-piece caps. The surface for needle penetration is 0.01" thick, allowing for use with thin gauge needles. Polyethylene septa are not resealable and are intended for single injection use.

### Polypropylene (PP) Septa: /Integral Molded Closures/Caps/Stoppers:

Chemically resistant polypropylene septa are available molded into single piece caps or as 0.01" thick disks. The surface for needle penetration is 0.01" thick, allowing for use with thin gauge needles. Polypropylene septa are not resealable and are intended for single injection use.

## Septum Selection Guide

### 20mm Headspace Septa

#### Gray Butyl Stopper: (C4020-30)

An economical septum for lower temperature (125°C) or low-pressure applications. Gray Butyl stoppers do not provide a PTFE barrier and are not suitable for use with alkanes, benzene, chlorinated solvents or cyclohexane.

#### Gray PTFE/Red Rubber Septa: (C4020-34)

Good solvent resistance, good resealing characteristics, resistant to coring. An economical choice where a PTFE barrier is desired.

#### PTFE/White Silicone PurePack Septa: (C4020-32)

Excellent choice for volatiles. Septa are packed in a glass PurePak jar to assure low background, low permeability, and the highest performance of any headspace septum. PTFE/Silicone septa provide excellent resealing characteristics and broad chemical compatibility.

#### Gray PTFE/Molded Black Butyl Septa (Pharmafix Style): (C4020-36)

C4020-36 is a molded septum featuring a PTFE-faced center surface that does not extend to the edges of the septum. The PTFE center area provides good resistance to a wide variety of solvents. The center puncture area is resistant to coring and will reseal after several punctures. The black butyl outer sealing edge conforms well to the rim of the vial affecting a more positive seal.


#### Black Rubber Septa: (C4020-40)


Black Rubber septa are molded from a higher density rubber compound compared to the standard red rubber. This septum has characteristics similar to the Gray Butyl stopper. The Black Rubber septum is an economical choice for applications where reduced levels of vapor penetration are desired.

### Temperature Stability Chart

	min. Temp °C	max. Temp °C	min. Temp °F	max. Temp °F
PTFE/Natural Red Rubber	-10	+85	14	+185
PTFE/Synthetic Red Rubber Septa: (PTFE/RR)	-30	+110	-22	+230
PTFE/ High Performance Red Rubber Septa	-40	+110	-40	+230
PTFE/Silicone Septa: (T/S)	-60	+200	-76	+392
PTFE/Silicone/PTFE Septa: (T/S/T)	-60	+200	-76	+392
PTFE Septa	-200	+250	-328	+482
Polyethylene (PE)	-50	+80	-58	+176
Polypropylene (PP)	0	+121	32	+250
Butyl/Chlorobutyl/Bromobutyl Stopper or Septa	-20	+125	-4	+257
Gray PTFE/Red Rubber	-40	+120	-40	+248
PTFE/White Silicone PurePack Septa	-60	+200	-76	+392
Gray PTFE/Molded Black Butyl (Pharmafix) Septa	-20	+125	-4	+257
Black Rubber Septa	-20	+100	-4	+212

*eVol is the worlds first analytical syringe*

 Visit **PAGE 1-054**





## Deactivated Glass Vials and Inserts

We use only the highest-quality glass to manufacture vials and inserts. Clear and Amber glass tubes have been selected for their consistent composition, dimensional stability and cleanliness. The vast majority of chemical compounds demonstrate no interaction with our standard, un-treated glass products. Strongly polar compounds present at trace concentrations may exhibit lower than expected recoveries due to interactions with Si-OH active sites that are present in all borosilicate glass. The use of a deactivated sample vial is recommended for these samples.

We employ two methods of surface treatment to produce a deactivated product for those instances where a specific compound displays an undesirable interaction with the standard glass product. Most reactive compounds will give a similar improvement in results for either deactivation method.

A few compounds will give a better result in one treatment compared to the other. We recommend that compound recovery be first evaluated in our standard glass product, followed by the silanized product and finally in our Kimshield deactivated product.

The following are general descriptions of the glass deactivation treatments available.

### Silanized Products:

Silanized glassware is the most widely applicable and popular deactivation method in use for improving the recovery of reactive compounds from glass vials and inserts. A proprietary methylating agent is introduced by vapor phase deposition onto the surface of the glassware. Our controlled vapor phase deposition process assures complete and uniform surface coverage. Silanization lowers the surface tension of the glass and forms a hydrophobic barrier that discourages leaching of trace glass constituents into aqueous solutions and adsorption of trace sample components onto the surface of the glass. Vapor phase deposition leaves no liberated acids or other residues that are common with other treatment methods. Our automated silanization process assures that every vial will be consistently treated – leaving a minimum of unreacted silanol groups.

### Kimshield Deactivation:

Kimshield Deactivation is also a vapor deposition method employing a proprietary silicone fluid to coat the surface of the glass. Kimshield deactivation lowers the surface tension of the glass and forms a hydrophobic barrier similar to silanization, but with a slightly different functionality.


As with Silanized products, Kimshield deactivated vials and inserts do not release acids, solvents or other residues. Kimshield deactivation is slightly less durable compared to Silanization, but will withstand exposure to most solvents that are compatible with borosilicate glass.



# National Vial Reference Chart

\* Drawing is valid for: C4000-1B, C4000-1G, C4000-1R, C4000-1Y  
 Images shown are 80% to scale

## 8mm CrimpTop Vials



	<b>C4008-1</b>	<b>C4008-730</b>	<b>C4008-632C</b>	<b>C4008-632R</b>	<b>C4008-739</b>	<b>C4008-740</b>	<b>C4008-741</b>	<b>C4008-742</b>
Part No.	C4008-1	C4008-730	C4008-632C	C4008-632R	C4008-739	C4008-740	C4008-741	C4008-742
Dimensions	8 x 30	7 x 30	6 x 32	6 x 32	7 x 40	7 x 40	7 x 40	7 x 40
Common Description	0.8mL	0.5mL	0.2mL	0.3mL	0.7mL	0.7mL	0.8mL	0.8mL
Approx. Total Capacity	1mL	550µL	250µL	325µL	575µL	575µL	775µL	775µL
Rec. Usable Volume	0.8mL	400µL	200µL	250µL	450µL	450µL	650µL	650µL
Residual Volume	<80µL	<3µL	<3µL	<6µL	<2µL	<2µL	<70µL	<70µL
Composition	Glass	Amber	Glass	Glass	Glass	Amber	Glass	Amber

## Standard-Opening Screw Thread Vials - 12 x 32mm




	<b>C4013-1</b>	<b>C4013-1W</b>	<b>C4013-2</b>	<b>C4013-2W</b>	<b>C4013-11</b>	<b>C4013-12</b>	<b>C4013-13</b>
Part No.	C4013-1	C4013-1W	C4013-2	C4013-2W	C4013-11	C4013-12	C4013-13
Common Description	2mL	2mL	2mL	2mL	250µL	100µL	600µL
Approx. Total Capacity	1.9mL	1.9mL	1.9mL	1.9mL	475µL	400µL	850µL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.5mL	250µL	200µL	675µL
Residual Volume	<170µL	<170µL	<170µL	<170µL	<3µL	<2µL	<8µL
Composition	Glass	Glass	Amber	Amber	Polypro	Glass	Polypro

## Target DP 9mm Screw Vials 12 x 32mm



	<b>C4000-1</b>	<b>C4000-1W</b>	<b>C4000-2W</b>	<b>C4000-9</b>	<b>C4000-9A</b>	<b>C4000-11</b>	<b>C4000-9TR</b>	<b>C4000-V1</b>	<b>C4000-V2</b>	<b>C4000-12</b>
Part No.	C4000-1	C4000-1W	C4000-2W	C4000-9	C4000-9A	C4000-11	C4000-9TR	C4000-V1	C4000-V2	C4000-12
Common Description	2mL	2mL	2mL	1.5mL	1.5mL	450µL	1.5mL	1.5mL	1.5mL	2mL
Approx. Total Capacity	2mL	2mL	2mL	1.7mL	1.7mL	250µL	1.5mL	1.4mL	1.4mL	2mL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.3mL	1.3mL	250µL	1.2mL	1.0mL	1.0mL	1.5mL
Residual Volume	<170 µL	<170µL	<170µL	<4µL	<4µL	<1µL	<1µL	<4µL	<4µL	<180 µL
Composition	Glass	Glass	Amber	Glass	Amber	PolyPro	Glass	Glass	Amber	Amber PP

## Target DP 9mm Screw Vials 12 x 32mm




	<b>C4000-LV1</b>	<b>C4000-LV1W</b>	<b>C4000-LV2</b>	<b>C4000-LV2W</b>	<b>C4000-LV3W</b>
Part No.	C4000-LV1	C4000-LV1W	C4000-LV2	C4000-LV2W	C4000-LV3W
Common Description	350µL	350µL	350µL	350µL	200µL
Approx. Total Capacity	475µL	475µL	475µL	475µL	375µL
Rec. Usable Volume	350µL	350µL	350µL	350µL	240µL
Residual Volume	<2µL	<2µL	<2µL	<2µL	<1µL
Composition	Glass	Glass	Amber	Amber	Glass

## Target DP Microvolume Inserts


\*Drawing is valid for: C4011-1B, C4011-1G, C4011-1R, C4011-1Y

Images shown are 80% to scale




	<b>C4010-630</b>	<b>C4010-630P</b>	<b>C4010-627L</b>	<b>C4010-629L</b>	<b>C4011-631</b>	<b>C4011-631P</b>	<b>C4010-630TS</b>	<b>C4010-629</b>	<b>C4010-629P</b>
Part No.	C4010-630	C4010-630P	C4010-627L	C4010-629L	C4011-631	C4011-631P	C4010-630TS	C4010-629	C4010-629P
Dimensions	6 x 31mm	6 x 30mm	6 x 31mm	6 x 31mm	6 x 31mm	6 x 31mm	6 x 29mm	6 x 30mm	6 x 30mm
Common Description	300µL	300µL	350µL	350µL	400µL	300µL	150µL	300 µL	300 µL
Approx. Total Capacity	375µL	325µL	400µL	400µL	500µL	500µL	450µL	375 µL	325 µL
Rec. Usable Volume	300µL	250µL	350µL	350µL	400µL	400µL	325µL	300 µL	250 µL
Residual Volume	<1µL	<2µL	<4µL	<2µL	<25µL	<25µL	<3µL	<4 µL	<2 µL
Composition	Glass	Polypro	Glass	Glass	Glass	Polypro	Glass	Glass	Polypro

## 10mm Wide Opening Screw Thread Vials - 12 x 32mm



	<b>C4010-1</b>	<b>C4010-1W</b>	<b>C4010-2</b>	<b>C4010-2W</b>	<b>C4010-LV1</b>	<b>C4010-LV2</b>	<b>C4010-11</b>	<b>C4010-14</b>	<b>C4010-V1</b>
Part No.	C4010-1	C4010-1W	C4010-2	C4010-2W	C4010-LV1	C4010-LV2	C4010-11	C4010-14	C4010-V1
Common Description	2mL	2mL	2mL	2mL	350µL	450µL	250µL	700µL	1.5mL
Approx. Total Capacity	2mL	2mL	2mL	2mL	450µL	450µL	600µL	750µL	1.5mL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.5mL	350µL	350µL	400µL	550µL	1.1mL
Residual Volume	<170µL	<170µL	<170µL	<170µL	<2µL	<2µL	<4µL	>70µL	<4mL
Composition	Glass	Glass	Amber	Amber	Glass	Amber	Polypro	Polypro	Glass

## 11mm Wide Opening Crimp Top Vials




	<b>C4011-1</b>	<b>C4011-1W</b>	<b>C4011-2</b>	<b>C4011-2W</b>	<b>C4011-9</b>	<b>C4011-10</b>	<b>C4011-V1</b>	<b>C4011-LV1W</b>	<b>C4011-LV2W</b>
Part No.	C4011-1	C4011-1W	C4011-2	C4011-2W	C4011-9	C4011-10	C4011-V1	C4011-LV1W	C4011-LV2W
Common Description	2mL	2mL	2mL	2mL	1.5mL	400µL	1.5mL	250µL	250µL
Approx. Total Capacity	2mL	2mL	2mL	2mL	1.7mL	650µL	1.5mL	500µL	500µL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.5mL	1.3mL	500µL	1.1mL	350µL	350µL
Residual Volume	<170µL	<170µL	<170µL	<170µL	<4µL	<5µL	<4µL	<2µL	<2µL
Composition	Glass	Glass	Amber	Amber	Glass	Glass	Glass	Glass	Amber

## 11mm Standard-Opening Crimp Vials 12 x 32mm



	<b>C4012-1</b>	<b>C4012-1W</b>	<b>C4012-2</b>	<b>C4012-2W</b>	<b>C4012-10</b>
Part No.	C4012-1	C4012-1W	C4012-2	C4012-2W	C4012-10
Common Description	2mL	2mL	2mL	2mL	100µL
Approx. Total Capacity	2mL	2mL	2mL	2mL	425µL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.5mL	200µL
Residual Volume	<170µL	<170µL	<170µL	<170µL	<2µL
Composition	Glass	Glass	Amber	Amber	Glass


## Standard Microvolume Inserts



	<b>C4012-529</b>	<b>C4012-529L</b>	<b>C4012-530</b>	<b>C4012-465</b>	<b>C4012-530P</b>
Part No.	C4012-529	C4012-529L	C4012-530	C4012-465	C4012-530P
Dimensions	5 x 29mm	5 x 31mm	5 x 29mm	5 x 31mm	5 x 30mm
Common Description	150µL	150µL	150µL	200µL	125µL
Approx. Total Capacity	200µL	200µL	200µL	250µL	175µL
Rec. Usable Volume	175µL	170µL	170µL	200µL	150µL
Residual Volume	<3µL	<2µL	<1µL	<12µL	<2µL
Composition	Glass	Glass	Glass	Glass	Polypro

## National Vials Comparison Chart


11mm Snap-It-Vials - 12 x 32mm



Part No.	C4011-5	C4011-5W	C4011-6	C4011-6W	C4011-24	C4011-LV1	C4011-LV2	C4011-V5	C4011-11	C4011-14	C4011-4
Common Description	2mL	2mL	2mL	2mL	700µL	350µL	350µL	1.5mL	450µL	3700µL	1.5mL
Approx. Total Capacity	2mL	2mL	2mL	2mL	1000µL	500µL	500µL	1.5mL	800µL	1000µL	1.7mL
Rec. Usable Volume	1.5mL	1.5mL	1.5mL	1.5mL	750µL	350µL	350µL	1.1mL	600µL	800µL	1.3mL
Residual Volume	<170µL	<170µL	<170µL	<170µL	<8µL	<2µL	<2µL	<4µL	<6µL	<80µL	<4µL
Composition	Glass	Glass	Amber	Amber	TPX	Glass	Amber	Glass	Polypro	Polypro	Glass

11mm Snap-It-Vials - 12 x 32mm

Headspace Vials



Part No.	C4011-13	C4011-16	C4011-15	C4012-15	C4011-9TR
Common Description	250µL	600µL	850µL	250µL	1.5mL
Approx. Total Capacity	475µL	600µL	825µL	475µL	1.5mL
Rec. Usable Volume	300µL	400µL	650µL	350µL	1.2mL
Residual Volume	<2µL	<4µL	<8µL	<4µL	<1µL
Composition	Polypro	Polypro	Polypro	Glastic	Glass



Part No.	C4020-6	C4020-60	C4020-27
Common Description	6mL	6mL	27mL
Approx. Total Capacity	9mL	9mL	27mL
Composition	Glass	Glass	Glass


Headspace Vials



Part No.	C4020-20	C4020-10	C4020-2	C4020-210	C4020-25	C4020-410
Common Description	20mL	10mL	20mL	10mL	20mL	10mL
Approx. Total Capacity	21mL	12mL	21.5mL	12mL	21.5mL	12.5mL
Composition	Glass	Glass	Glass	Glass	Glass	Glass

Images shown are 80% to scale

### Shell Vials and Inserts




	<b>C4015-96A</b>	<b>C4015-96PA</b>	<b>C4015-48</b>	<b>C4015-47P</b>	<b>C4015-96</b>	<b>C4015-99</b>	<b>C4015-95P</b>	<b>C4011-80</b>	<b>C4008-50</b>
Part No.	C4015-96A	C4015-96PA	—	—	—	—	—	—	—
Dimensions	5 x 34mm	5 x 29mm	—	—	—	—	—	—	8 x 35mm
Common Description	250 µL	275 µL	4mL	4mL	1mL	1mL	1mL	2mL	1mL
Approx. Total Capacity	375 µL	375 µL	5.5mL	5.5mL	1.25mL	1.25mL	1.25mL	2.4mL	1mL
Rec. Usable Volume	210 µL	250 µL	4mL	4mL	1mL	1mL	1mL	1.8mL	850µL
Residual Volume	<3 µL	<3 µL	<800µL	<800 µL	<80µL	<80µL	<80µL	<200µL	—
Composition	Glass	PolyPro	Glass	Polypro	Glass	Amber	PolyPro	Glass	Glass

### 15 x 45mm Screw Thread Vials



	<b>C4015-1</b>	<b>C4015-11W</b>	<b>C4015-2</b>	<b>C4015-2W</b>	<b>C4015-9</b>	<b>C4015-14</b>
Part No.	C4015-1	C4015-11W	C4015-2	C4015-2W	C4015-9	C4015-14
Common Description	4mL	4mL	4mL	4mL	3.5mL	2.5mL
Approx. Total Capacity	5.2mL	5.2mL	5.2mL	5.2mL	4.5mL	2.5mL
Rec. Usable Volume	4mL	4mL	4mL	4mL	3.5mL	2mL
Residual Volume	<800µL	<800µL	<800µL	<800µL	<15µL	<15µL
Composition	Glass	Glass	Amber	Amber	Glass	Polypro

### Microvolume Inserts for 15 x 45mm 4mL Vials



	<b>C4015-638</b>	<b>C4015-641</b>	<b>C4015-643</b>
Part No.	C4015-638	C4015-641	C4015-643
Dimensions	6 x 38mm	6 x 41mm	6 x 42mm
Common Description	700µL	500µL	500µL
Approx. Total Capacity	950µL	575µL	375µL
Rec. Usable Volume	800µL	500µL	300µL
Residual Volume	<9µL	<6µL	<8µL
Composition	Glass	Glass	Glass

### TOC Vials



	<b>C4011-1296</b>
Part No.	C4011-1296
Common Description	5mL
Approx. Total Capacity	5mL
Composition	Glass

Images shown are 80% to scale  
 \* 50% to scale  
 \* Positive Displacement Vial for Alcott 708

# Thermo Scientific Chromacol Vials and Closures

- Innovative products in micro- and precision sampling
- High quality, stringent manufacturing tolerances, has been tested extensively for comprehensive autosampler compatibility
- Products developed in close technical cooperation with the instrument manufacturers
- Detailed information regarding material specifications and compatibility
- Custom manufactured capabilities
- Competent and experienced worldwide distributor network



## Chromacol 8mm Crimp Top Vials

- The SCI-VI system gives the chromatography user the ability to inject reproducibly from glass vials with residual volumes as low as 1 $\mu$ L to 5 $\mu$ L in a full range of autosampler instruments.
- Precision-machined sleeves that allow the vials to be used in the vast majority of commercial autosamplers.
- Sleeves are re-usable and support the crimped, sealed vials in the correct position within both the autosampler carousel or racks
- Allow movement of the vials as a unit to injection positions in both GC and HPLC autosamplers.
- GOLD glass quality, a low expansion high purity glass with an extremely low concentration of active sites.
- Available in both clear and amber glass these vials can be used with crimp and snap caps

### Approximate Chemical Composition for Borosilicate Glass

Description	SiO <sub>2</sub>	B <sub>2</sub> O <sub>3</sub>	Al <sub>2</sub> O <sub>3</sub>	CaO	MgO	Na <sub>2</sub> O	K <sub>2</sub> O	BaO
33 expansion Glass	80%	13%	3%	0.1%	–	4%	0.1%	<0.1%
N-51A Glass	72%	12%	7%	1%	–	6%	2%	<0.1%
Neutral Borosilicate-GOLD Grade	80.6%	13%	2.3%	–	–	4%	–	–

For autosampler compatibility look on pages **2-100** to **2-104**



### Chromacol 8mm Crimp Top Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (µL)	Usable Volume (µL)	Residual (µL)	Cat. No.	Pack of
0.3mL Sci-Vi Crimp Top Vial - GOLD Grade Glass	Clear	No	6x32	Round Bottom	325	250	<5	<b>03-CVG</b>	500
0.2mL Sci-Vi Crimp Top Vial - GOLD Grade Glass	Clear	No	6x32	Conical	250	200	<5	<b>02-CTVG</b>	500
0.2mL Sci-Vi Crimp Top Vial	Amber	No	6x32	Conical	250	200	<5	<b>02-CTV(A)</b>	500
0.1mL Sci-Vi Crimp Top Vial - GOLD Grade Glass	Clear	No	6x32	Round Bottom	125	80	<1	<b>01-CVG</b>	500
1.2mL Crimp Top Vial	Clear	No	8x40	Flat Bottom	1300	1200	<75	<b>1.2-CWV</b>	500
1mL Crimp Top Tapered Vial	Clear	No	8x40	Conical	1180	1000	<5	<b>1-CWV</b>	500
0.8mL Crimp Top Vial	Clear	No	8x30	Flat Bottom	1000	800	<80	<b>08-CV</b>	500
	Clear	No	7x40	Flat Bottom	775	650	<70	<b>08-CPV</b>	500
	Amber	No	7x32	Round Bottom	700	600	<30	<b>08-CRV(A)</b>	500
0.7mL Crimp Top Tapered Vial	Clear	No	7x40	Conical	575	450	<5	<b>07-CPV</b>	500
	Amber	No	7x40	Conical	575	450	<5	<b>07-CPV(A)</b>	500



### Chromacol 8mm Crimp Top Vials (Continued)

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (µL)	Usable Volume (µL)	Residual (µL)	Cat. No.	Pack of
0.6mL Crimp Top Tapered Vial	Amber	No	7x32	Conical	600	550	<5	<b>06-CTV(A)</b>	500
0.5mL Crimp Top Tapered Vial	Amber	No	7x30	Conical	500	450	<5	<b>05-CTV(A)</b>	500
PTFE Vial Support Sleeve for 6x32mm vials, fits most autosamplers	PTFE	No	12x31	Flat Bottom	-	-	-	<b>SV-S1</b>	50
PTFE Vial Support Sleeve for 6x32mm vials, fits robotic autosamplers	PTFE	No	12x32	Flat Bottom	-	-	-	<b>SV-S11A</b>	25
Glass Vial Support Sleeve for 6x32mm vials, fits robotic autosamplers	Clear	Yes	12x32	Flat Bottom	-	-	-	<b>SV-S11G</b>	25

Sleeves adapt 6x32mm vials for use in autosamplers designed for 12x32mm vials. Use sleeve SV-S1 for autosamplers that do not lift the vial from the tray. Use SV-S11A or SV-S11G for autosamplers that move the vial during sampling.

## Chromacol 8mm Closures

- Aluminum crimp seals with prefitted septa
- Provide a secure leak-resistant seal
- Pre-assembled caps and septa are convenient and minimize contamination from handling




### Chromacol 8mm Crimp Top Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Crimp Cap, 4mm hole, Type 6 Rubber/PTFE Liner	Silver	Aluminum	Red Natural Rubber/Clear PTFE	38	1.0	<b>8-AC6</b>	1000
	Blue	Aluminum	Red Natural Rubber/Clear PTFE	38	1.0	<b>8-AC6(B)</b>	1000
	Red	Aluminum	Red Natural Rubber/Clear PTFE	38	1.0	<b>8-AC6(R)</b>	1000
8mm Crimp Cap, 4mm hole, Type 7 Rubber/PTFE Liner	Silver	Aluminum	Red Natural Rubber/Clear PTFE	60	1.0	<b>8-AC7</b>	1000
8mm Crimp Cap, 4mm hole	Silver	Aluminum	—	—	—	<b>8-ACB</b>	1000
	Silver	Aluminum	Gray Chlorobutyl Rubber/Clear PTFE	52	1.0	<b>8-AC-CBT1</b>	500
	Blue	Aluminum	Blue Silicone/Red PTFE	20	1.4	<b>8-AC(B)-ST144</b>	500
	Silver	Aluminum	White Silicone/Red PTFE	50	1.3	<b>8-AC-ST15</b>	500
	Silver	Aluminum	Blue Silicone/PTFE	30	1.0	<b>8-AC-ST101</b>	500
	Silver	Aluminum	Blue Silicone/PTFE, Pre-slit	30	1.0	<b>8-AC-ST101X</b>	500
	Silver	Aluminum	White Virgin PTFE, 0.01"	53	0.2	<b>8-ACT</b>	1000
	Silver	Aluminum	Red PTFE/White Silicone/Red PTFE	57	1.0	<b>8-AC-TST1</b>	500
8mm Snap Cap, Thinned penetration area	Clear	Polyethylene	Integral Molded In Polyethylene	—	—	<b>8-PEC1</b>	1000
	Clear	Polyethylene	Integral Molded In Polyethylene, Pre-cut	—	—	<b>8-PEC1X</b>	1000

## Chromacol Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure closure
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance



Items not shown to scale

### Chromacol Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 8mm aluminum crimp seals	<b>CR-8</b>	1
Manual Decrimper/De-capper	Removes 8mm aluminum crimp seals without vial damage	<b>DCB-8</b>	1

For electronic crimpers and decappers look on page **2-094**



## Chromacol 2mL, 12x32mm Standard Opening Screw Thread Vials and Inserts

- 8-425 thread finish vials are best suited for most instruments where the vial remains in the sample tray during injection
- Manufactured from clear, Type 1 Class A or amber, Type 1 Class B borosilicate glass
- GOLD grade glass quality is a low expansion high purity glass with an extremely low concentration of active sites.
- Available with a graduated, write-on patch for convenient sample identification
- Small opening requires Micro-Inserts with a diameter of 5mm
- While maintaining the standard outer dimensions the internal volumes of these vials range from below 300µL to 2mL
- Where levels of inorganic ions have to be kept to an absolute minimum the use of plastics may be preferred to the more conventional glass vials

### Recommended for the following instruments:

- Beckman
- CTC
- Gilson
- Knauer
- Shimadzu
- Spark Holland
- Varian
- VWR (Merck)/Hitachi

For autosampler compatibility look on pages **2-100 to 2-104**



### Chromacol 2mL, 12x32 Standard Opening Screw Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (µL)	Usable Volume (µL)	Residual (µL)	Cat. No.	Pack of
8-425 Screw Thread Vial	Clear	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>2-SV</b>	500
	Amber	Yes	12x32	Flat Bottom	2.0	1.5	<170	<b>2-SV(A)</b>	500
8-425 Screw Thread Vial - GOLD Grade Glass	Clear	No	12x32	Flat Bottom	2.0	1.5	<170	<b>2-SVG</b>	500
8-425 Screw Thread 1.1mL Vial - GOLD Grade Glass	Clear	No	12x32	Conical	1.2	1.1	<5	<b>1.1-STVG</b>	500
8-425 Screw Thread 0.6mL Vial, White	HDPE	No	12x32	Insert Vial	0.6	0.4	<3	<b>06-PESV</b>	500
200µL Insert	Clear Glass	No	5x31	Flat Bottom	250µL	200µL	<12	<b>02-NV</b>	1000
	Clear Glass	No	5x30	Conical	200µL	160µL	<4	<b>02-MTV</b>	1000
Self-centering support device for tapered glass inserts	Polyethylene	–	–	–	–	–	–	<b>MTS-1</b>	500
Support Sleeve for 1.1-STVG	PTFE	–	–	–	–	–	–	<b>TTS-312</b>	50

Support sleeve allows conical tip vial to be used in standard 12x32mm autosampler trays

We offer electronic crimping options

>> Visit **PAGE 2-094**

## Chromacol Screw Thread Caps and Septa

- Open top caps are designed to be used with any of our 8mm septa
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Flanged caps are particularly suitable for Shimadzu and Tosoh autosamplers
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Closures are shipped in sealed polybags to prevent contamination during transport



### Chromacol 8-425 Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
8mm Open Top Screw Cap, 8-425 thread, 5mm hole	Black	Polypropylene	—	—	—	<b>8-SC</b>	500
	Red	Polypropylene	—	—	—	<b>8-SC(R)</b>	500
	White	Polypropylene	—	—	—	<b>8-SC(W)</b>	500
8mm Open Top Screw Cap with flange, 8-425 thread, 5mm hole	Black	Polypropylene	—	—	—	<b>8-SCJ</b>	500
	White	Polypropylene	—	—	—	<b>8-SCJ(W)</b>	500
Septum for 8-425 Screw Caps	—	—	Red Natural Rubber/Clear PTFE	38	1.0	<b>8-6RT1</b>	1000
	—	—	White Silicone/Red PTFE	50	1.3	<b>8-ST15</b>	500
	—	—	Blue Silicone/PTFE	50	1.2	<b>8-ST14</b>	500
	—	—	Blue Silicone/PTFE, Pre-slit	50	1.2	<b>8-ST14X</b>	500
	—	—	White Silicone/PTFE	20	1.4	<b>8-ST143</b>	500
	—	—	Blue Silicone/PTFE	30	1.0	<b>8-ST101</b>	500
	—	—	Red PTFE/White Silicone/Red PTFE	57	1.0	<b>8-TST1</b>	500
	—	—	White Virgin PTFE, 0.01"	53	0.3	<b>8-T02</b>	1000
	—	—	Blue Silicone/Red PTFE	20	1.4	<b>8-ST144</b>	500
8mm Open Top Screw Cap, 8-425 thread, 5mm hole, Type 8 Rubber/PTFE Liner	Black	Polypropylene	Red Natural Rubber/Clear PTFE	50	1.3	<b>8-SC-8RT1</b>	500
8mm Open Top Screw Cap, 8-425 thread, 5mm hole	Black	Polypropylene	White Silicone/Red PTFE	57	1.3	<b>8-SC-ST15</b>	500

Trying to decide what closure is right for you?

➤ Use our selection guide on **PAGE 2-053**



## Chromacol Standard Opening Screw Thread Vial Convenience Kits

- Convenience kits save time during sample preparation
- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Caps feature pre-inserted septa for added convenience during sample preparation

Convenience Kits



Items not shown to scale

### Chromacol Standard Opening Screw Thread Vial Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat. No.	Cap/Septum Cat.No.	Cat. No.	Pack of
Convenience Kit, Standard Opening Screw Vial	Clear	Yes	White, flanged	Blue Silicone/PTFE	2-SV	2-SCJ(W) + 8-ST101	<b>2-SVJ(W)101-CP</b>	100
Convenience Kit, Standard Opening Screw Vial for Shimadzu LC Autosamplers	Clear	Yes	White, flanged	Blue Silicone/PTFE	2-SV	2-SCJ(W) + 8-ST101	<b>SHL</b>	100
Convenience Kit, Standard Opening Screw Vial for Thermo Scientific LC Autosamplers	Clear	Yes	Black	White Silicone/Red PTFE	2-SV	8-SC-ST15	<b>TSL</b>	100

## Chromacol 9mm Wide Opening Screw Thread Vials and Inserts

- Available with a graduated, write-on patch for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Manufactured from clear, Type 1 Class A or amber, Type 1 Class B borosilicate glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts

### Compatible with:

Most HPLC and GC autosamplers  
For autosampler compatibility look on pages **2-100 to 2-104**




### Chromacol 9mm Wide Opening Screw Thread Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
9mm Screw Thread Vial	Clear	No	15x46	Flat Bottom	4.0mL	3.5mL	<500	<b>4-SVQ</b>	500
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-SVW</b>	500
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-SVW(A)</b>	500
9mm Screw Thread Vial, High Recovery with 30µL Reservoir	Clear	No	12x32	Tapered Base	1.5mL	1.3mL	<4	<b>1.5-HRSV</b>	100
9mm Screw Thread Vial, Ultra High Recovery with 10µL Reservoir	Clear	No	12x32	Mandrel Base	1.2mL	1.0mL	<2	<b>1.2-UHRSV</b>	100
9mm Screw Thread Vial 900µL, Fused Insert	Clear	No	12x32	Insert Vial	0.9mL	830µL	<3	<b>09-FISV</b>	500
9mm Screw Thread Vial 300µL, Fused Insert	Clear	Yes	12x32	Insert Vial	0.3mL	250µL	<3	<b>03-FISV</b>	500
	Amber	Yes	12x32	Insert Vial	0.3mL	250µL	<3	<b>03-FISV(A)</b>	500
9mm Screw Thread Vial 200µL, Fused Insert-GOLD grade glass	Clear	Yes	12x32	Insert Vial	0.2mL	180µL	<2	<b>02-FISVG</b>	500
300µL Insert	Clear	–	6x31	Flat Bottom	300µL	200µL	<12	<b>03-NV</b>	1000
200µL Insert - GOLD Grade Glass	Clear	–	6x30	Pulled Point	200µL	160µL	<4	<b>02-MTVWG</b>	1000
Self-centering support device for tapered glass inserts	Polyethylene	–	–	–	–	–	–	<b>MTS-1</b>	500
9mm Screw Thread Vial	Polypropylene	No	12x32	Insert Vial, Mandrel	300µL	200µL	<4	<b>03-PPSVW</b>	500

## Chromacol 9mm Screw Thread Closures

- Easy-on, easy-off convenience with just one turn
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Closures have the profile of a crimp or snap closure for compatibility with robotic autosamplers
- Closures are shipped in sealed polybags to prevent contamination during transport



### Chromacol 9mm Screw Thread Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
9mm Open Top Short Screw Cap, 6mm hole	Black	Polypropylene	Bonded Red PTFE/White Silicone	57	1.0	<b>9-SC(BLK)-BST1</b>	500
	Gray	Polypropylene	Bonded Red PTFE/White Silicone, Pre-slit	45	1.2	<b>9-SC(GY)-BST1X</b>	500
	Blue	Polypropylene	Red Natural Rubber/Clear PTFE	58	1.0	<b>9-SC(B)-8RT1</b>	500
	Blue	Polypropylene	Red Natural Rubber/Clear PTFE, Pre-slit	58	1.0	<b>9-SC(B)-8RT1X</b>	500
	Blue	Polypropylene	White Silicone/Red PTFE	57	1.0	<b>9-SC(B)-ST1</b>	500
	Green	Polypropylene	White Silicone/Red PTFE	57	1.0	<b>9-SC(G)-ST1</b>	500
	Clear	Polypropylene	White Silicone/Red PTFE	57	1.0	<b>9-SC(N)-ST1</b>	500
	Blue	Polypropylene	Blue Silicone/PTFE	30	1.0	<b>9-SC(B)-ST101</b>	500
	Blue	Polypropylene	White Silicone/Red PTFE, Pre-slit	57	1.0	<b>9-SC(B)-ST1X</b>	500
	Blue	Polypropylene	Red PTFE/White Silicone/Red PTFE	57	1.0	<b>9-SC(B)-TST1</b>	500
9mm Solid Top Short Screw Cap	Blue	Polypropylene	Red Natural Rubber/Clear PTFE	58	1.0	<b>9-SCS-8RT1</b>	500
9mm Open Top Short Screw Cap with flange, 6mm hole	White	HDPE	Blue Silicone/PTFE	30	1.0	<b>9-SCJ(W)-ST101</b>	500

Trying to decide what closure is right for you?

➤➤ Use our selection guide on **PAGE 2-053**



## Chromacol 9mm Wide Opening Convenience and Instrument Select Kits

- Convenience kits save time during sample preparation
- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Caps feature pre-inserted septa for added convenience during sample preparation



2-SVW8-CP

Items not shown to scale

### Chromacol 9mm Wide Opening Screw Thread Vial Convenience Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Open Short Screw Vial	Clear	Yes	Blue	Red Natural Rubber/ Clear PTFE	2-SVW	9-SC(B)-8RT1	<b>2-SVW8-CP</b>	100
	Clear	Yes	Blue	White Silicone/Red PTFE	2-SVW	9-SC(B)-ST1	<b>2-SVWST-CP</b>	100
	Amber	Yes	Blue	Red Natural Rubber/ Clear PTFE	2-SVW(A)	9-SC(B)-8RT1	<b>2-SVW(A)8-CP</b>	100
	Amber	Yes	Blue	White Silicone/Red PTFE	2-SVW(A)	9-SC(B)-ST1	<b>2-SVW(A)ST-CP</b>	100
Convenience Kit, Wide Open Short Screw Vial for Agilent LC Autosampler	Clear	Yes	Blue	Red Natural Rubber/ Clear PTFE	2-SVW	9-SC(B)-8RT1	<b>HPLS</b>	100
Convenience Kit, Wide Open Short Screw Vial for PerkinElmer LC Autosampler	Clear	Yes	Green	White Silicone/ Red PTFE, Pre-slit	2-SVW	9-SC(G)-ST1X	<b>PEL</b>	100
Convenience Kit, Wide Open Short Screw Vial for Thermo GC Autosampler	Clear	Yes	Blue	Blue Silicone/PTFE	2-SVW	9-SC(B)-ST101	<b>TTR</b>	100
Convenience Kit, Wide Open Short Screw Vial for Varian GC Autosampler	Clear	Yes	Blue	White Silicone/Red PTFE	2-SVW	9-SC(B)-ST1	<b>VAG</b>	100
Convenience Kit, Wide Open Short Screw Vial for Varian LC Autosampler	Clear	Yes	Blue	White Silicone/Red PTFE	2-SVW	9-SC(B)-ST1	<b>VAL</b>	100
Convenience Kit, Wide Open Short Screw Vial for Waters Alliance LC Autosampler	Clear	Yes	Blue	White Silicone/Red PTFE	2-SVW	9-SC(B)-ST1	<b>WAL</b>	100
	Clear	Yes	Black	Bonded Red PTFE/ White Silicone	2-SVW	9-SC(BLK)-BST1	<b>WALB</b>	100
Convenience Kit, Wide Open Short Screw Vial for Waters ACQUITY LC Autosampler	Clear	Yes	Gray	Bonded Red PTFE/ White Silicone, Pre-slit	2-SVW	9-SC(GY)-BST1X	<b>WAQ</b>	100

## Chromacol 2mL, 12x32mm, 11mm Crimp Top Vials and Closures

### Compatible with:

Most HPLC and GC autosamplers  
 For autosampler compatibility look on pages **2-100 to 2-104**

- Chromacol GOLD™ glass quality, a low expansion high purity glass with an extremely low concentration of active sites.
- Manufactured from clear, Type 1 Class A or amber, Type 1 Class B borosilicate glass
- Available with a graduated, write-on patch for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Where levels of inorganic ions have to be kept to an absolute minimum the use of plastics may be preferred to the more conventional glass vials



### Chromacol 2mL 12x32mm Wide Opening Crimp Top Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Crimp Top Vial, Wide Opening	Clear	Glass	15x46	Flat Bottom	4.0mL	3.5mL	<500	<b>4-CV</b>	500
	Clear	Glass	12x40	Flat Bottom	2.5mL	2mL	<170	<b>2.5-CV</b>	500
	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-CV</b>	500
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-CV(A)</b>	500
11mm Crimp Top Vial, Wide Opening - GOLD Grade Glass	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-CVG</b>	500
11mm Crimp Top Vial, Wide Opening	Clear	Yes	12x32	Round Bottom	2.0mL	1.5mL	<170	<b>2-CRV</b>	500
11mm Crimp Top 1.5mL High Recovery Vial	Clear	No	12x32	High Recovery	1.5mL	1.3mL	<4µL	<b>1.5-HRCV</b>	100



**Chromacol 2mL 12x32mm Wide Opening Crimp Top Vials and Inserts (Continued)**

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Crimp Top 1.1mL Vial, Wide Opening - GOLD Grade Glass	Clear	No	12x32	Conical	1.4mL	1.1mL	<5	<b>1.1-CTVG</b>	500
11mm Crimp Top 1.1mL Vial, Wide Opening	Amber	No	12x32	Conical	1.4mL	1.1mL	<5	<b>1.1-CTV(A)</b>	500
11mm Crimp Top 0.9mL Vial, Wide Opening	Clear	No	10x32	Conical	1.0mL	850µL	<5	<b>09-CTV</b>	500
11mm Crimp Top 0.6mL Vial	Clear	No	12x32	Insert Vial	0.9mL	830µL	<3	<b>09-FIV</b>	500
	HDPE	No	12x32	Internal Taper	0.6mL	0.5mL	<25	<b>06-PECV</b>	500
11mm Crimp Top 0.3mL Vial, Fused Insert	Polypropylene	No	12x32	Internal Taper	0.6mL	0.5mL	<25	<b>06-PPCV</b>	500
	Clear	Yes	12x32	Insert Vial	0.3mL	250µL	<3	<b>03-FIV</b>	500
11mm Crimp Top 0.2mL Vial, Fused Insert - GOLD Grade Glass	Amber	Yes	12x32	Insert Vial	0.3mL	250µL	<3	<b>03-FIV(A)</b>	500
	Clear	Yes	12x32	Insert Vial	0.2mL	180µL	<2	<b>02-FIVG</b>	500



**Chromacol 2mL 12x32mm Wide Opening Crimp Top Vials and Inserts (Continued)**

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
300µL Insert	Clear	-	6x31	Flat Bottom	300µL	200µL	<12	<b>03-NV</b>	1000
200µL Insert - GOLD Grade Glass	Clear	-	6x30	Pulled Point	200µL	160µL	<4	<b>02-MTVWG</b>	1000
Self-centering vial support device for tapered glass inserts	Polyethylene	-	-	-	-	-	-	<b>MTS-1</b>	500
PTFE Vial Support 1.1-CTVG	PTFE	-	-	-	-	-	-	<b>TTS-312</b>	50
Plastic Vial Support Sleeve for 09-CTV Only	Polyethylene	-	-	-	-	-	-	<b>WS-6</b>	100

Support sleeves allow conical tip vials to be used in standard 12x32mm autosampler trays



## Chromacol 11mm Crimp Top Closures

- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Aluminum crimp closures provide a secure leak-resistant seal
- Aluminum seals must be applied with a crimping tool
- Closures are shipped in sealed polybags to prevent contamination during transport



### Chromacol 11mm Crimp Top Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
Septum for 11mm Crimp Caps	–	–	Silicone/PTFE for liquid - liquid extraction	–	0.2	<b>11-LLX</b>	100
11mm Crimp Cap, 6mm centre hole	Silver	Aluminum	–	–	–	<b>11-ACB</b>	500
11mm Crimp Cap, 6mm centre hole, Type 6 Rubber/PTFE	Silver	Aluminum	Red Natural Rubber/Clear PTFE,	38	1.0	<b>11-AC6</b>	500
	Blue	Aluminum	Sulphur free	38	1.0	<b>11-AC6(B)</b>	500
	Red	Aluminum		38	1.0	<b>11-AC6(R)</b>	500
11mm Crimp Cap, 6mm centre hole, Type 7 Rubber/PTFE	Silver	Aluminum	Red Natural Rubber/Clear PTFE	60	1.0	<b>11-AC7</b>	500
	Blue	Aluminum		60	1.0	<b>11-AC7(B)</b>	500
	Red	Aluminum		60	1.0	<b>11-AC7(R)</b>	500
	Green	Aluminum		60	1.0	<b>11-AC7(G)</b>	500
	Gold	Aluminum		60	1.0	<b>11-AC7(GO)</b>	500



**Chromacol 11mm Crimp Top Closures (Continued)**

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Crimp Cap, 6mm centre hole	Blue	Aluminum	Gray Chlorobutyl/PTFE	52	1.0	<b>11-AC-CBT1</b>	500
	Blue	Aluminum	Blue Silicone/Red PTFE	20	1.4	<b>11-AC(B)-ST144</b>	500
	Silver	Aluminum	White Silicone/Red PTFE	50	1.3	<b>11-AC-ST15</b>	500
	Silver	Aluminum	Blue Silicone/PTFE	30	1.0	<b>11-AC-ST101</b>	500
	Silver	Aluminum	Blue Silicone/PTFE, Pre-slit	30	1.0	<b>11-AC-ST101X</b>	500
	Silver	Aluminum	White Virgin PTFE, 0.01"	–	0.25	<b>11-ACT</b>	1000
	Silver	Aluminum	Red PTFE/White Silicone/Red PTFE	57	1.0	<b>11-AC-TST1</b>	500



**Chromacol 11mm Crimp Top Closures (Continued)**

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Crimp Cap, magnetic	Silver	Steel Alloy	White Silicone/Red PTFE	57	1.3	<b>11-MC-ST15</b>	500
11mm Crimp Cap, magnetic, Type 8 Rubber/PTFE	Silver	Steel Alloy	Red Natural Rubber/Clear PTFE	38	1.0	<b>11-MC-8RT1</b>	500
11mm Crimp Cap, magnetic	Silver	Steel Alloy	Blue Silicone/PTFE	30	1.0	<b>11-MC-ST101</b>	500
11mm Snap Cap for Crimp Vials	Clear	Polyethylene	–	–	–	<b>11-PEC1</b>	1000
11mm Snap Cap for Crimp Vials, Pre cut	Clear	Polyethylene	–	–	–	<b>11-PEC1X</b>	1000
11mm Snap Cap for Crimp Vials	Clear	Polyethylene	White Silicone/Red PTFE	57	1.0	<b>11-PEC-ST1</b>	500

Trying to decide what closure is right for you?

➤ Use our selection guide on **PAGE 2-053**



## Chromacol 11mm Crimp Top Convenience and Instrument Select Kits

- Convenience kits save time during sample preparation
- Include matched quantities of vials and aluminum seals with prefitted septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Caps feature pre-inserted septa for added convenience during sample preparation



2-CV7-CP



2-CV(A)ST-CP

Items not shown to scale

### Chromacol 11mm Crimp Top Convenience and Instrument Select Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Opening Crimp Top Vial	Clear	Yes	Silver	Red Natural Rubber/Clear PTFE, Type 7	2-CV	11-AC7	<b>2-CV7-CP</b>	100
	Clear	Yes	Silver	White Silicone/Red PTFE	2-CV	11-AC-ST15	<b>2-CVST-CP</b>	100
	Amber	Yes	Silver	Red Natural Rubber/Clear PTFE, Type 7	2-CV(A)	11-AC7	<b>2-CV(A)7-CP</b>	100
	Amber	Yes	Silver	White Silicone/Red PTFE	2-CV(A)	11-AC-ST15	<b>2-CV(A)ST-CP</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for CTC LCPAL Autosampler	Clear	Yes	Blue	Blue Silicone/Red PTFE	2-CV	11-AC(B)-ST144	<b>CTCL</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Agilent GC Autosampler	Clear	Yes	Silver	Red Natural Rubber/Clear PTFE, Type 7	2-CV	11-AC7	<b>HPG</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Agilent LC Autosampler	Clear	Yes	Silver	Red Natural Rubber/Clear PTFE, Type 7	2-CV	11-AC7	<b>HPL</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for VWR(Merck)-Hitachi LC Autosampler	Clear	Yes	Silver	Blue Silicone/PTFE-Pre-Cut	2-CV	11-AC-ST101X	<b>MEL</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for PerkinElmer GC Autosampler	Clear	Yes	Silver	Red Natural Rubber/Clear PTFE, Sulphur free, Type 6	2-CV	11-AC6	<b>PEG</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Shimadzu LC Autosampler	Clear	Yes	Silver	Blue Silicone/PTFE	2-CV	11-AC-ST101	<b>SHG</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Spark LC Autosampler	Clear	Yes	Silver	Red Natural Rubber/Clear PTFE, Type 7	2-CV	11-AC7	<b>SPL</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Thermo Scientific AS2000 GC Autosampler	Clear	Yes	Silver	Blue Silicone/Red PTFE	2-CV	11-AC(N)-ST144	<b>TQG</b>	100
Convenience Kit, Wide Opening Crimp Top Vial for Thermo LC Autosampler	Clear	Yes	Silver	White Silicone/Red PTFE	2-CV	11-AC-ST15	<b>TQL</b>	100

## Chromacol Crimpers and Decappers

- Crimping tools provide a reproducible, secure vial closure for all 11mm vial and seal combinations
- Easy and convenient handling
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance



### Chromacol Crimpers and Decappers

Items not shown to scale

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 11mm aluminum crimp seals	<b>CR-11</b>	1
Decapping Pliers	Removes 11mm aluminum crimp seals, Protective gloves recommended	<b>DCR-11</b>	1
Manual Decrimper	Removes 11mm aluminum crimp seals without vial damage	<b>DCB-11</b>	1

For electronic crimpers and decappers look on page **2-094**

## Chromacol 2mL, 32x12mm, 11mm Snap Cap Vials

- Superior quality borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Available with a graduated, write-on patch for convenient sample identification
- Wide neck opening design, allows easy filling, requires Micro-Inserts with a diameter of 6mm
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts
- Available silanized (deactivated) for optimal recovery of critical polar, labile or chelating compounds
- Snap-Cap vials can be used with snap caps or aluminum crimp seal closures

### Compatible with:

Most HPLC and GC autosamplers  
For autosampler compatibility look on pages **2-100 to 2-104**



### Chromacol 2mL, 12x32mm 11mm Snap Vials and Inserts

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume	Usable Volume	Residual (µL)	Cat. No.	Pack of
11mm Snap Cap Vial	Clear	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-RV</b>	500
	Amber	Yes	12x32	Flat Bottom	2.0mL	1.5mL	<170	<b>2-RV(A)</b>	500
11mm Snap Cap 1.5mL Vial	Clear	No	12x32	High Recovery	1.5mL	1.3mL	<4	<b>1.5-HRRV</b>	100
11mm Snap Cap 1.5mL Vial, silanized*	Clear	No	12x32	High Recovery	1.5mL	1.3mL	<4	<b>1.5-HRRV(S)</b>	100
11mm Snap Cap Vial, Ultra High Recovery with 10µL Reservoir	Clear	No	12x32	Mandrel Base	1.2mL	1mL	<2	<b>1.2-UHRRV</b>	100
11mm Snap Cap 300µL Vial, Fused Insert	Clear	Yes	12x32	Fused Conical	300µL	250µL	<3	<b>03-FIRV</b>	500
	Amber	Yes	12x32	Fused Conical	300µL	250µL	<3	<b>03-FIRV(A)</b>	500
11mm Snap Cap 200µL Vial, Fused Insert – GOLD grade glass	Clear	Yes	12x32	Fused Conical	200µL	180µL	<2	<b>02-FIRVG</b>	500
300µL Insert	Clear	–	6x31	Flat Bottom	300µL	200µL	<12	<b>03-NV</b>	1000
200µL Insert - GOLD Grade Glass	Clear	–	6x30	Pulled Point	200µL	160µL	<4	<b>02-MTVWG</b>	1000
Self-centering support device for tapered glass inserts	Polyethylene	–	–	–	–	–	–	<b>MTS-1</b>	500

\* For information about silanized products see page **2-055**

## Chromacol 11mm Snap Closures

- Easy to apply and easy to remove from Snap vials
- Pre-assembled caps and septa are convenient and minimize contamination from handling
- Snap caps eliminate the need for crimping or de-capping tools
- Polyethylene caps are chemically inert and suitable for most chromatography applications
- Closures are shipped in sealed polybags to prevent contamination during transport



### Chromacol 11mm Snap Closures

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
11mm Snap Cap, thinned penetration area	Blue	Polyethylene	Integral Molded In Polyethylene	–	–	<b>11-PSN(B)</b>	500
11mm Snap Cap, 6mm hole	Blue	Polyethylene	Red Natural Rubber/Clear PTFE	58	1.0	<b>11-PSN(B)-8RT1</b>	500
	Blue	Polyethylene	White Silicone/Red PTFE	57	1.0	<b>11-PSN(B)-ST1</b>	500
	Blue	Polyethylene	Blue Silicone/PTFE	30	1.0	<b>11-PSN(B)-ST101</b>	500
	Blue	Polyethylene	White Silicone/Blue PTFE, Pre-slit	57	1.0	<b>11-PSN(B)-ST1X</b>	500
	Blue	Polyethylene	Red PTFE/White Silicone/Red PTFE	57	1.0	<b>11-PSN(B)-TST1</b>	500
	Red	Polyethylene	White Virgin PTFE, 0.01"	53	0.3	<b>11-PSN(R)-T02</b>	500

## Chromacol 11mm Snap Cap Wide Opening Vial Convenience and Instrument Select Kits

- Convenience kits save time during sample preparation
- Includes 100 vials and 100 caps with pre-assembled septa
- Reusable two compartment trays protect vials and closure while keeping matching supplies together
- Caps feature pre-inserted septa for added convenience during sample preparation



Items not shown to scale

### Chromacol 11mm Snap Cap Wide Opening Vial Convenience and Instrument Select Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, Wide Opening Snap Vial	Clear	Yes	Blue	White Silicone/Red PTFE	2-RV	11-PSN(B)-ST1	<b>2-RVST-CP</b>	100
	Clear	Yes	Blue	Red Natural Rubber/Clear PTFE	2-RV	11-PSN(B)-8RT1	<b>2-RV8-CP</b>	100

## Chromacol 13mm Screw Vials, 13-425 Thread Finish Vials

- Superior quality borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Microsampling and High Recovery Vials allow maximum sample extraction without need for separate inserts



### Compatible with:

The 4mL vials are preferentially used on instruments of the following manufacturers:

- Dionex
- Shimadzu
- Spark Holland, Varian
- VWR (Merck)/Hitachi
- Waters (Wisp 48 Position Carousel)

For autosampler compatibility look on pages **2-100 to 2-104**

Images shown are 60% to scale  
\* 40% to scale

### Chromacol 13mm Screw Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
13-425 Screw Thread Vial	Clear	No	13x100	Round Bottom	10.0	8.5	<500	<b>10-SV</b>	125
	Clear	No	13x65	Round Bottom	5.0	4.5	<500	<b>5-SV</b>	125
	Clear	No	15x46	Flat Bottom	4.0	4.0	<800	<b>4-SV</b>	500
	Amber	No	15x46	Flat Bottom	4.0	4.0	<800	<b>4-SV(A)</b>	500
13-425 Screw Thread 3.5mL High Recovery Vial	Clear	No	15x46	High Recovery	3.5	3.0	<12	<b>3.5-HRSV</b>	250


## Chromacol 13mm Screw Vials, 13-425 Thread Finish Closures

- Open top caps are designed to be used with any of our 12mm septa
- Polypropylene caps are chemically inert and suitable for most chromatography applications
- Pre-assembled caps and septa are convenient and minimize contamination from handling



### Chromacol 13-425 Screw Thread Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
13mm Open Top Screw Cap, 13-425 thread, 8mm hole	Black	Polypropylene	—	—	—	<b>12-SC</b>	500
	White	Polypropylene	—	—	—	<b>12-SC(W)</b>	500
	Red	Polypropylene	—	—	—	<b>12-SC(R)</b>	500
	Yellow	Polypropylene	—	—	—	<b>12-SC(Y)</b>	500
13mm Solid Top Storage Cap, 13-425 thread	Black	Polypropylene	—	—	—	<b>12-SCS</b>	500
PTFE Lined Solid Top Cap for 13-425 Thread	White	Urea	PTFE/Foam Urethane Liner	—	—	<b>13-SCST</b>	100
Septum for 13-425 Screw Caps	—	—	Red Natural Rubber/Clear PTFE	38	1.0	<b>12-6RT1</b>	500
	—	—	White Silicone/Red PTFE	57	2.0	<b>12-ST2</b>	500
	—	—	Blue Silicone/PTFE	57	1.8	<b>12-ST18</b>	500
	—	—	Blue Silicone/PTFE	30	1.0	<b>12-ST101</b>	500
	—	—	White Virgin PTFE, 0.01"	53	0.25	<b>12-T02</b>	1000



### Chromacol 13-425 Screw Thread Caps and Septa (Continued)

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
13mm Open Top Screw Cap, 13-425 thread, 8mm hole	Black	Polypropylene	White Silicone/Red PTFE	57	1.3	<b>13-SC-ST15</b>	500
	Black	Polypropylene	Red Natural Rubber/Clear PTFE	58	1.0	<b>12-SC-8RT1</b>	500
	Black	Polypropylene	Red PTFE/White Silicone	57	2.0	<b>12-SC-ST2</b>	500

### Chromacol Shell/Neckless Vials

- Superior quality borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Polyethylene Cap with starburst center design eases syringe needle penetration
- Convenient vial kits include equal quantities of vials and caps

#### Recommended for the following instruments:

- Alcott
- Gilson
- Shimadzu
- Waters (Wisp 96 respectively 48 Position Carousel)

For autosampler compatibility look on pages **2-100 to 2-104**



### Chromacol Shell/Neckless Vials and Kits

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Usable Volume (mL)	Residual (µL)	Cat. No.	Pack of
1mL Neckless/Shell Vial	Clear	No	8x40	Flat Bottom	1.25	1.0	<80	<b>1-NWV</b>	500
1mL Neckless/Shell Vial with PE-Cap	Clear	No	8x40	Flat Bottom	1.25	1.0	<80	<b>1-NWV-C</b>	200
1mL Neckless/Shell Vial with PE-Cap	Amber	No	8x40	Flat Bottom	1.25	1.0	<81	<b>1-NWV(A)-C</b>	200
2mL Neckless/Shell Vial	Clear	No	12x32	Flat Bottom	2.5	2.0	<175	<b>2.5-NV</b>	500
4mL Neckless/Shell Vial with PE-Cap	Clear	No	15x46	Flat Bottom	5.5	4.0	<350	<b>4-NWV-C</b>	100
8mm PE-Cap/Plug for 1mL Shell-Vial	Polyethylene	—	—	—	—	—	—	<b>8-NPWP</b>	1000
12mm Polyethylene Plug for 2mL Shell-Vial	Polyethylene	—	—	—	—	—	—	<b>12-NPEP4</b>	1000

Trying to decide what closure is right for you?

Use our selection guide on **PAGE 2-053**



## Chromacol Headspace Vials

Clear glass vials with 20mm crimp seal or Screw Thread finish are designed to fit most headspace autosamplers

- Superior quality borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass, meets all requirements of Pharm. US, EU, JPN
- Round bottom vials are compatible with most autosamplers and more easily handled by robotic arms that lift the vial from the tray
- Vials feature beveled edge 20mm crimp finish
- The bevel edge on the lip of the vial provides additional sealing power for greater leak resistance under high pressure
- Screw thread headspace vials are convenient and do not require tools
- Multiple turn threading maintains a tight seal through extreme heating cycles



### Chromacol Headspace Vials

Description	Glass	Patched	Dimension (mm)	Finish	Profile	Total Volume (mL)	Usable Volume (mL)	Cat. No.	Pack of
20mm Headspace Crimp Vial	Clear	No	30x60	Beveled Edge	Flat Bottom	27	27	<b>27-CV</b>	100
	Clear	No	22 x75	Beveled Edge	Round Bottom	22	20	<b>22-CV</b>	125
	Clear	No	22.5x75	Beveled Edge	Round Bottom	21	20	<b>20-CV</b>	125
	Amber	No	22.5x75	Beveled Edge	Round Bottom	21	20	<b>20-CV(A)</b>	125
	Clear	No	18x65	Beveled Edge	Round Bottom	12	10	<b>12-CV</b>	100





### Chromacol Headspace Vials (Continued)

Description	Glass	Patched	Dimension (mm)	Finish	Profile	Total Volume (mL)	Usable Volume (mL)	Cat. No.	Pack of
20mm Headspace Crimp Vial	Clear	No	22.5x45	Beveled Edge	Round Bottom	12	10	<b>10-CV</b>	125
	Amber	No	22.5x45	Beveled Edge	Round Bottom	12	10	<b>10-CV(A)</b>	125
	Clear	No	18x50	Beveled Edge	Round Bottom	10	9	<b>9-CV</b>	100
	Clear	No	22x38	Beveled Edge	Round Bottom	8	6	<b>6-CV</b>	125
18mm Screw Top Headspace Vial	Clear	No	22.5x76	Screw Thread	Round Bottom	21	20	<b>20-HSV</b>	125
	Clear	No	22.5x46	Screw Thread	Round Bottom	12	10	<b>10-HSV</b>	125

## Chromacol Crimping and Decrimping Tools

- Crimping tools provide a reproducible, secure vial closure for all 20mm vial and seal combinations
- Easy and convenient handling
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance



Items not shown to scale

### Chromacol Crimping and Decrimping Tools

Description	Use	Cat. No.	Pack of
Manual Crimper	Attaches 20mm crimp seals	<b>CR-20</b>	1
Decapping Pliers	Removes 20mm crimp seals, Protective gloves recommended	<b>DCR-20</b>	1
Manual Decrimper	Removes 20mm crimp seals without vial damage	<b>DCB-20</b>	1

For electronic crimpers and decappers look on page **2-094**

## Chromacol Headspace Caps and Septa

- Use magnetic seals with CTC/Leap Technologies, Gerstel and other magnetic transport autosamplers
- 20mm Crimp seals must be applied with a crimping tool
- Pre-assembled caps and septa are convenient and minimize contamination from handling



Images shown are 50% to scale

### Chromacol Headspace Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
20mm Crimp Cap, 8mm hole	Silver	Aluminum	–	–	–	<b>20-ACB</b>	500
20mm Magnetic Crimp Cap, 6mm hole	Silver	Tin-plated	–	–	–	<b>20-MCB</b>	500
20mm Composite Magnetic Crimp Cap, 8mm hole	Blue	Alu/Tinplate	–	–	–	<b>20-MCBC</b>	500
	Red	Alu/Tinplate	–	–	–	<b>20-MCBC(R)</b>	500
18mm Magnetic Screw Cap, 8mm hole	Silver	Steel	–	–	–	<b>18-MSC</b>	125
Septum for 20mm Crimp Caps	–	–	20mm Gray Butyl Stopper	55	3.0	<b>20-B3P</b>	500
	–	–	20mm Molded Gray Chlorobutyl	52	3.0	<b>20-CB3</b>	1000
	–	–	20mm Molded Gray Chlorobutyl/Gray PTFE	52	3.0	<b>20-CBT3</b>	1000
	–	–	20mm Molded Blue Chlorobutyl/Gray PTFE, Bellows Type	52	3.0	<b>20-CBT3B</b>	1000
	–	–	20mm Red Silicone/Aluminium Face Seal 3mm Thick, for >170°C.	45	3.0	<b>20-ASH3</b>	100
	–	–	20mm Silicone/PTFE for liquid - liquid extraction	–	0.25	<b>20-LLX</b>	100
	–	–	20mm Blue Silicone/Natural PTFE	45	3.0	<b>20-ST3</b>	500
	–	–	20mm Red Silicone/Natural PTFE, high temperature	45	3.0	<b>20-ST3HT</b>	100
	–	–	20mm Blue Silicone/Red PTFE Seal 1.5mm Thick	20	1.5	<b>20-ST15</b>	500
	–	–	20mm Blue Silicone/PTFE	30	1.0	<b>20-ST101</b>	500
Septum for 18mm Screw Caps	–	–	18mm Blue Silicone/PTFE	30	1.0	<b>18-ST101</b>	125
20mm Composite Magnetic Crimp Cap, 8mm hole	Blue	Alu/Tinplate	20mm Blue Silicone/Natural PTFE	45	3.0	<b>20-MCBC-ST3</b>	500
	Red	Alu/Tinplate	20mm Blue Silicone/Natural PTFE	45	3.0	<b>20-MCBC(R)-ST3</b>	500
20mm Magnetic Tin Plate Crimp Cap	Silver	Tinplate	20mm Blue Silicone/Natural PTFE	45	3.0	<b>20-MCB-ST3</b>	500
20mm Crimp Cap, 8mm hole	Silver	Aluminum	20mm Molded Gray Chlorobutyl/Gray PTFE	52	3.0	<b>20-AC-CBT3</b>	500
	Silver	Aluminum	20mm Blue Silicone/Natural PTFE	45	3.0	<b>20-AC-ST3</b>	500
18mm Magnetic Screw Cap, 8mm hole	Silver	Steel	18mm Molded Blue Chlorobutyl/Gray PTFE	52	3.0	<b>18-MSC-CBT3</b>	125
	Silver	Steel	18mm Blue Silicone/PTFE, not prefitted	30	1.0	<b>18-MSC-ST101</b>	125
	Silver	Steel	18mm Blue Silicone/Natural PTFE	45	3.0	<b>18-MSC-ST3</b>	125
20mm Plug	Neutral	Polyethylene	PE Membrane	–	–	<b>20-PEPC5</b>	250

## Chromacol Headspace Vial Combination Kits

- Include matched quantities of vials and silver aluminum seals with prefitted septa
- Caps feature pre-inserted septa for added convenience during sample preparation
- Convenience kits save time during sample preparation



20-HSVST3-CP



20-CVST3-CP

Items not shown to scale

### Chromacol Headspace Vials Combination Kits

Kit Type	Glass	Patched	Cap Color	Septum	Vial Cat.No.	Cap Cat.No.	Cat. No.	Pack of
Convenience Kit, 20mL Headspace Screw Vial, Round Bottom, Steel Screw Cap, 8mm hole	Clear	No	Silver	18mm Blue Silicone/ Natural PTFE	20-HSV	18-MSC-ST3	<b>20-HSVST3-CP</b>	125
Convenience Kit, 20mL Headspace Crimp Vial, Beveled Edge, Round Bottom, Alu Crimp Cap, 8mm hole	Clear	No	Silver	20mm Molded Blue Chlorobutyl/Gray PTFE	20-CV	20-AC-CBT3	<b>20-CVCBT3-CP</b>	125
Convenience Kit, 20mL Headspace Crimp Vial, Beveled Edge, Round Bottom, Alu Crimp Cap, 8mm hole	Clear	No	Silver	20mm Blue Silicone/ Natural PTFE	20-CV	20-AC-ST3	<b>20-CVST3-CP</b>	125

Trying to decide what septum is right for you?

➤ Use our selection guide on **PAGE 2-053**



## Chromacol Sample Storage Screw Thread Vials

- Capacity range up to 40mL
- Superior quality borosilicate clear (Type 1, Class A) or 51A amber (Type 1 Class B) glass
- Provide consistent pH for duration of sample storage life
- PTFE-Lined Solid-top storage caps



Caps and Septa images 50% to scale

### Chromacol Sample Storage Screw Vials

Description	Glass	Patched	Dimension (mm)	Profile	Total Volume (mL)	Capacity (DRAMS)	Cat. No.	Pack of
24-400 Screw Vial	Clear	No	28x95	Flat Bottom	40	8	<b>40-SV</b>	100
	Amber	No	28x95	Flat Bottom	40	8	<b>40-SV(A)</b>	100
20-400 Screw Vial	Clear	No	23x85	Flat Bottom	22	6	<b>22-SV</b>	200
18-400 Screw Vial	Clear	No	21x70	Flat Bottom	16	4	<b>16-SV</b>	200
	Amber	No	21x70	Flat Bottom	16	4	<b>16-SV(A)</b>	200
15-425 Screw Vial	Clear	No	19x65	Flat Bottom	12	3	<b>12-SV</b>	200
	Amber	No	19x65	Flat Bottom	12	3	<b>12-SV(A)</b>	200
8-SV	Clear	No	17x60	Flat Bottom	8	2	<b>8-SV</b>	200
	Amber	No	17x60	Flat Bottom	8	2	<b>8-SV(A)</b>	200

For smaller Vials look at the previous sections



Caps and Septa images 50% to scale

### Chromacol Sample Storage Screw Caps and Septa

Description	Cap Color	Cap Material	Septum	Hardness °shore	Thickness (mm)	Cat. No.	Pack of
24-400 Screw Cap	White	Polypropylene	PTFE/Foam Urethane Liner	-	1.0	<b>24-SCST</b>	100
20-400 Screw Cap	White	Urea	PTFE/Foam Urethane Liner	-	1.0	<b>20-SCST</b>	100
18-400 Screw Cap	White	Urea	PTFE/Foam Urethane Liner	-	1.0	<b>18-SCST</b>	100
15-425 Screw Cap	White	Urea	PTFE/Foam Urethane Liner	-	1.0	<b>15-SCST</b>	100
13-425 Screw Cap	White	Urea	PTFE/Foam Urethane Liner	-	1.0	<b>13-SCST</b>	100



## Chromacol EPA , TOC and Scintillation Screw Vials

### Level 300 Cleaned and Certified

- Processed and packaged under a registered ISO Quality Management System.
- Laboratory certified to meet U.S. EPA Super Fund Standards in accordance with the latest edition of EPA's "Specifications and Guidance for Contaminant Free Sample Containers."
- The Level 300 Certificate of Analysis is backed by third party generated validatable laboratory data, and provides complete traceability through the production process.
- Every case of Level 300 product contains a Certificate of Analysis and is custody sealed to ensure reliable chain-of-custody.

### Level 200 Cleaned

- Processed and packaged under a strict registered ISO Quality Management System in the same manner as Level 300 products.
- Level 200 products are not certified.
- Every case of product is labeled with its production number and is custody sealed to ensure reliable chain-of-custody.

### Level 100

- These processed and packaged under a strict registered ISO Quality Management System in the same manner as Level 300 products.
- Level 100 products are not certified or pre-cleaned.
- Every case of product is labeled with its production number and is custody sealed to ensure reliable chain-of-custody.

### TOC Vials

- The only low-level certified vials in the market for Total Organic Carbon testing and sampling.
- Major TOC instrument manufacturers recommend these vials when analysis of low levels of TOC requires low background level assurance.
- Each lot of vials is tested and certified to contribute less than 10ppb TOC as background or for less stringent applications the 20ppb TOC version.
- Certificate of Analysis is included with lot production numbers.

### Scintillation Vials

- Provide the very lowest background count and benefit from very high optical clarity.
- Typical background count of 13CPM or lower, compared to an average 16-65CPM from competitive products.
- Noise level of 2.28 and a quenching index factor of 349.

40-EPAVCS



40-TOCSV-10



Items not shown to scale  
\* 50% to scale

### Chromacol EPA Screw Vial Kits

Kit Type	Glass	Dimension (mm)	Total Volume (mL)	Class	Septum	Cat. No.	Pack of
EPA Screw Vial Assembled Kit Vials/Septa/Caps	Clear	28x95	40	Class 100	0.01" White PTFE/ 0.09" Clear Silicone	<b>40-EPAVCS</b>	100
	Clear	28x95	40	Class 200 Pre-cleaned		<b>40-EPAVCS-PC</b>	72
	Clear	28x95	40	Class 300 Pre-cleaned		<b>40-EPAVCS-PC3</b>	72
	Amber	28x95	40	Class 100		<b>40-EPAVCS(A)</b>	100
	Amber	28x95	40	Class 200 Pre-cleaned		<b>40-EPAVCS(A)-PC</b>	72
	Amber	27x57	40	Class 300 Pre-cleaned		<b>40-EPAVCS(A)-PC3</b>	72
	Clear	28x57	20	Class 100		<b>20-EPAVCS</b>	100
	Amber	28x57	20	Class 100		<b>20-EPAVCS(A)</b>	100
	Clear	28x140	60	Class 100		<b>60-EPAVCS</b>	72

### Chromacol TOC Vials Kits

Description	Glass	Dimension (mm)	Total Volume (mL)	Cap Color	Cap Material	Septum	Cat. No.	Pack of
TOC clear vial with cap cover, open top cap TOC 10ppb	Clear	28x96	40	White	Polypropylene	Beige PTFE/ White Silicone	<b>40-TOCSV-10</b>	72
TOC clear vial with cap cover, open top cap TOC 20ppb	Clear	28x96	40	White	Polypropylene	Beige PTFE/ White Silicone	<b>40-TOCSV-20</b>	72

### Chromacol Scintillation Vials Kit

Description	Glass	Dimension (mm)	Total Volume (mL)	Noise	Background Count	Quenching Index Factor	Cat. No.	Pack of
20mL vial with foil lined caps	Clear	27x57	10	2.28	13 CPM	349	<b>20-EPSVCA</b>	500

## Seal Hardness

The hardness testing of plastics is most commonly measured by the Shore (Durometer) test. This method measures the resistance of plastics toward indentation and provides an empirical hardness value. Shore Hardness, is the preferred method for rubbers/ elastomers and is also commonly used for 'softer' plastics such as fluoropolymers. Most septa hardness values are stated in Shore A. The results obtained from this test are a useful measure of relative resistance to piercing of various grades of polymers. This gives guidance on the type of needle that will penetrate the seal and whether thinner gauge needles may be used.

### Seals in 8mm, 9mm, 11mm, 12mm Caps

Seal Material	Hardness °shore	Thickness (mm)
TST1 Red PTFE/white silicone/red PTFE	57	1.0
CBT1 Gray Chlorobutyl/PTFE	52	1.0
ST14 Blue silicone/PTFE	50	1.2
6RT1/AC6 Synthetic rubber/PTFE	38	1.0
ST101 Blue silicone/PTFE	30	1.0
ST143 White silicone/PTFE	20	1.4
ST144 Blue silicone/redPTFE	20	1.4
V1 Viton	62	1.0
AC7 Natural rubber/PTFE	60	1.0
8RT1 Synthetic rubber/PTFE	58	1.0
ST2 White silicone/red PTFE	57	2.0
ST18 White silicone/red PTFE	57	1.8
ST15 White silicone/red PTFE	57	1.5
ST1 White silicone/red PTFE	57	1.0

### Seals in 20mm Caps

Seal Material	Hardness °shore	Thickness (mm)	max. Temp °C
CBT3B Chlorobutyl/PTFE	52	3	120
CBT3 Chlorobutyl/PTFE	52	3	120
CB3 Chlorobutyl	52	3	120
ST3 Blue silicone/PTFE	45	3	200
ST3HT Red silicone/PTFE	45	3	250
AS3 White silicone/aluminium	45	3	<170
ASH3 Red silicone/aluminium	45	3	>170



## Seal properties

Rubber	Used primarily for routine analysis in gas chromatography. Offers moderate resealability and good chemical inertness. Not recommended for multiple injections or holding samples for further analysis. PTFE is protective layer that once broken exposes rubber to chemical attack.
PTFE/Red rubber – AC6, 8RT1	Low durometer of rubber allows ease of needle penetration. A popular and economical septa for general GC purposes.
PTFE/Rubber – AC7, 8RT1	Harder grade of rubber for use with piercing needle. Most popular and economical septa for general GC purposes in Agilent systems.
Pre-slit PTFE/red rubber – 8RT1X	Pre-slit, high quality red rubber with a thin (0.003") layer PTFE. For applications using a very thin-gauge syringe needle or in instances when a vacuum may form in the vial.
Silicone rubber	High quality, silicone rubber laminated to PTFE. Use when excellent resealing qualities are a must. Septum resists coring and is recommended when multiple injections are required. Preferred septa for use in liquid chromatography applications.
PTFE/silicone – ST1, ST15, ST18, ST2	A white medium hardness silicone with red PTFE protective layer available in a range of thickness.
PTFE/silicone – ST101, ST14	<ul style="list-style-type: none"> <li>• A very pure soft silicone laminated to PTFE. Septum resists coring and is recommended for instruments with fine gauge needles.</li> <li>• Also recommended for LC-MS and GC-MS due to high purity.</li> </ul>
PTFE /silicone – ST143, ST144	A very soft silicone laminated to PTFE. Use with flexible needle.
PTFE /silicone/PTFE – TST1, TST11	<ul style="list-style-type: none"> <li>• A layer of PTFE on each side of medium hardness silicone. Most resistant to coring with above average resealing characteristics.</li> <li>• Recommended for most demanding applications such as trace analysis, longer time between injections or for internal standards.</li> <li>• Use with Gilson instruments and with any autosampler using large diameter, blunt-tip syringe needles.</li> </ul>
Pre-slit PTFE/Silicone – ST1X, ST101X, ST14X	Pre-slit, high quality pure white silicone faced with PTFE. For applications using a very thin-gauge syringe needle or in instances when a vacuum may form in the vial. Highly recommended for Shimadzu and Hitachi autosampler units.
PTFE and fluoropolymers	Very good chemical resistance and used as a protective layer for less resistant elastomers.
PTFE – T, T02	For single injections and short sample cycles. This type of septa is not resealable.
Viton – V1	Viton provides the best chemical resistance with limited resealability. Recommended for chlorinated solvents. Due to Viton®'s intrinsic hardness, these septa are not suitable for finer-gauge syringe needles.
Integral plastic seal	Moulded as part of the cap.
Polyethylene – PE, Polypropylene – PP	Chemically resistant but for one time use only with no resealability.

## 20mm seal selection for Headspace and Sample Preparation applications

Butyl rubber/chlorobutyl rubber	An economical choice for low temperature (< 125°C) or low-pressure applications. Not suitable for alkanes, benzene, chlorinated solvents or cyclohexane without a protective PTFE layer.
Grey butyl stopper – B3P	Does not provide PTFE barrier. Use for gas sampling due to low permeability.
Blue chlorobutyl – CB3	Does not provide PTFE barrier. Use for gas sampling due to low permeability.
Blue chlorobutyl/natural PTFE – CBT3	Has PTFE barrier that makes it suitable for work with general organic solvents with low gas permeability.
Grey PTFE/chlorobutyl molded – CBT3B	Specially molded seal with PTFE insert. Sealing surface of Butyl and PTFE affects a more positive seal than non-PTFE-faced septa. Ideal choice for temperatures below 125°C. Good sealing characteristics, excellent resistance to most solvents and coring, and high puncture tolerance. PTFE provides increased chemical resistance.
Silicone rubber	Excellent septa choice for volatiles with very low background peaks and low permeability. Also ideal for alcohols and aqueous samples. Good resealing characteristics and resistant to coring.
Natural PTFE/blue silicone – ST3	Best septa choice when temperatures are over 125°C.
Natural PTFE/red silicone – ST3HT	High temperature formulated seal with low bleed. Best septa choice when temperatures are up to 250°C.
Blue Silicone/red PTFE – ST144	Thin 1.4mm seal with PTFE face for use with Fisons/ Carlo Erba Instruments. Resealing capability limited due to thinner silicone layer.
Aluminium/white silicone – AS3	Reflective aluminium face protects the silicone seal. The white silicone is suitable for use up to 170°C
Aluminium/red silicone – ASH3	Reflective aluminium face protects the silicone seal. The red silicone is suitable for use at temperatures of >170°C
Blue silicone/natural PTFE – ST101	Soft silicone with clean formulation for minimal interference. Thinner seal suitable for solvent washing, solvent extraction and SPME applications with some resealing. Not for direct headspace applications.
Freezer bungs – 2FB3	Butyl bungs for sealing of lyophilized products. Compatible with low storage temperatures and low gas permeability.
PTFE/silicone ring – LLX	Thin PTFE layer with sealing ring to give secure closure for strong solvents. For use in liquid extraction or SPME stage during sample preparation. Does not reseal.

# Solvent Compatibility

## Sealing Material

Solvent	AC6	AC7	B3P	CBT1	CB3	CBT3	LDPE	HDPE	PP	PTFE
Acetic Acid Aqueous	A(A)	A(B)	A(B)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Acetone	A(A)	A(C)	A(A)	A(A)	A(A)	A(A)	D(D)	B(B)	B(B)	A(A)
Acetonitrile	A(A)	A(A)	–	A(A)	A(A)	A(A)	–	–	–	A(A)
Alcohols(Aromatic)	A(B)	A(D)	–	A(B)	B(B)	A(B)	D(D)	D(D)	B(B)	A(A)
Alcohols(Aliphatic)	A(A)	A(B)	A(B)	A(A)	A(A)	A(A)	D(D)	B(B)	B(B)	A(A)
Amyl Acetate	A(A)	A(D)	A(C)	A(A)	A(A)	A(A)	D(D)	D(D)	–	A(A)
Aqueous Solutions Dilute	A(A)	A(A)	–	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Benzene	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Butyl Alcohol	A(B)	A(A)	A(B)	A(B)	B(B)	A(B)	B(B)	B(B)	B(B)	A(A)
Carbon Disulphide	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Carbon Tetrachloride	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Chloroform	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Cyclohexane	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	–	–	–	A(A)
Cyclohexanol	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	B(B)	A(A)
Diethyl Ether	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Dimethyl Sulphoxide	A(C)	A(D)	D(D)	A(C)	C(C)	A(C)	–	–	–	A(A)
Dioxane	A(B)	A(D)	A(B)	A(B)	B(B)	A(B)	–	–	–	A(A)
Esters	A(B)	A(D)	A(C)	A(B)	B(B)	A(B)	D(D)	D(D)	B(B)	A(A)
Ethyl Acetate	A(B)	A(D)	A(B)	A(B)	B(B)	A(B)	D(D)	D(D)	B(B)	A(A)
Ethyl Alcohol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	D(D)	B(B)	B(B)	A(A)
Ethylene Chloride	A(D)	A(D)	A(C)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Ethylene Glycol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Formaldehyde	A(B)	A(B)	A(A)	A(B)	B(B)	A(B)	A(A)	A(A)	A(A)	A(A)
Glycol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Halogenated Hydrocarbons	A(D)	A(C)	A(B)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Hexane	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	–	–	–	A(A)
Hydrochloric Acid Dilute	A(A)	A(C)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Iso-Octane	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	–	–	–	A(A)
Ketones	A(A)	A(C)	A(B)	A(A)	A(A)	A(A)	D(D)	B(B)	B(B)	A(A)
MeOH/H2O/Acetonitrile	A(A)	A(–)	–	A(A)	A(A)	A(A)	–	–	–	A(A)
Methanol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	–	–	–	A(A)
Methyl Chloride	A(C)	A(D)	A(C)	A(C)	C(C)	A(C)	D(D)	D(D)	D(D)	A(A)
Methyl Acetate	A(B)	A(C)	A(A)	A(B)	B(B)	A(B)	D(D)	D(D)	B(B)	A(A)
Methyl Ethyl Ketone	A(A)	A(D)	A(B)	A(A)	A(A)	A(A)	D(D)	B(B)	B(B)	A(A)
Methylene Chloride	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Nitric Acid Dilute	A(A)	A(D)	A(B)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Pentane	A(D)	A(–)	–	A(D)	D(D)	A(D)	–	–	–	A(A)
Petroleum Ether	A(D)	A(–)	–	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Sodium Hydroxide	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Sulphuric Acid Dilute	A(D)	A(C)	A(B)	A(D)	D(D)	A(D)	A(A)	A(A)	A(A)	A(A)
Surfactants	A(A)	A(–)	–	A(A)	A(A)	A(A)	–	–	–	A(A)
Toluene	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	B(B)	A(A)
Trichloroethylene	A(D)	A(D)	D(D)	A(D)	D(D)	A(D)	D(D)	D(D)	D(D)	A(A)
Water	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)

Key: The first character indicates the characteristics of the seal prior to any injection.

The second character in ( ) indicates the potential characteristics of the seal after an injection.

A = Recommended B = Suitable for most purposes C = Use with care D = Not advisable – = Not tested

**Sealing Material**





Solvent	ST3	ST2	ST18	ST15 and ST1	ST14	ST144	ST143	ST101	TST11	TST1	VITON
Acetic Acid Aqueous	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	D(D)
Acetone	A(D)	A(B)	A(A)	A(A)	A(A)	A(D)	A(B)	A(A)	A(A)	A(B)	D(D)
Acetonitrile	A(A)	A(-)	A(A)	A(A)	A(A)	A(A)	A(-)	A(A)	A(A)	A(-)	B(B)
Alcohols(Aromatic)	A(B)	A(A)	A(A)	A(A)	A(A)	A(B)	A(-)	A(A)	A(A)	A(-)	-
Alcohols(Aliphatic)	A(B)	A(-)	A(A)	A(A)	A(A)	A(B)	A(-)	A(A)	A(A)	A(-)	-
Amyl Acetate	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	D(D)
Aqueous Solutions Dilute	A(A)	A(-)	A(A)	A(A)	A(A)	A(A)	A(-)	A(A)	A(A)	A(-)	-
Benzene	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Butyl Alcohol	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(A)
Carbon Disulphide	A(D)	A(-)	A(A)	A(A)	A(A)	A(D)	A(-)	A(A)	A(A)	A(-)	A(A)
Carbon Tetrachloride	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Chloroform	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Cyclohexane	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Cyclohexanol	A(D)	A(-)	A(B)	A(B)	A(B)	A(D)	A(-)	A(B)	A(B)	A(-)	A(A)
Diethyl Ether	A(D)	A(-)	A(B)	A(B)	A(B)	A(D)	A(-)	A(B)	A(B)	A(-)	D(D)
Dimethyl Sulphoxide	A(D)	A(-)	A(A)	A(A)	A(A)	A(D)	A(-)	A(A)	A(A)	A(-)	C(C)
Dioxane	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	D(D)
Esters	A(B)	A(-)	A(B)	A(B)	A(B)	A(B)	A(-)	A(B)	A(B)	A(-)	-
Ethyl Acetate	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	A(B)	D(D)
Ethyl Alcohol	A(A)	A(B)	A(A)	A(A)	A(A)	A(A)	A(B)	A(A)	A(A)	A(B)	-
Ethylene Chloride	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	-
Ethylene Glycol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)
Formaldehyde	A(B)	A(B)	A(A)	A(A)	A(A)	A(B)	A(B)	A(A)	A(A)	A(B)	D(D)
Glycol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	-
Halogenated Hydrocarbons	A(D)	A(-)	A(A)	A(A)	A(A)	A(D)	A(-)	A(A)	A(A)	A(-)	-
Hexane	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	-
Hydrochloric Acid Dilute	A(D)	A(-)	A(A)	A(A)	A(A)	A(D)	A(-)	A(A)	A(A)	A(-)	A(A)
Iso-Octane	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	-
Ketones	A(D)	A(-)	A(B)	A(B)	A(B)	A(D)	A(-)	A(B)	A(B)	A(-)	-
MeOH/H2O/Acetonitrile	A(A)	A(A)	A(B)	A(B)	A(B)	A(A)	A(-)	A(B)	A(B)	A(-)	-
Methanol	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	D(D)
Methyl Chloride	A(D)	A(D)	A(A)	A(A)	A(A)	A(D)	A(D)	A(A)	A(A)	A(D)	A(A)
Methyl Acetate	A(D)	A(D)	A(B)	A(B)	A(B)	A(D)	A(D)	A(B)	A(B)	A(D)	D(D)
Methyl Ethyl Ketone	A(D)	A(D)	A(A)	A(A)	A(A)	A(D)	A(D)	A(A)	A(A)	A(D)	D(D)
Methylene Chloride	A(D)	A(B)	A(B)	A(B)	A(B)	A(D)	A(-)	A(B)	A(B)	A(-)	-
Nitric Acid Dilute	A(D)	A(B)	A(B)	A(B)	A(B)	A(D)	A(B)	A(B)	A(B)	A(B)	A(A)
Pentane	A(D)	A(C)	A(C)	A(C)	A(C)	A(D)	A(-)	A(C)	A(C)	A(-)	-
Petroleum Ether	A(D)	A(-)	A(C)	A(C)	A(C)	A(D)	A(-)	A(C)	A(C)	A(-)	-
Sodium Hydroxide	A(A)	A(B)	A(A)	A(A)	A(A)	A(A)	A(B)	A(A)	A(A)	A(B)	D(D)
Sulphuric Acid Dilute	A(D)	A(D)	A(B)	A(B)	A(B)	A(D)	A(D)	A(B)	A(B)	A(D)	A(A)
Surfactants	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(-)	A(A)	A(A)	A(-)	-
Toluene	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Trichloroethylene	A(D)	A(D)	A(C)	A(C)	A(C)	A(D)	A(D)	A(C)	A(C)	A(D)	A(A)
Water	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	A(A)	B(B)


Key: The first character indicates the characteristics of the seal prior to any injection.

The second character in ( ) indicates the potential characteristics of the seal after an injection.


A = Recommended B = Suitable for most purposes C = Use with care D = Not advisable - = Not tested

# Chromacol Vials Comparison Chart





Part No. Dimensions  
**4-SV** 15 x 46mm  
**5-SV** 13 x 65mm  
**10-SV** 13 x 100mm



Part No. Dimensions  
**02-MTV** 5 x 30mm  
**02-MTVWG** 6 x 30mm  
**02-NV** 5 x 31mm  
**03-NV** 6 x 31mm  
**1-NWV** 8 x 40mm  
**4-NWV-C** 15 x 46mm  
**12-CV** 18 x 65mm  
**22-CV** 22 x 75mm  
**20-CV** 22 x 75mm



Part No. Dimensions  
**9-CV** 18 x 50mm  
**6-CV** 22 x 38mm  
**20-EPSVCA** 27 x 57mm  
**27-CV** 30 x 60mm  
**10-CV** 22 x 45mm

# Chromacol Caps and Septa Comparison Chart

Part No. Dimensions	 <b>*8-AC6</b> 8 x 5mm	 <b>8-AC7</b> 8 x 5mm	 <b>8-ACB</b> 8 x 5mm	 <b>8-AC-CBT1</b> 8 x 5mm	 <b>8-AC-ST15</b> 8 x 5mm	 <b>8-AC-ST101</b> 8 x 5mm	 <b>8-AC-ST101X</b> 8 x 5mm	 <b>8-AC(B)-ST144</b> 8 x 5mm	
Part No. Dimensions	 <b>8-ACT</b> 8 x 5mm	 <b>8-AC-TST1</b> 8 x 5mm	 <b>8-PEC1</b> 8 x 5mm	 <b>8-PEC1X</b> 8 x 5mm	 <b>*8-SC</b> 8 x 9mm	 <b>8-SCJ</b> 8 x 9mm	 <b>8-SC-8RT1</b> 8 x 9mm	 <b>8-SC-ST15</b> 8 x 9mm	
Part No. Dimensions	 <b>8-ST14</b> 8 x 1.4mm	 <b>8-ST14X</b> 8 x 1.4mm	 <b>8-ST143</b> 8 x 1.5mm	 <b>8-ST144</b> 8 x 1.4mm	 <b>8-6RT1</b> 8 x 1mm	 <b>8-ST101</b> 8 x 1mm	 <b>8-T02</b> 8 x 0.25mm	 <b>8-TST1</b> 8 x 1mm	 <b>8-ST15</b> 8 x 1.5mm
Part No. Dimensions	 <b>*9-SC(B)-8RT1</b> 9 x 6.5mm	 <b>9-SC(B)ST101</b> 9 x 6.5mm	 <b>*9-SC(B)-ST1</b> 9 x 6.5mm	 <b>9-SC(B)-TST1</b> 9 x 6.5mm	 <b>9-SCS-8RT1</b> 9 x 6.5mm	 <b>*11-AC6</b> 11 x 6mm	 <b>*11-AC7</b> 11 x 6mm	 <b>11-ACB</b> 11 x 6mm	
Part No. Dimensions	 <b>11-AC-CBT1</b> 11 x 6mm	 <b>11-AC-ST101</b> 11 x 6mm	 <b>11-AC-ST101X</b> 11 x 6mm	 <b>11-AC(B)-ST144</b> 11 x 6mm	 <b>11-AC-ST15</b> 11 x 6mm	 <b>11-ACT</b> 11 x 6mm	 <b>11-AC-TST1</b> 11 x 6mm	 <b>11-LLX</b> 11 x 3mm	
Part No. Dimensions	 <b>11-PEC1</b> 11 x 6mm	 <b>11-PEC1X</b> 11 x 6mm	 <b>11-PEC-ST1</b> 11 x 7mm						



\*Cap available in alternative colors. See below for more details

## Alternative Colors




### 8-AC6

-  8-AC6(R)
-  8-AC6(B)






### 8-SC

-  8-SC(R)
-  8-SC(W)

### 9-SC(B)-8RT1

-  9-SC(G)-8RT1
-  9-SC(N)-8RT1
-  9-SC(B)-8RT1X

### 9-SC(B)-ST1

-  9-SC(G)-ST1
-  9-SC(N)-ST1
-  9-SC(B)-STIX
-  9-SC(BLK)-BST1
-  9-SC(GY)-BST1X

### 11-AC6

-  11-AC6(R)
-  11-AC6(B)

### 11-AC7

-  11-AC7(R)
-  11-AC7(GO)
-  11-AC7(G)
-  11-AC7(B)

Part No. Dimensions	<b>11-PSN(B)</b> 11 x 6.5mm	<b>11-PSN(B)-ST101</b> 11 x 6.5mm	<b>*11-PSN(B)-T02</b> 11 x 6.5mm	<b>11-PSN(B)-TST1</b> 11 x 6.5mm	<b>11-PSN(B)-8RT1</b> 11 x 6.5mm	<b>*11-PSN(B)-ST1X</b> 11 x 6.5mm	<b>11-PSN(B)-ST1</b> 11 x 6.5mm
Part No. Dimensions	<b>*12-SC</b> 12 x 10mm	<b>12-SCS</b> 12 x 10mm	<b>12-SC-ST2</b> 12 x 10mm	<b>12-SC-8RT1</b> 12 x 10mm	<b>13-SC-ST15</b> 12 x 10mm	<b>13-SCST</b> 12 x 10mm	
Part No. Dimensions	<b>12-ST2</b> 12 x 2mm	<b>12-ST18</b> 12 x 1.8mm	<b>12-6RT1</b> 12 x 1mm	<b>12-ST101</b> 12 x 1mm	<b>12-T02</b> 12 x 0.25mm	<b>8-NPWP</b> 8 x 9mm	<b>12-NPEP4</b> 12 x 7mm
Part No. Dimensions	<b>18-MSC</b> 18 x 13mm	<b>*18-MSC-ST3</b> 18 x 13mm	<b>20-ACB</b> 20 x 7mm	<b>20-MCB</b> 20 x 7mm	<b>*20-MCBC</b> 20 x 7mm	<b>*20-MCBC-ST3</b> 20 x 7mm	
Part No. Dimensions	<b>20-AC-CBT3</b> 20 x 7mm	<b>20-AC-ST3</b> 20 x 7mm	<b>20-CB3</b> 20 x 3mm	<b>20-CBT3</b> 20 x 3mm	<b>20-CBT3B</b> 20 x 3mm	<b>20-LLX</b> 20 x 3mm	
Part No. Dimensions	<b>20-ST3</b> 20 x 3mm	<b>20-ST3HT</b> 20 x 3mm	<b>20-ST101</b> 20 x 1mm	<b>18-ST101</b> 18 x 1mm	<b>20-B3P</b> 20 x 9mm	<b>20-PEPC5</b> 20 x 10mm	

\*Cap available in alternative colors. See below for more details

### Alternative Colors

#### 11-PSN(B)-T02

11-PSN(R)-T02

#### 11-PSN(B)-ST1X

11-PSN(G)-ST1X

#### 12-SC

12- SC(R)

12- SC(W)

12- SC(Y)

#### 18-MSC-ST3

18-MSC-ST101

18-MSC-CBT3

#### 20-MCBC

20-MCBC(R)

#### 20-MCBC-ST3

20-MCBC(R)-ST3

20-MCBC(N)-ST3

# Thermo Scientific Crimpers and De-Crimpers

Electronic Crimpers and De-Crimpers provide an adjustable crimp with reproducible results.

Thermo Scientific offers hand held electronic crimpers for crimping or removal of aluminum seals on 8, 11, 13 and 20mm vials. The crimper is a hand held device, which allows aluminum seals to be firmly attached to the vial while it remains in most sample trays with the touch of a button. A separate de-crimper allows the removal of the seal just as easily. The instruments have an adjustment for septa of varying thicknesses. Power is supplied by rechargeable Lithium Ion Cells. The 7.5 volt DC power supply comes with a set of plug adaptors to fit power outlets for most countries.

## Electronic Crimpers and De-Crimpers

- One hand secure, reproducible crimps of 8, 11, 13 and 20mm vials with the push of a button
- Reduces hand strain compared to manual crimper operation
- Quick and easy removal of aluminum seals with the push of a button
- Ergonomic design eliminates wrist strain
- Vials can be crimped while they remain in most standard removable sample trays
- Adjustable crimp settings for compatibility with most vial/septum/seal combinations
- Fully rechargeable Lithium Ion Battery
- Provided with universal power supply/recharger and international plug adaptors

### Electronic Hand-held Crimper and De-Crimper

Description	Cat. No.	Pack of
Electronic Hand-held Crimper for 8mm Crimp Caps, Generation 3	<b>ECR-8C</b>	1
Electronic Hand-held Crimper for 11mm Crimp Caps, Generation 3	<b>ECR-11C</b>	1
Electronic Hand-held Crimper for 13mm Crimp Caps, Generation 3	<b>ECR-13C</b>	1
Electronic Hand-held Crimper for 20mm Crimp Caps, Generation 3	<b>ECR-20C</b>	1
Electronic Hand-held De-Crimper for 11mm Crimp Caps, Generation 3	<b>EDCB-11C</b>	1
Electronic Hand-held De-Crimper for 13mm Crimp Caps, Generation 3	<b>EDCB-13C</b>	1
Electronic Hand-held De-Crimper for 20mm Crimp Caps, Generation 3	<b>EDCB-20C</b>	1
Replacement Battery, 6.4V Lithium Ion, For Generation 3 Electronic Crimpers and De-Crimpers	<b>ECR-CBATT</b>	1





## Chemical Resistance Reference Chart

This chart provides a guideline for the chemical resistance of the glass and plastic materials. Because so many factors can affect chemical resistance, test your product under your actual conditions of use.

### Effects of Chemicals on Plastics

Chemicals can affect the strength, flexibility, surface appearance, color, dimensions, and weight of a plastic. These changes are caused by (1) an attack on the polymer chain resulting in oxidation, reaction of functional groups, and depolymerization; (2) dissolution in a solvent and solvent absorption or permeation that causes softening and swelling; and (3) stress cracking from a "stress-cracking agent."

Environmental stress cracking is the failure of a plastic in the presence of certain types of chemicals, but it is not a result of a chemical attack. Simultaneous presence of three factors causes stress cracking: tensile stress in the plastic, its inherent stress-cracking susceptibility, and a stress-cracking agent. Common stress-cracking agents are detergents, surface active chemicals, lubricants, oils, ultrapure water, and

plating additives such as brighteners and wetting agents. Relatively small concentrations of stress-cracking agent may be sufficient to cause cracking.

Mixing and/or diluting certain chemicals in plastic labware can be potentially dangerous. The combining of different chemicals or two or more compounds of classes may produce a synergistic or undesirable chemical effect, resulting in an increased temperature that can affect chemical resistance (as temperature increases, resistance to attack decreases), causing product failure. Other factors that also affect chemical resistance include pressure, internal or external stresses (e.g., centrifugation), length of exposure, and concentration of the chemical. Always pre-test your specific usage and follow correct lab safety procedures.

Attention: Please be aware that, although several polymers may have excellent resistance to various flammable organic chemicals and solvents, OSHA H CFR 29 1910.106 for flammable and combustible materials or other local regulations may restrict the volume of solvents that may legally be stored in an enclosed area.

### Effects of Chemicals on Glass

Clear borosilicate and amber 51 expansion glass exhibit a high degree of chemical resistance with a few exceptions: Some chemicals can etch the surface of glass. Surface etching does not usually affect the dimensional characteristics of glass, but it can release chemical components into the sample solution.

Plastic Resin Code	Description	Appearance	Temp MAX °C	Temp MIN °C	Autoclavable	Dry Heat	Gamma	Microwavable	Ethylene Oxide	Analytical Purity	Fragmentation*	Hardness†	Resealability‡
HDPE	High-density polyethylene	Opaque	120	-35	No	No	Yes	Yes	Yes			Very hard (very thin)	No resealability
LDPE	Low-density polyethylene	Translucent	100	-40	No	No	Yes	Yes	Yes			Very hard (very thin)	No resealability
TPX	polyethylene	Transparent	175	0	Yes	No	Yes	Yes	Yes				
PP	Polypropylene	Translucent	135	-20	Yes	No	No	Yes	Yes				
PTFE	polytetrafluoroethylene	white	260	-200	Yes	Yes	Yes	Yes	Yes	Very high		Very hard (very thin)	No resealability
	RedRubber/PTFE	red/ivory	110	-30	No	No	No	No	No	Medium	Medium	Medium hard	Medium
	Silicon/PTFE	white/red	200	-60	Yes	Yes	Yes	Yes	Yes	High	Low to medium	Soft	Low to medium
	PTFE/Silicon/PTFE	red/white/red	200	-60	Yes	Yes	Yes	Yes	Yes	High	Very low	Soft	Very low
	Viton®	black	230	-30	Yes	Yes	Yes	Yes	Yes	Medium	Medium	Hard	Medium

\* Due to hardness and molecular structure (coring)

† Needle penetration

‡ In case of multiple injections

### Key to Chart on Following Pages

E – No damage after 30 days of constant exposure

G – Little or no damage after 30 days of constant exposure

F – Some effect after seven days of constant exposure

N – Immediate damage may occur. Not recommended for continuous use

S – Surface etching possible

The first letter of each pair applies to minimum temperature conditions; the second to maximum temperature conditions.



Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
1,4-Dioxane	GF	GG	FN	GF	EE	EE
2,2,4-Trimethylpentane	FN	FN	FN	FN	EE	EE
2-Methoxyethanol	EG	EE	GE	EE	EE	EE
2-Propanol	EE	EE	EE	EE	EE	EE
Acetaldehyde	GN	GF	GN	GN	EE	EE
Acetamide, Sat.	EE	EE	EE	EE	EE	EE
Acetic Acid, 5%	EE	EE	EE	EE	EE	EE
Acetic Acid, 50%	GF	EG	EE	EE	EE	EE
Acetic Acid, Glacial	GN	GG	EG	GG	EE	EE
Acetic Anhydride	NN	FF	GF	EG	EE	EE
Acetone	NN	NN	GN	EE	EE	EE
Acetonitrile	EE	EE	EG	FN	EE	EE
Acetophenone	NN	FF	FN	GN	EE	EE
Acrylonitrile	EE	EE	EG	FN	EE	EE
Adipic Acid	EG	EE	EE	EE	EE	EE
Alanine	EE	EE	EE	EE	EE	EE
Allyl Alcohol	EE	EE	EE	EG	EE	EE
Aluminum Chloride	EE	EE	EE	EE	EE	EE
Aluminum Hydroxide	EG	EE	EG	EG	SS	EE
Aluminum Salts	EE	EE	EE	EE	EE	EE
Amino Acids	EE	EE	EE	EE	EE	EE
Ammonia (pure)	EE	EE	EE	EE	SS	EE
Ammonia, 25%	EE	EE	EE	EE	SS	EE
Ammonium Acetate, Sat.	EE	EE	EE	EE	EE	EE
Ammonium Chloride	EE	EE	EE	EE	EE	EE
Ammonium Glycolate	EG	EE	EG	EG	EE	EE
Ammonium Hydroxide, 5%	EE	EE	EE	EE	SS	EE
Ammonium Hydroxide, 30%	EG	EE	EG	EG	SS	EE
Ammonium Oxalate	EG	EE	EG	EG	EE	EE
Ammonium Salts	EE	EE	EE	EE	EE	EE
Amyl Alcohol	EE	EE	EF	GF	EE	EE
Amyl Chloride	NN	FN	NN	FF	EE	EE
Aniline	EG	GF	EG	GF	EE	EE
Aqua Regia	NN	NN	NN	NN	SS	EE
Arsenic Acid	GF	EE	EE	EE	EE	EE
Benzaldehyde	EG	GN	EG	EF	EE	EE
Benzenamine	EG	GF	EG	GF	EE	EE
Benzene	NN	NN	NN	NN	EE	EE
Benzoic Acid, Sat.	EE	EE	EG	EE	EE	EE
Benzyl Acetate	EG	EE	EG	EG	EE	EE
Benzyl Alcohol	NN	FN	GG	GG	EE	EE
Boric Acid	EE	EE	EE	EE	EE	EE
Bromine	NN	FN	NN	NN	EE	EE
Bromobenzene	NN	NN	NN	NN	EE	EE
Bromoform	NN	NN	NN	NN	EE	EE
Butadiene	NN	FN	NN	NN	EE	EE
Butyl Acetate	GF	GF	FN	FF	EE	EE
Butyl Chloride	NN	NN	NN	FN	EE	EE
Butyric Acid	NN	FN	NN	NN	EE	EE
Calcium Chloride	EE	EE	EE	EE	EE	EE
Calcium Hydroxide, Conc.	EE	EE	EE	EE	SS	EE
Calcium Hypochlorite, Sat.	EE	EE	EE	EG	EE	EE
Carbazole	EE	EE	EE	EE	EE	EE
Carbon Disulfide	NN	NN	NN	NN	EE	EE
Carbon Tetrachloride	FN	GF	GF	NN	EE	EE
Caustic Potash	EE	EE	EE	EE	SS	EE
Caustic Soda, 1%	EE	FF	EE	EE	SS	EE
Caustic Soda	GG	GF	EE	EE	SS	EE

Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
Cedarwood Oil	NN	FN	NN	NN	EE	EE
Cellosolve Acetate	EG	EE	FN	EG	EE	EE
Chlorine Water	GN	GF	FN	NN	EE	EE
Chlorine, 10% (Moist)	GN	GF	FN	NN	EE	EE
Chlorine, 10% in air	GN	EF	FN	GN	EE	EE
Chlorine, wet gas	GN	GF	FN	NN	EE	EE
Chloroacetic Acid	EE	EE	EG	EG	EE	EE
Chlorobenzene	NN	NN	NN	NN	EE	EE
Chloroform	FN	FN	NN	NN	EE	EE
Chromic Acid, 10%	EE	EE	EE	EE	EE	EE
Chromic Acid, 20%	EE	EE	GG	EE	EE	EE
Chromic Acid, 50%	EE	EE	GF	GG	EE	EE
Chromic:Sulfuric	NN	NN	NN	NN	EE	EE
Cinnamon Oil	NN	NN	NN	NN	EE	EE
Citric Acid, 10%	EE	EE	EE	EE	EE	EE
Copper Sulfate	EE	EE	EE	EE	EE	EE
Cresol	NN	FN	GF	NN	EE	EE
Cyclohexane	FN	FN	GN	NN	EE	EE
Cyclohexanone	NN	FN	FN	GF	EE	EE
Cyclopentane	NN	FN	FN	FN	EE	EE
Decahydronaphthalene	GF	EG	NN	FN	EE	EE
Decalin	GF	EG	NN	FN	EE	EE
Diacetone	NN	NN	GF	FF	EE	EE
Diacetone Alcohol	FN	EE	GF	EE	EE	EE
Dibutylphthalate	FN	FN	GN	GG	EE	EE
Diethyl Benzene	NN	FN	NN	NN	EE	EE
Diethyl Ether	NN	FN	FN	NN	EE	EE
Diethyl Ketone	NN	NN	GG	GF	EE	EE
Diethyl Malonate	EE	EE	EE	EG	EE	EE
Diethylamine	NN	FN	GN	FF	EE	EE
Diethylene Dioxide	GF	GG	NN	FN	EE	EE
Diethylene Glycol	EE	EE	EE	EE	EE	EE
Diethylene Glycol Ethyl Ether	EE	EE	EE	EE	EE	EE
Dimethyl Acetamide	FN	EE	EE	FG	EE	EE
Dimethyl Formamide	EE	EE	EE	EE	EE	EE
Dimethylsulfoxide	EE	EE	EE	EE	EE	EE
Dioxane	GF	GG	NN	FN	EE	EE
Dipropylene Glycol	EE	EE	EE	EE	EE	EE
DMSO	EE	EE	EE	EE	EE	EE
Ethanol, 40%	EG	EE	EE	EG	EE	EE
Ether	NN	FN	NN	FN	EE	EE
Ethyl Acetate	EE	EE	GN	FN	EE	EE
Ethyl Alcohol (Absolute)	EG	EE	EE	EG	EE	EE
Ethyl Alcohol, 40%	EG	EE	EE	EG	EE	EE
Ethyl Alcohol, 96%	EG	EG	EE	EG	EE	EE
Ethyl Benzene	NN	FN	NN	NN	EE	EE
Ethyl Benzoate	FF	GG	GF	GF	EE	EE
Ethyl Butyrate	GN	GF	GN	FN	EE	EE
Ethyl Chloride	FN	NN	FN	FN	EE	EE
Ethyl Chloride, Liquid	FN	FF	FN	FN	EE	EE
Ethyl Cyanoacetate	EE	EE	EE	EE	EE	EE
Ethyl Lactate	EE	EE	EE	EE	EE	EE
Ethylene Chloride	NN	NN	NN	NN	EE	EE
Ethylene Glycol	EE	EE	EE	EE	EE	EE
Ethylene Glycol Monomethyl Ether	EG	EE	GF	EE	EE	EE
Ethylene Oxide	FF	GF	FN	FN	EE	EE
Ethylene Oxide Gas	FF	GF	FN	FN	EE	EE

Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
Ethylene Oxide, 100%	FF	GF	FN	FN	EE	EE
EtO Gas	FF	GF	FN	FN	EE	EE
EtO	FF	GF	FN	FN	EE	EE
Fatty Acids	EG	EE	EG	EG	EE	EE
Fluorides	EE	EE	EE	EE	EE	EE
Fluorine	FN	GN	NN	FN	EE	EG
Formaldehyde, 10%	EE	EE	EE	EE	EE	EE
Formaldehyde, 40%	EG	EG	EE	EE	EE	EE
Formalin, 10%	EE	EE	EE	EE	EE	EE
Formalin, 40%	EG	EG	EE	EE	EE	EE
Formic Acid	GG	EE	EG	EE	EE	EE
Formic Acid, 3%	EG	EE	EE	EE	EE	EE
Formic Acid, 100%	GG	EE	EG	EE	EE	EE
Formic Acid, 50%	GG	EE	EG	EE	EE	EE
Formic Acid, 85%	GG	EE	EG	EE	EE	EE
Freon TF	EG	EG	EG	FN	EE	EE
Fuel Oil	FN	GF	EF	GF	EE	EE
Gasoline	NN	FN	FN	GF	EE	EE
Glutaraldehyde	EG	EE	EE	FF	EE	EE
Glutaraldehyde Disinfectant	EG	EE	EE	FF	EE	EE
Glycerine	EE	EE	EE	EE	EE	EE
Glycerol	EE	EE	EE	EE	EE	EE
Hexane	NN	GF	GF	FN	EE	EE
Hydrazine	NN	NN	NN	NN	EE	EE
Hydrobromic Acid, 69%	EE	EG	EG	EE	EE	EE
Hydrochloric Acid, 5%	EE	EE	EE	EE	EE	EE
Hydrochloric Acid, 20%	EE	EE	EE	EE	EE	EE
Hydrochloric Acid, 35%	EE	EE	EG	EG	EE	EE
Hydrofluoric Acid, 4%	EE	EE	EE	EE	SS	EE
Hydrofluoric Acid, 48%	EE	EE	EG	EG	SS	EE
Hydrogen Peroxide, 3%	EE	EE	EG	EE	EE	EE
Hydrogen Peroxide, 30%	EG	EE	EF	EG	EE	EE
Hydrogen Peroxide, 90%	EN	EE	EF	EG	EE	EE
Iodine Crystals	NN	NN	EE	GN	EE	EE
Iso-Propanol, 100%	EE	EE	EE	EG	EE	EE
Isobutanol	EE	EE	EE	EG	EE	EE
Isobutyl Alcohol	EE	EE	EE	EG	EE	EE
Isopropanol	EE	EE	EE	EG	EE	EE
Isopropanol, 100%	EE	EE	EE	EE	EE	EE
Isopropyl Acetate	GF	EG	GF	GF	EE	EE
Isopropyl Alcohol	EE	EE	EE	EG	EE	EE
Isopropyl Alcohol, 100%	EE	EE	EE	EG	EE	EE
Isopropyl Benzene	FN	FN	FN	NN	EE	EE
Isopropyl Ether	NN	FN	NN	NN	EE	EE
Jet Fuel	FN	FN	FN	FN	EE	EE
Kerosene	FN	FN	FN	GF	EE	EE
Lacquer Thinner	NN	FN	FN	FF	EE	EE
Lactic Acid, 3%	EG	EE	EE	EG	EE	EE
Lactic Acid, 85%	EG	EE	EG	EG	EE	EE
Lead Acetate	EE	EE	EE	EE	EE	EE
Magnesium Chloride	EE	EE	EE	EE	EE	EE
MEK	NN	NN	EG	FN	EE	EE
Mercuric Chloride	EE	EE	EE	EE	EE	EE
Methanol	EG	EE	EE	EG	EE	EE
Mercury	EE	EE	EE	EE	EE	EE
Methanol, 100%	EG	EE	EE	EG	EE	EE
Methoxyethyl Oleate	EG	EE	EG	EG	EE	EE
Methyl Acetate	EN	FF	GF	EE	EE	EE

Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
Methyl Alcohol	EG	–	EE	EG	EE	EE
Methyl Alcohol, 100%	EG	EE	EE	EG	EE	EE
Methyl Ethyl Ketone	NN	NN	EG	FN	EE	EE
Methyl Isobutyl Ketone	NN	NN	GF	FF	EE	EE
Methyl Propyl Ketone	NN	FN	GF	FF	EE	EE
Methyl-t-Butyl Ether	NN	FN	FN	EE	EE	EE
Methylene Chloride	NN	FN	FN	EN	EE	EE
MIBK	NN	NN	GF	FF	EE	EE
Mineral Oil	GN	EF	EF	EG	EE	EE
Mineral Spirits	FN	FN	FN	EE	EE	EE
n-Amyl Acetate	GF	EG	GF	GF	EE	EE
n-Butanol	EE	EE	EE	EG	EE	EE
n-Butyl Acetate	GF	GF	GF	GF	EE	EE
n-Butyl Alcohol	EE	EE	EE	EG	EE	EE
n-Decane	FN	FN	FN	FN	EE	EE
n-Heptane	NN	FF	FF	FF	EE	EE
n-Octane	EE	EE	EE	EE	EE	EE
Nitric Acid, 10%	EE	EE	EE	EE	EE	EE
Nitric Acid, 20%	EE	GG	FF	EE	EE	EE
Nitric Acid, 50%	GF	FN	FN	FN	EE	EE
Nitric Acid, 70%	EN	FN	NN	FN	EE	E
Nitrobenzene	NN	NN	NN	FN	EE	E
Nitromethane	NN	FN	FN	EF	EE	EE
o-Dichlorobenzene	FN	NN	FN	FN	EE	EE
Oil, Cedarwood	NN	FN	NN	NN	EE	EE
Oil, Cinnamon	NN	FN	NN	NN	EE	EE
Oil, Mineral	GN	EE	EE	EG	EE	EE
Oil, Pine	GN	FN	EG	GF	EE	EE
Orange Oil	FN	GF	GF	FF	EE	EE
Oxalic Acid, 10%	EE	EE	EE	EE	EE	EE
Ozone	GN	GN	FN	EE	EE	EE
p-Chloroacetophenone	EE	EE	EE	EE	EE	EE
p-Dichlorobenzene	FN	NN	GF	GF	EE	EE
Perchloric Acid	GN	GN	GN	GN	EE	GF
Perchloric Acid, Concentrated (70%)	GN	GN	GN	GN	EE	GF
Perchloroethylene	NN	NN	NN	NN	EE	EE
Petroleum	NN	GN	NN	GF	EE	EE
Phenol, 100%	NN	NN	NN	NN	EE	EE
Phenol, 50%	NN	NN	NN	NN	EE	EE
Phenol, Crystals	FN	GF	GN	FG	EE	EE
Phenol, Liquid	NN	NN	NN	NN	EE	EE
Phosphoric Acid, 5%	EE	EE	EE	EE	EE	EE
Phosphoric Acid, 85%	EN	EE	EG	EG	EE	EE
Picric Acid	NN	NN	NN	EE	EE	EE
Pine Oil	GN	FN	EG	GF	EE	EE
Potassium Chloride	EE	EE	EE	EE	EE	EE
Potassium Hydroxide, 10%	EE	FF	EE	EE	SS	EE
Potassium Hydroxide, 30%	EE	EE	EE	EE	SS	EE
Potassium Hydroxide, Concentrated	EE	EE	EE	EE	SS	EE
Potassium Permanganate	EE	EE	EG	EE	EE	EE
Propane Gas	NN	EE	NN	NN	EE	EE
Propionic Acid	FN	EF	EG	EF	EE	EE
Propylene Glycol	EE	EE	EE	EE	EE	EE
Propylene Oxide	EG	EE	EG	EG	EE	EE
Pyridine	NN	NN	EE	FN	EE	EE
Resorcinol, 5%	EE	EE	EE	EE	EE	EE

Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
Resorcinol, Sat.	EE	EE	EE	EE	EE	EE
Salicylaldehyde	EG	EE	EG	EG	EE	EE
Salicylic Acid, Powder	EE	EE	EE	EE	EE	EE
Salicylic Acid, Sat.	EE	EE	EE	EG	EE	EE
Salt Solutions, Metallic	EE	EE	EE	EE	SS	EE
sec-Butanol	EE	EE	EE	EG	EE	EE
sec-Butyl Alcohol	EE	EE	EE	EG	EE	EE
Silicone Oil	EG	EE	EE	EE	EE	EE
Silver Acetate	EE	EE	EE	EE	EE	EE
Silver Nitrate	EG	EE	EE	EE	EE	EE
Skydrol LD4	GF	EG	EG	EG	EE	EE
Sodium Acetate, Sat.	EE	EE	EE	EE	EE	EE
Sodium Carbonate	EE	EE	EE	EE	EE	EE
Sodium Dichromate	EE	EE	EE	EE	EE	EE
Sodium Hydroxide, 1%	EE	FF	EE	EE	SS	EE
Sodium Hydroxide, 10%	EE	EE	EE	EE	SS	EE
Sodium Hydroxide, Concentrated (50%)	GG	EE	EE	EE	SS	EE
Sodium Hypochlorite, 15%	EF	EG	FN	EE	EE	EE
Stearic Acid	EE	GG	EE	EE	EE	EE
Stearic Acid, Crystals	EE	EE	EE	EE	EE	EE
Sulfur Dioxide	NN	EN	EE	NN	EE	EE
Sulfur Dioxide, Liquid	NN	FN	NN	NN	EE	EE
Sulfur Dioxide, Wet or Dry Gas	EE	EE	EE	EE	EE	EE
Sulfur Salts	FN	GF	FN	FN	EE	EE
Sulfuric Acid, 6%	EE	EE	EE	EE	EE	EE
Sulfuric Acid, 20%	EE	EE	EE	EE	EE	EE
Sulfuric Acid, 30%	EE	EE	EE	EE	EE	EE

Chemical	LDPE	HDPE	PP	TPX	Glass	PTFE
Sulfuric Acid, 60%	EG	EG	GF	EG	EE	EE
Sulfuric Acid, 98%	GG	FN	FN	GF	EE	EE
Sulfuric Acid, Concentrated (96%)	GG	FN	FN	GF	EE	EE
Tartaric Acid	EE	EE	EE	EE	EE	EE
TCA	FN	FN	GF	EE	EE	EE
tert-Butanol	EG	EE	EG	EG	EE	EE
tert-Butyl Alcohol	EG	EE	EG	EG	EE	EE
Tetrahydrofuran	FN	FN	GF	FF	EE	EE
THF	FN	FN	GF	FF	EE	EE
Thionyl Chloride	NN	NN	NN	NN	EE	EE
Tincture of Iodine	EG	GF	EE	NN	EE	EE
Toluene	FN	NN	NN	FF	EE	EE
Tributyl Citrate	GF	EG	GF	GF	EE	EE
Trichloroacetic Acid	FN	FN	GF	EE	EE	EE
Trichloroethane	NN	NN	NN	NN	EE	EG
Trichloroethylene	NN	NN	NN	NN	EE	EE
Triethylene Glycol	EE	EE	EE	EE	EE	EE
Tripropylene Glycol	EE	EE	EE	EE	EE	EE
Tris Buffer, Solution	EG	EG	EG	EG	EE	EE
Trisodium Phosphate	EE	EE	EE	EE	EE	EE
Turpentine	FN	FN	FN	FN	EE	EE
Undecyl Alcohol	EF	EG	EG	EG	EE	EE
Urea	EE	EE	EE	EG	EE	EE
Vinylidene Chloride	NN	FN	NN	NN	EE	EE
Xylene	NN	FN	NN	NN	EE	EE
Zinc Chloride, 10%	EE	EE	EE	EE	EE	EE
Zinc Stearate	EE	EE	EE	EE	EE	EE
Zinc Sulfate, 10%	EE	EE	EE	EE	EE	EE



## Properties of Glass

Vials and inserts are manufactured from the highest-quality borosilicate glass, selected for its purity and dimensional stability

**Clear glass type 33 expansion** products are manufactured from 33 expansion borosilicate glass, have a low coefficient of expansion and very high resistance to chemical attack. It has low alkali content and is free of elements from the calcium, magnesium, and zinc group of heavy metals. The total of combined oxides of arsenic and antimony is less than 0.005%. 33 expansion borosilicate glass meets the requirements for Type I Class A glass of ASTM E438.

**Chromacol GOLD™ glass** quality, a low expansion high purity glass with an extremely low concentration of active sites. This gives a low activity surface with high recovery of basic and polar samples that may show adsorption on more typical glass surfaces.

**Clear and Amber glass** products manufactured from N-51A borosilicate glass, have a relatively low coefficient of expansion and high chemical durability. N-51A


borosilicate glass meets the requirements for Type I Class B glass of ASTM E438.

Unless otherwise stated, all autosampler vials offered through this catalog (clear and amber glass) are classified as Type I in accordance with the U.S.Ph. 33th ed. and the European Ph. 7<sup>th</sup> ed, as well as other Pharmacopoeias or E.P. definitions of type 1 Hydrolytic Class Glass including e.g. the Japanese, Italian and DAB Pharmacopoeias.

### Approximate Chemical Composition for Borosilicate Glass

	33 expansion and Chromacol GOLD Grade Glass	N-51Clear Glass	N-51Amber Glass
Silicon Dioxide (SiO <sub>2</sub> )	80%	75%	72%
Boron Oxide (B <sub>2</sub> O <sub>3</sub> )	13%	11%	12%
Aluminum Oxide (Al <sub>2</sub> O <sub>3</sub> )	3%	5%	7%
Calcium Oxide (CaO)	0.1%	2%	1%
Magnesium Oxide (MgO)	Not Detected	Not Detected	Not Detected
Sodium Oxide (Na <sub>2</sub> O)	4%	7%	6%
Potassium Oxide (K <sub>2</sub> O)	0.1%	Not Detected	2%
Barium Oxide (BaO)	<0.1%	1%	<0.1%

### Optical Properties of Glass



## Autosampler Compatibility Table

This table indicates the categories of vials that are compatible with various models of autosamplers. Certain autosamplers require the purchase of optional vial trays and, in few cases, programming upgrades to use all of the vials listed.

Manufacturer	Model	8mm Crimp	11mm Crimp and Snap	8-425 Screw	Target DP Short Screw	10-425 Screw	Shell Vials	13-425 Screw and Crimp	Headspace	Plate
Agilent	1050, 1090		●		●					
	1050 (34 Pos. Tray), 1090 (34 Pos. Tray)	●								
	1100/1200		●		●					
	G1888A								●	
	7673A/7683A	●	●		●					
	7693A		●	●	●		●	●		
	HS7694							●	●	
	7697A								●	
	79855(A)		●		●					
	5880/5890		●		●					
	6850 (27 Pos. Tray)		●		●					
	6850 (22 Pos. Tray)								●	
	6890			●		●				
	CTC HTS+HTC PAL+CTC GC PAL	●	●		●					●
	CTC Combi PAL								●	
1100 Well-Plate/1100 Nanoflow		●	●	●	●				●	
1200 Well-plate/1200 SL plus		●	●	●	●				●	
AI	42 vial tray		●	●	●					
	60 vial tray	●	●	●	●					
	CTC A200S	●	●	●	●					
	Headspace								●	
AIM	CPS-100+CPS-200		●	●	●					
Alcott	708 AL, 728						●			
	738, 719 D/ D-PCS		●	●	●	●				
	719 AL		●	●	●	●		●	●	
Alpha M.O.S.	Prometheus/Fox/Kronos							●		
Antec Leyden	AS 100, 736 Unisampler, 738		●	●	●	●				
	Alexys		●	●	●					
ATAS GL	Focus		●	●	●				●	
Beckman	501, 502/502e, 507/507e	●	●	●	●	●				
	504	●								
	508 (System Gold)				●				●	
	Marathon, Promis		●	●	●					
	Triathlon, Standard Tray		●	●	●				●	
	Triathlon, LSV Tray	●						●		
	Triathlon, Super-LSV Tray								●	
	Triathlon, Micro-Tray	●								
Bruker	LC51							●		
	Mapi1									●
Cambridge Scientific Instruments	205 Series, 300 Series		●	●	●	●		●		
Carlo Erba	AS100, A200LC, AS300	●	●	●	●		●			
	AS200, AS200S	●	●	●	●					
	AS800, 42 vial tray		●	●	●					
	AS800, 60 vial tray	●	●	●	●					
	HS250, 500, 800, 850								●	
Cecil Instruments	CE4800		●	●	●	●				
	AutoQuest		●	●	●	●				
CTC	A200S	●	●	●	●	●				
	A200 LC	●	●	●	●	●			●	
	HS 500								●	

- indicates that the vials from this category are compatible with the autosampler in most configurations.
- indicates that a magnetic seal is required for use with the autosampler.

Manufacturer	Model	8mm Crimp	11mm Crimp and Snap	8-425 Screw	Target DP Short Screw	10-425 Screw	Shell Vials	13-425 Screw and Crimp	Headspace	Plate	
CTC (LEAP)	LC PAL (216 Pos.)		•	•	•	•			•		
	HTX PAL, HTC PAL, HTS PAL (200 Pos. Tray), Combi PAL (200 Pos. Tray), GC PAL (200 Pos. Tray)	•									
	HTX PAL, HTC PAL, HTS PAL (54/98 Pos. Tray)	•	•	•	•	•			•		
	HTX PAL, HTC PAL, HTS PAL (32 Pos. Tray), Combi PAL (32 Pos. Tray), GC PAL (32 Pos. Tray), Combi PAL SPME Mode (32 Pos. Tray)								•		
	Combi PAL (98 Pos. Tray), GC PAL (98 Pos. Tray) Combi PAL SPME Mode (98 Pos. Tray)	•	•		•						
DANI	ALS 39.80, ALS 86.80, ALS 1000		•		•						
	HS39.50, HS86.50								•		
	Master AS		•		•				•		
	Master DHS								•		
Dionex	Gina 50	•	•		•			•			
	AS 50	•	•	•	•	•					
	Summit ASI 100, Micro-Tray (192 Pos.)	•									
	Summit ASI 100, Analytical-Tray (117 Pos.)		•	•	•						
	Summit ASI 100, Semiprep.-Tray (63 Pos.)							•			
	Famos (LC Packings/Dionex)		•	•	•	•			•		
	UltiMate Analytical, cylindrical, WPS-3000 SL, 120 Pos. Rack (2ml)		•	•	•	•			•		
	UltiMate Analytical, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (1.1ml=2ml w. Inserts)		•						•		
	UltiMate Micro, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (250µl), UltiMate Nano/Cap/Micro, WPS-3000 SL, 216 (3x72) Pos. Rack (1.2ml)	•								•	
	UltiMate Semipreparative, WPS-3000 SL, 66 (3x22) Pos. Rack (4ml)							•	•	•	
	AS 40						•	•			
	AS-HV			•							
D-Star	DAS 10		•	•							
Dynatech	42 vial tray		•	•	•						
	60 vial tray	•	•	•	•						
	LC2000	•									
	GC111, GC311	•	•	•							
	LC-241	•	•	•							
Eksigent	NanoLC-AS1		•	•							
ESA	540-MT/540		•	•	•					•	
EST	LC-241plus		•	•							
EST Analytical	Cobra L/S GC Autosampler; 120 vial tray		•	•	•	•					
	Cobra L/S GC Autosampler; 60 vial tray, Markelov HS9000								•		
Finnigan	A200S	•	•	•	•						
Fisons	AS100, A200LC, AS300	•	•	•	•		•				
	AS200	•	•	•	•						
	AS200S	•	•	•	•						
	AS800, 42 vial tray		•	•	•						
	AS800, 60 vial tray	•	•	•	•						
	HS250, HS500, HS800, HS 850								•		
GBC	Avanta Ultra Z		•		•		•				
	LC 1650		•	•							
GE Healthcare	Ettan A-905		•		•	•					
GE Instruments	Sievers 900								•		
Gerstel	MPS	•	•	•	•			•	•	•	
Gilson	201/202, 221/222, 231/401/232/402, Aspec, Aspec Xli, Aspec XL4			•	•		•				
	221XL/222XL, 223, 231XL/232XL/233XL	•									
	Nano Injektor			•	•						
	235/235P/SP 235/SP 235P	•		•	•						
Gynkotec	Gina 50	•	•		•		•				

- indicates that the vials from this category are compatible with the autosampler in most configurations.
- indicates that a magnetic seal is required for use with the autosampler.

Manufacturer	Model	8mm Crimp	11mm Crimp and Snap	8-425 Screw	Target DP Short Screw	10-425 Screw	Shell Vials	13-425 Screw and Crimp	Headspace	Plate	
HTA	HT200H								•		
	HT250D, HT280T, HT300L		•	•	•	•			•		
	HT300A, HT310A		•	•	•	•					
ICI	LC1600	•	•								
IMT GmbH	PTA3000								•		
Jasco	AS 2055/AS 2055 (i), AS 2057/AS 2057 (i), AS 2059	•	•	•	•	•					
	851/AS-950/AS-1550/AS-1555			•							
	AS-2059/AS-2059Plus			•						•	
	AS-2059-SF/X-LC	•		•						•	
Knauer	K-3800 (Basic Marathon), Smartline K-3950, PLATINblue AS-1		•	•	•				•		
Konik -Tech	Robokrom Static HS								•		
	Robokrom HRGC	•	•								
	Robokrom HPLC		•	•	•	•					
Kontron	MSI 660			•				•			
	360, 460	•	•	•	•						
	360/460/560/565	•	•	•	•						
LDC	713-60	•									
	Marathon, Promis		•	•	•						
Metrohm	Triathlon		•	•							
PerkinElmer	Series 200, 25 vial tray, ISS-225, 25 vial tray									•	
	Series 200, 85 vial tray, ISS-100, 85 vial tray, ISS-200, 85 vial tray, ISS-225, 85 vial tray		•			•				•	
	Series 200, 81/100 vial tray, Integral 4000, ISS-100, 100 vial tray, ISS-200, 100 vial tray		•				•				
	Series 200, 205 vial tray	•	•			•					
	Series 200, 225 vial tray	•									
	AI-1	•	•								
	AS-100/AS-100B	•	•								
	AS2000/AS2000B	•	•			•					
	AS-300, AS8300, Autosystem	•	•								
	HS 6, HS40/HS100/101									•	
	TurboMatrix HS16/HS40/HS40 XL/ HS40 Trap/HS110/ HS110 Trap									•	
	ISS-200, 145 vial tray	•									
	ISS-225, 205 vial tray	•	•			•					
	ISS-225, 100 vial tray + 80 vial tray		•			•					
	LC 600, 42 vial tray	•									
	LC 600, 60 vial tray		•			•					
	Clarus 400, 500, 600		•								
	Pharmacia	LKB 2157-010		•	•	•					
		LKB 2157-020	•	•							
		Akta A-900		•	•						
Polymer Laboratories	PL-AS RT		•	•	•	•		•			
	GPC 110/210		•	•							
Quma Elektronik	QHSS-40								•		
Sedere	-		•		•						
Selerity	3100		•	•							
Sepiatech	Sepmatix									•	
SGE	LS-3200	•									
Shimadzu	AOC-5000	•	•		•					•	
	AOC-14/1400, AOC-17, AOC-20/20i/20s 150 Pos. Tray		•	•	•	•		•			
	AOC-20/20i/20s 96 Pos. Tray									•	
	LC-20A		•	•	•	•		•			
	SIL-2AS, SIL-6A, SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack S 100 Pos.	•	•	•	•	•	•	•			
	SIL-6B/SIL-7A/SIL-8A/SIL-9A		•	•	•	•	•	•			
	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack L 80 Pos.							•	•		

- indicates that a cap having an outer flange is required for the vial to operate properly with the autosampler.
- indicates that the vials from this category are compatible with the autosampler in most configurations.
- indicates that a magnetic seal is required for use with the autosampler.



Manufacturer	Model	8mm Crimp	11mm Crimp and Snap	8-425 Screw	Target DP Short Screw	10-425 Screw	Shell Vials	13-425 Screw and Crimp	Headspace	Plate
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack MTP2 192 Pos., SIL-10HTA/SIL-10HTC 350 pos. Tray						•			
	SIL-10HTA/SIL-10HTC 140 Pos. Tray		•	•	•	•	•			
	SIL-10HTA/SIL-10HTC 100 Pos. Tray						•	•		
	SIL-10ADvp		•	•	•	•	•	•		
	HTA 200 H									•
	SIL-20A (Prominence) 105 vial tray/SIL-20AC (Prominence) 70 vial tray	•	•	•	•	•				
	SIL-20A/Sil-20AC (Prominence) 175 vial tray						•			
	SIL-20A/Sil-20AC (Prominence) 50 vial tray, LC2010C + LC2010A 100 Pos. Tray						•	•		
	LC2010C + LC2010A 350 Pos. Tray						•			
	LC2010C + LC2010A 140 Pos. Tray		•	•	•	•	•			
HSS-2B									•	
Spark	Marathon Basic, Standard 96 Pos. Tray, Midas, Large Capacity 96 Pos. Tray, Promis, SPH 125		•	•	•					
	Marathon Basic Prep King Size 48 Pos. Tray, Midas, Large Volume 24 Pos. Tray									•
	Midas, Standard 84 Pos. Tray, Alias		•	•	•					•
	Triathlon, Standard 96 Tray		•	•	•		•			
	Triathlon, LSV 72 Pos. Tray							•		
	Triathlon, Super-LSV 32 Pos. Tray									•
	Triathlon, Micro 160 Pos. Tray	•								
	Endurance 48 Pos. Tray, Reliance 48 Pos. Tray		•	•	•					
	Integrity		•	•	•					•
	Prospekt 2		•	•						
Reliance/Symbiosis Pharma		•	•						•	
Symbiosis Pico									•	
Spectra-Physics	8875, 8880		•	•	•					
	SpectraSYSTEM AS1000, AS3000, AS3500	•	•	•	•		•			
Sykam	S 5200		•		•					
Talbot	ASI		•		•					
Teledyne Tekmar	7000/7000HT/7050									•
	HT3A									•
Thermo Scientific	AS1000 (Trace GC), AS200, AS2000 90 vial tray (Trace GC)	•	•	•	•					
	AS300	•	•	•	•		•			
	AS2000 30 vial tray									•
	AI3000 (II)/AS3000 (II) AS3500 (Trace GC + Focus GC)	•	•		•					•
	A200LC, AS 100	•	•	•	•		•			
	SpectraSYSTEM AS 1000, AS 3000, AS 3500	•	•	•	•		•			
	A200S	•	•	•	•					
	AS800, 42 vial tray		•	•	•					
	AS800, 60 vial tray	•	•	•	•					
	HS250, HS500, HS800, HS 850, HS2000									•
	TriPlus (=GC PAL) (AS+ Duo)	•	•	•	•					•
	TriPlus HS, TriPlus SPME									•
	Surveyor (Surveyor Plus)	•	•	•	•		•			•
	Accela High Speed LC Autosampler (200 Pos.)	•	•	•	•					
	Accela Open Autosampler (342 Pos)	•	•	•	•					•
Tosoh	AS 8010		•		•					
	TSK-6080		•		•					•
Tracor	770/771/772		•	•	•					•
Unicam	4247, 4710		•	•	•					
	4700 (GC)	•								
	4700 (LC)	•		•	•					
	LC-XP		•	•	•			•		
	S4/S8	•								

- indicates that the vials from this category are compatible with the autosampler in most configurations.
- indicates that a magnetic seal is required for use with the autosampler.

Manufacturer	Model	8mm Crimp	11mm Crimp and Snap	8-425 Screw	Target DP Short Screw	10-425 Screw	Shell Vials	13-425 Screw and Crimp	Headspace	Plate
Varian	ProStar 400, Standard 96 Pos. Tray, ProStar 410, Large Capacity 96 Pos. Tray		•	•	•	•				
	ProStar 400, King Size 48 Pos. Tray, ProStar 410, Large Volume 24 Pos. Tray								•	
	ProStar 410, Standard 84 Pos. Tray		•	•	•	•			•	
	ProStar 420, Standard 96 Pos. Tray		•	•	•	•	•			
	ProStar 420, LSV 72 Pos. Tray	•						•		
	ProStar 420, Super-LSV 32 Pos. Tray								•	
	ProStar 420, Micro 160 Pos. Tray	•								
	ProStar 430, 48 Pos. Tray		•	•	•					
	8035			•	•					
	8000, 8100		•	•	•					
	8200		•	•	•		•			
	8400 (100 Pos.), 8410-Autoinjector (10 x 2ml; 6 x 5ml; 5 x 10ml)		•	•	•				•	
	CP-910, 911, 912		•	•	•					
	CP-940, 941		•	•						
	LC 9100/LC 9095/LC 9090		•	•		•				
	COMBI PAL (200 Pos. Tray) GC PAL (200 pos. Tray)	•								•
	COMBI PAL (98 Pos. Tray) GC PAL (98 Pos. Tray)	•				•				•
	COMBI PAL SPME mode (98 Pos. Tray)		•			•				•
	COMBI PAL (32 Pos. Tray) GC PAL (32 Pos. Tray), COMBI PAL SPME mode (32 Pos. Tray)					•				•
	Genesis									•
	Marathon Basic, Standard 96 Pos. Tray			•	•	•				
	Marathon Basic, Prep, King Size 48 Pos. Tray									•
	Vista				•	•				
	CP-9020/CP-9025, CP-9060									•
	CP-9010			•	•	•				
CP-8410/8034/8035/8100/8200/9095/9100			•	•						
920-LC/940-LC			•	•						
Viscotek	GPC Autosampler			•	•	•				
VWR(Merck)/Hitachi	L2200 (LaChrom Elite)/L2200-U (LaChrom Ultra) (200 Pos. Tray), L7200 (LaChrom) (80 Pos. Tray)/L7250(LaChrom) (Pos. Tray)		•	•	•					
	L2200 (LaChrom Elite) (128 Pos. Tray)							•		
	L7250 (LaChrom) (Rack Holder for combination Racks)	•	•	•	•			•		
	655-A40 (108 Pos. Tray), L-9100, AS 2000 (50 Pos. Tray), AS 4000 (150 Pos. Tray)			•	•	•				
	AS 4000 (198 Pos. Tray)	•								
	AS 6000	•	•	•	•					
	AS 6000	•	•	•	•					
Waters	Acquity Sample Organizer		•		•					•
	Acquity/CapLC/Waters/Nano Acquity		•		•					•
	Alliance HTS									•
	Model 2767		•	•						•
	Model 2707		•	•						•
	Model 2777		•	•						•
	ACQUITY™ UPLC Systems				•				•	
	Wisp 48 position						•	•		
	Wisp 96 position, 717, 96 Position Carousel						•			
	717, 48 Position Carousel						•	•		
	Alliance®, Alliance HT Syst.		•		•	•				
	Alliance® GPC 2000							•	•	
	Alliance® 2790/2795, Alliance 2690/2695		•		•	•				

- indicates that the vials from this category are compatible with the autosampler in most configurations.
- indicates that a magnetic seal is required for use with the autosampler.

